

## List of the coleopteran genera and species recorded in Turkey based upon the Info-system of the Cesa

(Report of the temporary results of the Entomofauna of Turkey- 9)

Ahmet Ömer Koçak    Muhabbet Kemal

**Abstract:** List of the coleopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 53: 1-213, 145 figs.

In this 9th report of the Project Entomofauna of Turkey, development of the Entomofauna concept, research conditions and similar problems are discussed to some degree. Number of the pterygot species of Turkey based upon the info-system of the Cesa are explained. According to this, 41000 taxa (family-, genus-, and species-groups) are included to the Info-system of the Cesa (with the exception of the *Lepidoptera*). Total number of the pterygot species of Turkey based upon the info-system of the Cesa increased to 14244. Concerning the present information of the database of the Cesa on the Entomofauna of Turkey, totally 13146 taxa (except *Lepidoptera*), including (789 family-, 2631 genus-, and 9056 species-group taxa) are evaluated. Among them, 3185 coleopteran species of Turkey belong to 739 genera of the 249 family group taxa are mentioned here. In the temporary lists submitted below, all the scientific names of the species and the genera are arranged alphabetically with their families. Besides the scientific names of the valid family group taxa (superfamilies, families, subfamilies, tribes, and subtribes) of the *Coleoptera* fauna of Turkey are listed. Chronologically arranged synonymous names are added to each taxa, if available. Distributional information are given as codes of the provinces of Turkey. References are partly published in the previous issue of this journal. Totally 103 coleopteran images of 17 families are used here for the first time. Illustrations are based upon field or laboratory studies of the authors. A selected bibliography is also given.

**Key words:** List, fauna, Turkey, *Coleoptera*

As in the case of other projects of the Cesa, the Entomofauna of Turkey is an international Project with the reports<sup>1</sup> of the temporary results free to all the readers. For that reason, the earlier 8 reports were published openly in some previous issues of the Cesa News.<sup>2</sup>

The Project Entomofauna of Turkey, without time limitation, is the unique attempt in determining the pterygot fauna of Turkey, based upon the literary data, the collection of the Cesa, as well as the field studies of the authors. Within a year, 8 reports were published (see note), totally 529 publications examined, 41000 taxa (family-, genus-, and species-groups) are controlled, missing data completed and included by the first author to the Info-system of the Cesa (with the exception of the *Lepidoptera*)<sup>3</sup>. Total number of the pterygot species of Turkey based upon the info-system of the Cesa increased to 14244. Scientific results of some of these activities were published in various issues in Cesa News<sup>4</sup>, and in Miscellaneous Papers of the Cesa.<sup>5</sup>

Our attempt on studying the Entomofauna is rather new. Of course, Turkey, our land is placed in the focus of this survey. By doing this, we should search the fauna of not only the neighbour countries, but also the continents, namely Eurasia and Africa, as their faunal elements inhabit in various regions of Turkey in various rates. During our searches in the related literature, we have met with some difficulties. Usually the Turkish authors of various insect groups, if use the scientific names of the taxa in their publications, frequently mis-spelled the names, used the name with incorrect incomplete author names, or without date of publications. These cases are less frequently seen among the publications by the foreign authors. We preferred, under these circumstances, to prepare correct scientific name lists of the pterygot orders under discussion; consequently we made inevitably more nomenclatural than laboratorial studies at the beginning. Without corrected faunal and taxonomical lists, such an enormous attempt cannot be successful. We strongly believe this; therefore we have to make some preferences concerning Entomofauna survey, i.e., first nomenclatural studies, taxonomical and faunal lists in our database systems, than the studies in the laboratory concerning the identifications the materials collected by us and their evaluations, including their descriptions. We are of the opinion that, studying on the nomenclature of the orders under discussion, are extremely serious and necessary attempts as in the field or in the laboratory studies. From time to time, we have been receiving some annoying, and provocative messages by some persons due to their intolerance of our nomenclatural activities. In the preamble of the Cesa<sup>6</sup>, the following statement may be read every time “...researches regarding the fauna, taxonomy, nomenclature...are among its aims”. Separately, we have been occasionally declaring that we always open to every constructive criticisms, sincere and scientific collaborations during our studying programs. But if such expected approach doesnot happen, we consider this reasonable to some degree. Under these circumstances, we naturally fulfil the responsibilities alone, namely, identifying and preparing the necessary descriptions of most insect groups, as well as the nomenclatural studies within our planned surveys. By the way, we would like to explain our opinion about the nomenclatural acts. According to the ICZN, it is a published act which affects the

<sup>1</sup> The reports of the Entomofauna of Turkey are published at irregular intervals.

<sup>2</sup> **Koçak, A.Ö.** et al., 2008, Entomofauna of Turkey. Report of the Entomofauna of Turkey-I. Cesa News 36: 13-25. - **Koçak, A.Ö., Kemal, M., Özdemir, M. & I. Özdemir, 2008**, Report on the “Entomofauna of Turkey” 2- Index of the recorded species of the Pterygot Insects of Turkey. Cesa News 37: 2-41, 1 fig. - **Koçak, A.Ö., Kemal, M., Özkol, H. & L. Kayci, 2009**, Report on the “Entomofauna of Turkey” 3- Revised and expanded index of the recorded genera and species of the Pterygot Insects of Turkey. - Cesa News 40: 12- 83, 1 fig. - **Koçak, A.Ö. & M. Kemal, 2009**, Report on the “Entomofauna of Turkey” 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. - Cesa News 41: 4-46, 2 figs. - **Koçak, A.Ö. & M. Kemal, 2009**, Report on the “Entomofauna of Turkey” 5- Revised and expanded index of the species of the Pterygot Insects of Turkey. - Cesa News 42: 1-38, 9 figs. - **Koçak, A.Ö. & M. Kemal, 2009**, Results of the Entomofauna Projects of the Cesa 6- List of the 1132 pterygot insect species of Turkey hitherto recorded in the database of the Cesa. Cesa News 47: 47-197. - **Koçak, A.Ö. & M. Kemal, 2009**, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa. Cesa News 51: 3-106, 40 figs. - **Koçak, A.Ö. & M. Kemal, 2009**, List of the hymenopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. Cesa News 52: 1-63, 14 figs. - All reports are accessible through the URL address: <http://www.cesa-tr.org/Cesanews.htm>

<sup>3</sup> Subjects on the Lepidoptera are currently studied by the Cesa within several projects see: <http://www.cesa-tr.org/Cesaprojects.htm> According to Infosystem of the Cesa, more than 99000 taxa were included so far.

<sup>4</sup> **Kemal, M. & A.Ö. Koçak, 2008**, *Conops flavicaudus* Bigot in South-East Turkey (Conopidae, Diptera). - Cesa News 36: 6-9, figs. 9-12, 1 map. - **Kemal, M. & E. Seven, 2009**, *Stiphrolamyra pleskei* (Becker) an interesting and rare Robber Fly from South East Turkey (Diptera, Asilidae) *Synonym(s):* . Cesa News 51: 1-2, 2 figs.


<sup>5</sup> <http://www.cesa-tr.org/Miscpap.htm>

<sup>6</sup> <http://www.cesa-tr.org/>

nomenclatural status of a scientific name or the typification of a nominal taxon. Under these circumstances, a nomenclatural act is related with the new synonyms, new combinations, new status, new names, as well as all kinds of descriptions of the taxa, type selections, designations, dates of publications, and the authorships. The meaning of the studying with the nomenclature cannot be merely restricted with the proposing replacement names. Besides, the studying with the nomenclature is not so different from the studying with the taxonomy. And it cannot be defined as a “nightmare” that claimed by some persons unaccountably. Such an approach to the nomenclature and the scientists interested in it, is simply not only absurd but also completely non-scientific. Final words that we would say are so; our project is pure scientific; therefore it has no reward. And, if such a scientific attempt had been made by foreigners it would be highly welcomed.

During the preparations of the Entomofauna programs, we are completely open to all esteemed entomologists interested in our studies. Therefore, we publish openly all the reports concerning our scientific activities, and the results even so they are temporary. We treat these reports very important, as their contents have vast information on the literary data, and the numerous original images of the Cesa Archive. The latter reflects not only the scientific activities of the authors during their field studies, but also the faunal compositions and richness of the country studied. As in the present report, some new concepts in generic arrangements are also proposed here for the first time. For example, the genus *Amphicomma* and its allied taxa in the family *Glaphyridae* are arranged here for the first time. Therefore, we wish that the readers should evaluate these reports properly.<sup>7</sup>

Contrary to our understanding mentioned above, some faunistical and taxonomical articles published especially by Tubitak – a most prominent scientific foundation of Turkey, are submitted to the readers in the following way (see figure below).



**Fig. 1** – Appearance of the page 60 of the article “Erzurum, Erzincan, Artvin ve Kars illeri Buprestidae (Coleoptera) familyası türleri üzerinde faunistik ve taksonomik araştırmalar I. Acmaeoderinae, Polycestinae ve Buprestinae.” published in *Türk J. Zool.* (Tubitak) 24: 51-78. In this article totally 19 pages of 27 pages were stained as illustrated. Dear readers, please try this scientific text. Can you read it? Compare also our scientific approaches by evaluating the Cesa News articles, as well as the temporary reports of the Entomofauna surveys.

<sup>7</sup> For previous information on the Cesa activities see Cesa News Nr. 51

This is unfortunately not a rare case, and cannot be neither understood, nor excused by us. But such official attitudes reflect only one of the difficulties among the heavy conditions of us.

As to the present report, the publication contents the list of the 3185 coleopteran species recorded in Turkey. Of course, this is a temporary result and it cannot reflect the whole coleopteran fauna of Turkey. However, this publication itself should not be overlooked, as it is the first and most comprehensive faunal work on *Coleoptera* of Turkey published so far. Within the near future, this list and their distributional information will certainly be revised and expanded. The expected actual number of species is more than 6000. But yet, the whole coleopteran fauna of Turkey is estimated as more than 25000 species.

Concerning the present information of the database of the Cesa on the Entomofauna of Turkey, totally 13146 taxa (except *Lepidoptera*), including (789 family-, 2631 genus-, and 9052 species-group taxa) are evaluated. Among them, 3185 coleopteran species of Turkey belong to 739 genera of the 249 family group taxa are mentioned here.

Meanwhile, the dipteran species of Turkey, recorded in Info-system of the Cesa increased to 1812. For further information about the *Diptera* of Turkey please visit the related Web Site: <http://www.cesa-tr.org/Entomofauna.htm> and <http://www.cesa-tr.org/numbertr.htm>

In the temporary lists submitted below, all the scientific names of the species and the genera are arranged alphabetically with their families. Chronologically arranged synonymous names are added to each taxa, if available. Distributional information are given as codes of the provinces of Turkey. References are partly published in the *previous issue of this journal*. *Illustrations are based upon field or laboratory studies of the authors.*

## Some illustrations on the Entomofauna Projects in Turkey and in abroad

The Project concept "Entomofauna" is rather new. However, the scientific activities in Turkey, as well as in abroad have been carrying out by the authors since 1978. Therefore, the Cesa collection and the archive have today enormous, mostly unstudied materials and digital information. Consequently, all of them will certainly be a part of the Entomofauna projects, during the final evaluations and preparing the scientific publications. On the other hand, in the last decade, the authors have carried out serious field studies on the *Lepidoptera* fauna of East Turkey. According to the next field programs, some groups of *Diptera*, *Hymenoptera*, *Coleoptera*, as well as some minor orders will be studied. The following images reflect some of activities of the authors during the field, the education or laboratory programs in abroad and also in Turkey. In accordance with a long-termed research program, the authors devoted their lives in the past 40 year to the Entomology, mainly to Lepidopterology, from the faunistical, ecological, taxonomical, as well as the nomenclatural studies. As all these disciplines, including the nomenclature, must be studied with great care; therefore, the authors did their utmost on this respect. All the baseless treatments concerning our scientific activities, namely, without basic information on the Cesa programs, are considered worthless. In the present report, totally 145 images are used. Among them, 103 original images, selected 5000 coleopteran digital illustrations from Turkey, preserved in the Cesa Archive, belong to 17 families of *Coleoptera* (*Carabidae* (6), *Lucanidae* (2), *Glaphyridae* (9), *Scarabaeidae* (9), *Buprestidae* (8), *Dytiscidae* (1), *Cantharidae* (1), *Chrysomelidae* (4), *Coccinellidae* (5), *Cerambycidae* (31), *Dasytidae* (1), *Mordellidae* (1), *Melyridae* (1), *Cleridae* (4), *Tenebrionidae* (4), *Meloidae* (7), *Curculionidae* (10)). The copyrights of all the images belong to the authors. Besides, the authors are responsible on the determination of all the insects, illustrated in this report.





**Figs. 2, 3** - An Attelabid species (leaf rolling weevils) from North Thailand, Chiang Mai 400m 15 11 2006 photo M. Kemal (Cesa)



**Fig. 4** – During an educational program at Chiang Mai (North Thailand), together with the students of Biology Department, explanation of using a light trap on 20 4 2006, photo M.Kemal (Cesa)



**Fig. 5** – During an educational program at Chiang Mai University, Faculty of Agriculture (North Thailand), examining the collection of the Department of Plant Protection on 2 11 2006, photo M.Kemal (Cesa)





**Fig. 6** – During an educational program at Chiang Mai University, Faculty of Agriculture (North Thailand), examining the collection of the Department of Plant Protection on 2 11 2006 with the academicians photo M.Kemal (Cesa)



**Fig. 7** – During an educational program at Chiang Mai University, Faculty of Agriculture (North Thailand), examining the collection of the Department of Plant Protection on 2 11 2006, photo M.Kemal (Cesa)





**Fig. 8** – Discussing a scientific program together with the lecturers from the Biology Department of Prince Songkla University, Hat Yai, South Thailand on 27 11 2006, photo M.Kemal (Cesa) – See publication: <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamus123>



**Fig. 9** - Examining the Natural History Museum collection of the Prince Songkla University, together with Prof. Suparoek Watanasit, Hat Yai, South Thailand on 27 11 2006, photo M.Kemal (Cesa)





**Fig. 10** - Together with Prof. Suparoek Watanasit at Natural History Museum of the Prince Songkla University, Hat Yai, South Thailand on 27 11 2006 (Cesa)



**Fig. 11** - In the Department of Biology of the Prince Songkla University, Hat Yai, South Thailand on 27 11 2006, photo M.Kemal (Cesa)





**Fig. 12** - In the Entomology Laboratory of the Prince Songkla University, Hat Yai, South Thailand on 27 11 2006, photo M.Kemal (Cesa)



**Fig. 13** - Together with a postgraduate student and Prof. Watanasit, at Hat Yai, 30 11 2006, photo A.Koçak (Cesa)





**Fig. 14** - During Field studies in a National Park in Hat Yai, together with Prof. Watanasit, 30 11 2006 (Cesa)



**Fig. 15** - During field studies at North Thailand, Chiang Mai in 2006 photo A.Koçak (Cesa) - See Lepidoptera of South East Asia by the Cesa <http://www.cesa-tr.org/cmubutt.htm>





**Fig. 16** - During preparations of the microlepidoptera at Chiang Mai, North Thailand in 2006 photo A.Koçak (Cesa) - See Lepidoptera of South East Asia by the Cesa <http://www.cesa-tr.org/cmubutt.htm>



**Fig. 17** - During field studies at Soutpansberg Mts., South Africa in 2 April, 2004 photo A.Koçak (Cesa) - See Lepidoptera of Africa by the Cesa <http://www.cesa-tr.org/Afrolep.htm>





**Fig. 17** - During field studies at Soutpansberg Mts., South Africa in 21 April, 2004 photo A.Koçak (Cesa) - See Lepidoptera of Africa by the Cesa <http://www.cesa-tr.org/Afrolep.htm>



**Fig. 19** – From East Turkestan to the highlands of East Turkey, Dr. Muhabbet Kemal is an Uighurian and experienced field biolod. She plays a great role in the Entomofauna projects. The figure is from field studies at Norduz highland in Van Province, East Turkey on 6 June 2007 photo A.Koçak (Cesa) – See also various issues of the Cesa Serials.





**Fig. 20** - During field studies at Karabet pass, 3000m in Van Province, East Turkey on 9 June 2007 photo A.Koçak (Cesa) – See also various issues of the Cesa Serials.



**Fig. 21** - During field studies at Nemrut Volcano, 2700m on 28 7 2006 in Bitlis Province East Turkey, photo M.Kemal (Cesa) – See also various issues of the Cesa Serials.





**Figs. 22-23** - During field studies at Çatak (Van Province) in 2007, East Turkey photo A.Koçak (Cesa) – See also various issues of the Cesa Serials.





**Fig. 24** - During field studies at Çatak (Van Province) in 2007, East Turkey, photo A.Koçak (Cesa) – See also various issues of the Cesa Serials.



**Fig. 25** - During field studies at Posof 2300m (Ardahan Province) in 2008, North East Turkey, near border of Georgia, photo A.Koçak (Cesa).





**Fig. 26** - During field studies at Muradiye 2000m (Van Province) in 2007, North East Turkey, behind the Mount Pirreşit with snow, photo M.Kemal (Cesa).



**Fig. 27** - During field studies at Kemaliye at night 1200m (Erzincan Province) in 2008, East Turkey, photo M.Kemal (Cesa).





**Figs. 28-29** - During field studies at Yayladağı (Hatay Province) in 2007, South Turkey near border Syria, photo M.Kemal (Cesa).





**Fig. 30** - During field studies at Çatak Dalbastı 1600m (Van Province) in 2007 (East Turkey), photo M.Kemal (Cesa).



**Fig. 31** – During an examination of the collected insects in the laboratory, photo M.Kemal (Cesa).







**Figs. 32, 33** – Preparations of the collected insects in the laboratory are always made by the authors, photo M.Kemal (Cesa).






**Figs. 34, 35** – Unsorted scarabaeids collected from dungs in Muş Province, in 17 5 2009. This is only an example, showing the transporting the specimens in a box to the Cesa collection. Taxonomical evaluation of such material for publications will be made by the authors in near future.










**Figs. 36 - 39** – Unsorted insects (Coleoptera, Hymenoptera, Homoptera, etc.) from Orientalic and Afrotropical regions collected by the authors. This is only a very small section of the specimens of the Cesa collection. Taxonomical evaluation on this matter is still continuing.





**Figs. 40, 41** – Digital photographing and examining the collected insects in the laboratory, photos A.Koçak & M.Kemal (Cesa).





**Fig. 42** - *Calosoma sycophanta* (Carabidae) Turkey Van Prov., Çatak Narlı 1800m, 7 6 2003 photo A. Koçak (Cesa)



**Fig. 43**- *Carabus (Procerus) aff. scabrosus* (Carabidae) Turkey Trabzon Prov., Maçka 1000m 24 6 2008 photo M. Kemal (Cesa)





**Fig. 44-** *Agonum* aff. *viridicupreum* (Carabidae) Turkey Van Prov., Çatak, Karadana 2000m, 18 6 2009 photo M. Kemal (Cesa)



**Fig. 45-** *Lophyridia fischeri* (Carabidae). Turkey Diyarbakır Prov, Kulp NW 1115m 15 5 2009 photo M Kemal (Cesa)





**Fig. 46-** *Cicindela asiatica* (Carabidae). Turkey Diyarbakır Prov, Kulp NW 1115m 15 5 2009, photo M Kemal (Cesa)



**Fig. 47 -** *Lophyridia littoralis* (Carabidae) Turkey Van Prov., Gevaş Göründü 1700m 2 9 2001, photo A Koçak (Cesa)





**Figs. 48-49** - *Lucanus ibericus* (Lucanidae). A rare and endangered species; active in the night. Turkey Van Prov., Çatak Amata Vadisi 1490m, 27 2007, photos M. Kemal (Cesa)





**Fig. 50-** *Amphicoma vittata* (Glaphyridae) Turkey Van Prov., Çatak Akçabük 1600m 21 6 2007, photo M. Kemal (Cesa)



**Fig. 51 -** *Amphicoma vulpes* (Glaphyridae) Turkey Muş Prov., Kulp yolu 1700m 17 5 2009, Photo M Kemal (Cesa)





**Fig. 52** - *Amphiloma vulpes* in copula (*Glaphyridae*) Turkey Muş Prov., Kulp yolu 1700m 17 5 2009, Photo M Kemal (Cesa)



**Fig. 53** - *Amphiloma* sp. (*Glaphyridae*) Turkey Maraş Prov. Göksun Büyükçamurlu 1570m 1. 6. 2007, photo M. Kemal (Cesa)





**Fig. 54** - *Amphiloma* sp. in copula (*Glaphyridae*). Turkey Van Prov., Çatak Amata vadisi 1600m 30 5 2009 photo M. Kemal (Cesa)



**Fig. 55**- *Amphiloma* sp. (*Glaphyridae*). Turkey Van Prov., Çatak Dalbastı 1350m, 9 6 2009, photo M. Kemal (Cesa)





**Fig. 56** - *Amphicoma* sp. (*Glaphyridae*) Turkey Siirt Prov., Şirvan Hezko 24 4 2008, photo M. Kemal (Cesa)



**Fig. 57** - *Amphicoma* sp. (*Glaphyridae*) Turkey Diyarbakır Prov., Kulp Bulur Deresi 1340m 15 5 2009, photo M. Kemal (Cesa)





**Fig. 58** - *Eulasia pareyssei* (Glaphyridae) Turkey Hatay Prov. Akbes 440m 21 4 2007, photo M Kemal (Cesa)







**Figs. 59, 60-** *Oryctes nasicornis* (Scarabaeidae) Turkey Van Pr., Çatak Amata Vadisi 1490m, 27 2007 photos M. Kemal (Cesa)



**Fig. 61-** *Polyphylla olivieri* (Scarabaeidae) This species is also active by nights. Turkey Bitlis Prov., Reşadiye 1700m 06 07 2006 photo M. Kemal (Cesa)





**Fig. 62** - *Chromovalgus peyroni* (Scarabaeidae) Turkey Karaman Prov., Hacibaba 1000m 23 6 2009, photo M. Kemal (Cesa)



**Fig. 63** - *Protacia morio* (Scarabaeidae) Turkey Bitlis Prov., Tatvan 55km E Korukluköyü 1780m 15 6 2007, photo M. Kemal (Cesa)





**Fig. 64** - *Cetonia aurata* (Scarabaeidae) Turkey Bingöl Prov., Kuruca 1700m 20 6 2009, photo M Kemal (Cesa)



**Fig. 65** - *Tropinota hirta* (Scarabaeidae) Turkey Hatay Prov. Akbes 440m 21 4 2007, photo M. Kemal (Cesa)





**Figs. 66, 67** - *Oxythyrea cinctella* (Scarabaeidae) Turkey Van Prov., inköy 1800m 28 5 2009, photo M.Kemal (Cesa)





**Fig. 68** - *Acmaeoderella* sp. (Buprestidae). Turkey Van Prov., Ereğdağı 2000m 21 6 2007, photo M. Kemal (Cesa)



**Fig. 69** - *Capnodis marquardtii* (Buprestidae), inhabits at stony slopes, where *Rheum ribes* grows. Turkey Van Prov., Ereğdağı 2150m, 19 5 2009 photo M. Kemal (Cesa)





**Fig. 70** -*Capnodis marquardtii* (Buprestidae). Turkey Van Prov., Erekdagi 2150m 19 5 2009, photo M. Kemal (Cesa)



**Fig. 71** -*Capnodis tenebrosa* (Buprestidae) Turkey Van Prov., Çatak Dalbastı 1600m 14 6 2008, photo M. Kemal (Cesa)





**Fig. 72** -*Chalcophorella stigmatica* (Buprestidae) Turkey Diyarbakır Prov., Kulp Taşköprü 900m 19 6 2009, photo by permission by M. Aydın (Cesa)



**Fig. 73** -*Eurythyrea austriaca* (Buprestidae) Turkey Bingöl Prov., Şeref st. 1530m 26 7 2008, photo M. Kemal (Cesa)





**Fig. 74** -*Sphenoptera* sp. (Buprestidae) Turkey Bingöl Prov., Kuruca Köyü 2 6 2007, photo M. Kemal (Cesa)



**Fig. 75** -*Anthaxia hungarica* (Buprestidae). Turkey Van Prov., Çatak Narlı yolu 1630m 28 5 2006, photo M. Kemal (Cesa)





**Fig. 76** -*Platambus* aff. *lunulatus* (Dytiscidae) Turkey Van Prov., Gevaş Artos 1800m 23 4 2009, photo M. Kemal (Cesa)



**Fig. 77** - *Cantharis livida* (Cantharidae) Turkey Van Prov., YYU Campus 1650m 8 6 2009, photo M. Kemal (Cesa)





**Figs. 78, 79** - *Smaragdina concolor* (Chrysomelidae). Turkey Erzurum Prov., Aşkale, Kop Dağı 2200m 23 6 2009, photos M. Kemal (Cesa)





**Fig. 80-** *Smaragdina limbata* (Chrysomelidae). Turkey Hatay Prov., Yayla Dağı 200m, 20 4 2007, photo M Kemal (Cesa)



**Fig. 81-** *Smaragdina limbata* (Chrysomelidae). Turkey Van Prov., Çatak Amata 1600m 30 5 2009 photo M.Kemal (Cesa)





**Fig. 82-** *Coccinella septempunctata* (Coccinellidae) Turkey Malatya Prov., Akçadağ Sultansuyu 870m 27 5 2007, photo M Kemal (Cesa)



**Fig. 83-** *Coccinella septempunctata* (Coccinellidae) Turkey Van Prov., YYU Campus 1700m 9 10 2009, photo M. Kemal (Cesa)





**Fig. 84-** *Coccinula 14-pustulata* (Coccinellidae) Turkey Istanbul Prov., Sariyer 250m 28 4 2009, photo M. Kemal (Cesa)



**Fig. 85-** *Hippodamia variegata* (Coccinellidae). Turkey Van Prov., YYU Campus 1700m 9 10 2009, photo M. Kemal (Cesa)





**Fig. 86-** *Psyllobora vigintiduopunctata* (Coccinellidae). Turkey Kırşehir Prov., Mucur 10km NW 1170m 28 4 2007, photo M. Kemal (Cesa)



**Fig. 87-** *Helladia humeralis* in copula (Cerambycidae). Turkey Izmir Prov., Gediz 19 4 2009, photo permission by Demet Çelikkaya (Cesa)





**Fig. 88-** *Stenurella bifasciata* (Cerambycidae). Turkey Ardahan Prov., Posof S 1450m 19 7 2009, photo M Kemal (Cesa)



**Fig. 89-** *Vadonia bitlisiensis* (Cerambycidae). Turkey Van Prov., Çatak Aşağınarlıca (Artos) 2300m 8 7 2009, photo M. Kemal (Cesa)





**Fig. 90-** *Echinocerus floralis* (Cerambycidae) Turkey Van Prov., Çatak Amata vadisi 1620m 17 2006, photo M. Kemal (Cesa)



**Fig. 91-** *Semnosia herminae* (Cerambycidae). Turkey Bingöl Prov., Kuruca Anten 2000m 28 6 2009, photo M. Kemal (Cesa)





**Fig. 92-** *Semnosia imperatrix* ssp (*Cerambycidae*). Turkey Van Prov., Gevaş Kuzgunkiran 2250m 2 6 2003, photo A Kocak (Cesa)



**Fig. 93-** *Semnosia interrupta* (♂) (*Cerambycidae*) Turkey Van Prov., Çatak Görentaş, Yapılı mızr. 2180m 11 6 2009, photo M. Kemal (Cesa)





**Figs. 94, 95-** *Agaphantia kirbyi* (Cerambycidae). Turkey Ağrı Prov., Tutak S. 1650m 23 6 2006, photo M. Kemal (Cesa)





**Fig. 96-** *Anastrangalia sanguinolenta* (♂) (Cerambycidae). Turkey Ardahan Prov., Posof Çambeli 1730m 2 8 2009  
Photo M Kemal (Cesa)



**Fig. 97-** *Aromia moschata* (Cerambycidae). Turkey Kars Prov., Sarıkamış 2000m 31 7 2009 photo M. Kemal (Cesa)





**Fig. 98-** *Callimus abdominalis* (Cerambycidae) on *Sisymbrium altissimum* Turkey İzmir Prov., Seferihisar 200m, 11 4 2009 photo M. Kemal (Cesa)



**Fig. 99-** *Chlorophorus nivipictus* (Cerambycidae). Turkey Bitlis Prov., Tatvan Hanelmalı 1730m 9 7 2006 photo M Kemal (Cesa)





**Fig. 100-** *Cyltus rhamni* ssp (*Cerambycidae*) on *Rosa canina* flower Turkey Ankara Pr Ayaş, Ayaşdağları, Mülk 1060m 30 5 2007 photo A Koçak (Cesa)



**Fig. 101-** *Lampropterus femoratus* (*Cerambycidae*). Turkey Van Prov., Çatak Akçabük 1700m 7 7 2009 photo M Kemal (Cesa)





**Fig. 102-** *Morimus* aff. *verecundus* (Cerambycidae) Turkey Trabzon Prov., Mačka 900m 23 6 2008 photoM Kemal (Cesa)



**Fig. 103-** *Musaria astarte* (Cerambycidae) Turkey Van Prov., Erek 1900m 13 6 2009 photo M. Kemal (Cesa)





**Fig. 104-** *Musaria kurdistan* (Cerambycidae). Turkey Van Prov., Çatak Karadana 2000m 18 6 2009 photo M. Kemal (Cesa)



**Fig. 105-** *Musaria puncticollis* ssp (Cerambycidae). Turkey Van Prov. Çatak Darboğaz 2100m 7 7 2009 photo M Kemal (Cesa)





**Fig. 106-***Opsilia coerulscens* (Cerambycidae). Turkey Malatya Prov., Balaban 1500m 21 6 2009 photo M. Kemal (Cesa)



**Fig. 107-***Osphranteria coerulescens* (Cerambycidae). Turkey Van Prov., Çatak Akçabük 1700m 23 7 2009, Photo M. Kemal (Cesa)





**Fig. 108-** *Pedostrangalia kurda* (Cerambycidae). Turkey Bingöl Prov., Bingöl 40km E., 2 6 2007 photo M Kemal (Cesa)



**Fig. 109-** *Plagionotus arcuatus* (Cerambycidae). Turkey Van Prov., YYU Campus 1700m 26 4 2005 photo M.Kemal (Cesa)






**Fig. 110-** *Purpuricenens longevittatus* (Cerambycidae). Turkey Isparta Prov. Eğridir 1250m 06 07 2005 photo M Kemal (Cesa)



**Fig. 111-** *Purpuricenens tommasoi* (Cerambycidae). Turkey Van Prov., Çatak Dalbastı 1600m 9 6 2009 photo M Kemal (Cesa)





**Fig. 112-** *Purpuricenus wachanrui* (Cerambycidae). Turkey Van Prov., Çatak Narlı yolu 1630m 28 5 2006, photo M Kemal (Cesa)



**Fig. 113-** *Rutpela maculata* (Cerambycidae). Turkey Bitlis Prov., Tatvan Hanelmalı 1730m 9 7 2006 photo M Kemal (Cesa)





**Figs. 114,115-** *Stenopterus rufus* (Cerambycidae). Turkey Bitlis Prov. Tatvan Reşadiye 1670m 24 6 2006 photo M Kemal (Cesa)





**Fig. 116-** *Stictoleptura cordigera* (Cerambycidae). Turkey Batman Prov., Kozluk Yenidoğan 740m 7 6 2008 photo M Kemal (Cesa)




**Fig. 117-** *Stictoleptura tripartita* (Cerambycidae) Turkey Bitlis Prov., Tatvan Hanelmahı 1730m 9 7 2006 photo M Kemal (Cesa)





**Fig. 118-** *Henicopus pilosus* (Dasytidae). Turkey Maraş Prov., Göksun Acielma 1670m 26 6 2009 photo M Kemal (Cesa)




**Fig. 119-** A Mordellid species in copula. Turkey Van Prov. YYU Campus 1680m 8 6 2009 photo M Kemal (Cesa)






**Fig. 120-** *Malachius bipustulatus* (Melyridae) Turkey Maraş Prov., Göksun Acielma W 1600m 26 6 2009 photo M Kemal (Cesa)



**Fig. 121-** *Trichodes alvearius* (Cleridae). Turkey Muş Prov., Buğlan Geçidi 1640m 2 6 2007 photo M Kemal (Cesa)





**Fig. 122-** *Trichodes apiarius* (Cleridae). Turkey Van Prov., Çatak Amata vadisi 1480m 2 7 2007, photo M Kemal (Cesa)



**Fig. 123-** *Trichodes reichei* (Cleridae). Turkey Batman Prov., Kozluk Natopa 1500m 8 6 2008 Photo M Kemal (Cesa)





**Fig. 124-** *Trichodes sexpustulatus* (Cleridae). Turkey Van Prov., Çatak Dalbastı 3km S 1300m 16 5 2003 photo A Kocak (Cesa)



**Fig. 125-** *Omophlus lepturoides* (Tenebrionidae). Turkey Van Prov., Artos 2450m 17 7 2009 Photo M Kemal (Cesa)





**Fig. 126-** *Omophlus lepturoides* (Tenebrionidae) Turkey Ankara Ayaş Müllköy 1350m, 30 5 2009 Photo M Kemal (Cesa)



**Fig. 127-** *Omophlus lepturoides* (Tenebrionidae). Turkey Van Prov., Çatak Aşağınarlıca 2150m 8 7 2009 Photo M Kemal (Cesa)





**Fig. 128-** *Opatrum sabulosum* (Tenebrionidae). Turkey Van Prov., Erciş Ulupamir 2100m 13 4 2009 Photo M Kemal (Cesa)



**Fig. 129-** *Muzimes* sp. (Meloidae) Turkey Maraş Prov., Göksun Acielma W 1500m 26 6 2009 Photo M Kemal (Cesa)





**Fig. 130-** *Muzimes* sp. (*Meloidae*) Turkey Bitlis Prov, Tatvan 55km E., Korukluköyü 1780m 15 6 2007 photo M Kemal (Cesa)



**Fig. 131-** *Muzimes* sp. (*Meloidae*) Turkey Van Prov., Çatak Dalbastı 1450m 11 6 2009, photo M Kemal (Cesa)





**Fig. 132-** *Mylabris* aff. *variabilis* (Meloidae). Turkey Bitlis Prov, Tatvan Çavuşlar yolu, Anten 2000m 15 6 2007 photo M Kemal (Cesa)



**Fig. 133-** *Mylabris* *quadripunctata* (Meloidae). Turkey Van Prov., Çatak Akçabük 1700m 23 7 2009 Photo M Kemal (Cesa)





**Fig. 134-** *Mylabris* sp. (*Meloidae*). Turkey Van Prov., Çatak Amata Vadisi 1620m 17 2006 photo M Kemal (Cesa)



**Fig. 135-** *Cerostoma* sp. (*Meloidae*) Turkey Bitlis Prov., Tatvan Reşadiye 1700m 17 2007 photo M Kemal (Cesa)





**Fig. 136-** *Attelabus nitens* (Curculionidae or Attelabidae) Turkey Van Prov., Çatak Dalbastı 1450m 9 6 2009 Photo M Kemal (Cesa)




**Fig. 137-** *Rhynchites hungaricus* (Curculionidae or Attelabidae) Turkey Bingöl Prov., Yado 1300m 20 6 2009 photo M Kemal (Cesa)





**Fig. 138-** *Brachycerus* sp. (*Curculionidae* or *Brachyceridae*). Turkey Bingöl Prov., Kuruca Anten 2000m 28 6 2009  
photo M Kemal (Cesa)



**Fig. 139-** *Cionus* sp.1 (*Curculionidae*). Turkey Van Prov., Gevaş Kızıldağ S 1800m, 18 6 2009, photo M Kemal (Cesa)





**Fig. 140-** *Cionus* sp.2 (*Curculionidae*) Turkey Van Prov., Gevaş Kızıltaş S 1800m, 18 6 2009 photo M. Kemal (Cesa)



**Fig. 141-** *Larinus onopordi* (*Curculionidae*). Turkey Van Prov., 15km SW Muradiye 1700m 29 5 2009 photo M. Kemal (Cesa)





**Fig. 142-** *Lixus cardui* (Curculionidae). Turkey Van Prov., Çatak Amata 1600m 30 5 2009 photo M. Kemal (Cesa)



**Fig. 143-** *Lixus* sp.? (Curculionidae). Turkey Van Prov., Çatak Yapılı mızr. 2100m 1 7 2009, photo M.Kemal (Cesa)





**Fig. 144-** An indetermined species in copula (*Curculionidae*) Turkey Bitlis Prov., Tatvan Koruklu 2200m 09 7 2009, photo M Kemal (Cesa)



**Fig. 145-** indetermined species (*Curculionidae*), *Cetonia* (*Scarabaeidae*), *Cerambycidae* and ants (*Hymenoptera*). Turkey Van Prov., Çatak Aşağınarlıca (Artos) 2300m 8 7 2009 photo M Kemal (Cesa)



## Temporary lists of the taxa of the order Coleoptera recorded in Turkey

Below, three different lists on the Coleoptera of Turkey are presented. The first list deals with the family group taxa based upon the Info-system of the Cesa. Totally 249 taxa recorded so far are listed with their families. Similarly, the second list deals with the 739 genus group taxa, and the last one deals with the 3185 coleopteran species in Turkey.

### List of the 249 family group taxa used for the coleopteran fauna of Turkey

The following temporary list comprises the scientific names of the valid 249 of the family group taxa (superfamilies, families, subfamilies, tribes, and subtribes) of the Coleoptera fauna of Turkey.

- |   |   |
|---|---|
| 1. <b>Gyrinidae Latreille,1802</b> ( <i>Gyrinidae</i> )         | 18. <b>Paussina Latreille,1807</b> ( <i>Carabidae</i> )           |
| 2. <b>Noteridae Thomson,1860</b><br>( <i>Noteridae</i> )        | 19. <b>Paussini Latreille,1807</b> ( <i>Carabidae</i> )           |
| 3. <b>Dytiscidae Leach,1815</b> ( <i>Dytiscidae</i> )           | 20. <b>Notiophilini Motschoulsky,1850</b><br>( <i>Carabidae</i> ) |
| 4. <b>Agabinae Thomson,1867</b> ( <i>Dytiscidae</i> )           | 21. <b>Nebriini Laporte,1834</b> ( <i>Carabidae</i> )             |
| 5. <b>Colymbetinae Erichson,1837</b><br>( <i>Dytiscidae</i> )   | 22. <b>Oodini LaFerte-Senectere,1851</b><br>( <i>Carabidae</i> )  |
| 6. <b>Dytiscinae Leach,1815</b> ( <i>Dytiscidae</i> )           | 23. <b>Apotominae LeConte,1853</b><br>( <i>Carabidae</i> )        |
| 7. <b>Hydroporinae Aubé,1836</b><br>( <i>Dytiscidae</i> )       | 24. <b>Apotomini LeConte,1853</b><br>( <i>Carabidae</i> )         |
| 8. <b>Bidessini Sharp,1882</b> ( <i>Dytiscidae</i> )            | 25. <b>Trechinae Bonelli,1810</b> ( <i>Carabidae</i> )            |
| 9. <b>Hydroporini Aubé,1836</b> ( <i>Dytiscidae</i> )           | 26. <b>Trechini Bonelli,1810</b> ( <i>Carabidae</i> )             |
| 10. <b>Hydrovatini Sharp,1882</b> ( <i>Dytiscidae</i> )         | 27. <b>Trechina Bonelli,1810</b> ( <i>Carabidae</i> )             |
| 11. <b>Hygrotini Portevin,1929</b> ( <i>Dytiscidae</i> )        | 28. <b>Bembidiini Stephens,1827</b><br>( <i>Carabidae</i> )       |
| 12. <b>Laccophilinae Gistel,1856</b><br>( <i>Dytiscidae</i> )   | 29. <b>Bembidiina Stephens,1827</b><br>( <i>Carabidae</i> )       |
| 13. <b>Haliplidae Aubé,1836</b> ( <i>Haliplidae</i> )           | 30. <b>Brachininae Bonelli,1810</b><br>( <i>Carabidae</i> )       |
| 14. <b>Noteridae Thomson,1860</b><br>( <i>Noteridae</i> )       | 31. <b>Cicindelinae Latreille,1802</b><br>( <i>Carabidae</i> )    |
| 15. <b>Hygrobiidae Régimbart,1878</b><br>( <i>Hygrobiidae</i> ) | 32. <b>Carabinae Latreille,1802</b><br>( <i>Carabidae</i> )       |
| 16. <b>Carabidae Latreille,1802</b><br>( <i>Carabidae</i> )     |   |
| 17. <b>Paussinae Latreille,1807</b> ( <i>Carabidae</i> )        |   |



- |  |   |
|--|---|
| 33. <b>Hydrophiloidea Latreille, 1802</b><br>( <i>Hydrophiloidea</i> ) | 64. <b>Geotrupidae Latreille, 1802</b><br>( <i>Geotrupidae</i> )          |
| 34. <b>Hydrophilidae Latreille, 1802</b><br>( <i>Hydrophilidae</i> )   | 65. <b>Scarabaeidae Latreille, 1802</b><br>( <i>Scarabaeidae</i> )        |
| 35. <b>Laccobiini Bertrand, 1967</b><br>( <i>Hydrophilidae</i> )       | 66. <b>Scarabaeinae Latreille, 1802</b><br>( <i>Scarabaeidae</i> )        |
| 36. <b>Berosini Mulsant, 1844</b><br>( <i>Hydrophilidae</i> )          | 67. <b>Hybosorinae Erichson, 1847</b><br>( <i>Scarabaeidae</i> )          |
| 37. <b>Anacaenini Hansen, 1991</b><br>( <i>Hydrophilidae</i> )         | 68. <b>Coprinae Kolbe, 1905</b> ( <i>Scarabaeidae</i> )                   |
| 38. <b>Chaetarthriini Bedel, 1881</b><br>( <i>Hydrophilidae</i> )      | 69. <b>Euchirinae Burmeister, 1842</b><br>( <i>Scarabaeidae</i> )         |
| 39. <b>Coleostomatini Hansen, 1991</b><br>( <i>Hydrophilidae</i> )     | 70. <b>Aphodiinae Leach, 1815</b><br>( <i>Scarabaeidae</i> )              |
| 40. <b>Megasternini Hansen, 1991</b><br>( <i>Hydrophilidae</i> )       | 71. <b>Aphodiini Leach, 1815</b> ( <i>Scarabaeidae</i> )                  |
| 41. <b>Sphaeridiini Latreille, 1802</b><br>( <i>Hydrophilidae</i> )    | 72. <b>Melolonthinae Samouelle, 1819</b><br>( <i>Scarabaeidae</i> )       |
| 42. <b>Hydrophilini Latreille, 1802</b><br>( <i>Hydrophilidae</i> )    | 73. <b>Rhizotroginae</b> ( <i>Scarabaeidae</i> )                          |
| 43. <b>Acidocerina Hansen, 1991</b><br>( <i>Hydrophilidae</i> )        | 74. <b>Pachydemininae Reitter, 1902</b><br>( <i>Scarabaeidae</i> )        |
| 44. <b>Hydrobiina Mulsant, 1844</b><br>( <i>Hydrophilidae</i> )        | 75. <b>Sericinae Kirby, 1837</b> ( <i>Scarabaeidae</i> )                  |
| 45. <b>Hydrophilina Latreille, 1802</b><br>( <i>Hydrophilidae</i> )    | 76. <b>Hopliinae Latreille, 1829</b><br>( <i>Scarabaeidae</i> )           |
| 46. <b>Histeridae Gyllenhal, 1808</b><br>( <i>Histeridae</i> )         | 77. <b>Cetoniinae Leach, 1815</b><br>( <i>Scarabaeidae</i> )              |
| 47. <b>Histerinae Gyllenhal, 1808</b><br>( <i>Histeridae</i> )         | 78. <b>Dynastinae MacLeay, 1819</b><br>( <i>Scarabaeidae</i> )            |
| 48. <b>Tribalinae Bickhardt, 1914</b><br>( <i>Histeridae</i> )         | 79. <b>Rutelinae Latreille, 1802</b><br>( <i>Scarabaeidae</i> )           |
| 49. <b>Helophoridae Leach, 1815</b><br>( <i>Helophoridae</i> )         | 80. <b>Valginae Mulsant, 1842</b><br>( <i>Scarabaeidae</i> )              |
| 50. <b>Hydrochidae</b> ( <i>Hydrochidae</i> )                          | 81. <b>Valgini Mulsant, 1842</b> ( <i>Scarabaeidae</i> )                  |
| 51. <b>Hydraenidae Mulsant, 1844</b><br>( <i>Hydraenidae</i> )         | 82. <b>Scirtidae Fleming, 1821</b> ( <i>Scirtidae</i> )                   |
| 52. <b>Leiodidae Fleming, 1821</b> ( <i>Leiodidae</i> )                | 83. <b>Buprestoidea Leach, 1815</b><br>( <i>Buprestoidea</i> )            |
| 53. <b>Leiodinae Fleming, 1821</b> ( <i>Leiodidae</i> )                | 84. <b>Buprestidae Leach, 1815</b><br>( <i>Buprestidae</i> )              |
| 54. <b>Agathidiini Westwood, 1838</b><br>( <i>Leiodidae</i> )          | 85. <b>Julodinae Lacordaire, 1857</b><br>( <i>Buprestidae</i> )           |
| 55. <b>Cholevinae Kirby, 1837</b> ( <i>Leiodidae</i> )                 | 86. <b>Acmaeoderini Kerremans, 1893</b><br>( <i>Buprestidae</i> )         |
| 56. <b>Silphidae Latreille, 1807</b> ( <i>Silphidae</i> )              | 87. <b>Chrysochroini Laporte, 1835</b><br>( <i>Buprestidae</i> )          |
| 57. <b>Silphinae Latreille, 1807</b> ( <i>Silphidae</i> )              | 88. <b>Chalcophorina Lacordaire, 1857</b><br>( <i>Buprestidae</i> )       |
| 58. <b>Nicrophorinae Kirby, 1837</b><br>( <i>Silphidae</i> )           | 89. <b>Sphenopterini Lacordaire, 1857</b><br>( <i>Buprestidae</i> )       |
| 59. <b>Staphylinidae Latreille, 1802</b><br>( <i>Staphylinidae</i> )   | 90. <b>Dicerini Gistel, 1848</b> ( <i>Buprestidae</i> )                   |
| 60. <b>Paederinae Fleming, 1821</b><br>( <i>Staphylinidae</i> )        | 91. <b>Dicerina Gistel, 1848</b> ( <i>Buprestidae</i> )                   |
| 61. <b>Scarabaeoidea Latreille, 1802</b><br>( <i>Scarabaeoidea</i> )   | 92. <b>Buprestinae Leach, 1815</b><br>( <i>Buprestidae</i> )              |
| 62. <b>Lucanidae Latreille, 1804</b><br>( <i>Lucanidae</i> )           | 93. <b>Buprestini Leach, 1815</b> ( <i>Buprestidae</i> )                  |
| 63. <b>Glaphyridae MacLeay, 1819</b><br>( <i>Glaphyridae</i> )         | 94. <b>Anthaxiini Gory &amp; Laporte, 1869</b><br>( <i>Buprestidae</i> )  |
|  | 95. <b>Melanophilini Bedel, 1921</b><br>( <i>Buprestidae</i> )            |
|  | 96. <b>Chrysobothrini Gory &amp; Laporte, 1838</b> ( <i>Buprestidae</i> ) |



- |   |  |
|---|--|
| <p>97. <b>Agrilinae</b> Laporte, 1835 (<i>Buprestidae</i>)</p> <p>98. <b>Coraeibini</b> Bedel, 1921 (<i>Buprestidae</i>)</p> <p>99. <b>Agrilini</b> Laporte, 1835 (<i>Buprestidae</i>)</p> <p>100. <b>Trachydini</b> Laporte, 1835 (<i>Buprestidae</i>)</p> <p>101. <b>Elateroidea</b> Leach, 1815 (<i>Elateroidea</i>)</p> <p>102. <b>Cebrionidae</b> Latreille, 1802 (<i>Cebrionidae</i>)</p> <p>103. <b>Elateridae</b> Leach, 1815 (<i>Elateridae</i>)</p> <p>104. <b>Agrypninae</b> Candeze, 1857 (<i>Elateridae</i>)</p> <p>105. <b>Hypnoidinae</b> Schwarz, 1906 (<i>Elateridae</i>)</p> <p>106. <b>Dendrometrinae</b> Gistel, 1856 (<i>Elateridae</i>)</p> <p>107. <b>Elaterinae</b> Leach, 1815 (<i>Elateridae</i>)</p> <p>108. <b>Melanotinae</b> Candeze, 1859 (<i>Elateridae</i>)</p> <p>109. <b>Cardiophorinae</b> Candeze, 1860 (<i>Elateridae</i>)</p> <p>110. <b>Negastriinae</b> Nakane &amp; Kishii, 1956 (<i>Elateridae</i>)</p> <p>111. <b>Plastocerinae</b> Crowson, 1972 (<i>Elateridae</i>)</p> <p>112. <b>Lampyridae</b> Latreille, 1817 (<i>Lampyridae</i>)</p> <p>113. <b>Lampyrinae</b> Latreille, 1817 (<i>Lampyridae</i>)</p> <p>114. <b>Cantharidae</b> Imhoff, 1856 (1815) (<i>Cantharidae</i>)</p> <p>115. <b>Cantharinae</b> Imhoff, 1856 (1815) (<i>Cantharidae</i>)</p> <p>116. <b>Cantharini</b> Imhoff, 1856 (1815) (<i>Cantharidae</i>)</p> <p>117. <b>Malthininae</b> Kiesenwetter, 1852 (<i>Cantharidae</i>)</p> <p>118. <b>Malthinini</b> Kiesenwetter, 1852 (<i>Cantharidae</i>)</p> <p>119. <b>Malthodini</b> Boevig &amp; Craighead, 1930 (<i>Cantharidae</i>)</p> <p>120. <b>Bostrichoidea</b> Latreille, 1802 (<i>Bostrichoidea</i>)</p> <p>121. <b>Dermestidae</b> Latreille, 1804 (<i>Dermestidae</i>)</p> <p>122. <b>Megatominae</b> Ganglbauer, 1904 (<i>Dermestidae</i>)</p> <p>123. <b>Cleroidea</b> Latreille, 1802 (<i>Cleroidea</i>)</p> <p>124. <b>Cleridae</b> Latreille, 1802 (<i>Cleridae</i>)</p> <p>125. <b>Tillinae</b> Leach, 1815 (<i>Cleridae</i>)</p> <p>126. <b>Clerinae</b> Latreille, 1802 (<i>Cleridae</i>)</p> <p>127. <b>Dasytidae</b> Laporte, 1840 (<i>Dasytidae</i>)</p> <p>128. <b>Dasytinae</b> Laporte, 1840 (<i>Dasytidae</i>)</p> <p>129. <b>Dasytini</b> Laporte, 1840 (<i>Dasytidae</i>)</p> <p>130. <b>Cucujoidea</b> Latreille, 1802 (<i>Cucujoidea</i>)</p> <p>131. <b>Nitidulidae</b> Latreille, 1802 (<i>Nitidulidae</i>)</p> | <p>132. <b>Coccinellidae</b> Latreille, 1807 (<i>Coccinellidae</i>)</p> <p>133. <b>Coccidulinae</b> Mulsant, 1846 (<i>Coccinellidae</i>)</p> <p>134. <b>Coccinellinae</b> Latreille, 1807 (<i>Coccinellidae</i>)</p> <p>135. <b>Tenebrionoidea</b> Latreille, 1802 (<i>Tenebrionoidea</i>)</p> <p>136. <b>Tenebrionidae</b> Latreille, 1802 (<i>Tenebrionidae</i>)</p> <p>137. <b>Lagriinae</b> Latreille, 1825 (<i>Tenebrionidae</i>)</p> <p>138. <b>Cossyphini</b> Latreille, 1802 (<i>Tenebrionidae</i>)</p> <p>139. <b>Adeliini</b> Hope, 1840 (<i>Tenebrionidae</i>)</p> <p>140. <b>Pimeliinae</b> Latreille, 1802 (<i>Tenebrionidae</i>)</p> <p>141. <b>Erodiini</b> Billberg, 1820 (<i>Tenebrionidae</i>)</p> <p>142. <b>Zophosini</b> Solier, 1834 (<i>Tenebrionidae</i>)</p> <p>143. <b>Tentyriini</b> Eschscholtz, 1831 (<i>Tenebrionidae</i>)</p> <p>144. <b>Adesmiini</b> Lacordaire, 1859 (<i>Tenebrionidae</i>)</p> <p>145. <b>Adelostomini</b> Solier, 1834 (<i>Tenebrionidae</i>)</p> <p>146. <b>Stenosini</b> Lacordaire, 1859 (<i>Tenebrionidae</i>)</p> <p>147. <b>Ceratanisini</b> Gebien, 1937 (<i>Tenebrionidae</i>)</p> <p>148. <b>Akidini</b> Billberg, 1820 (<i>Tenebrionidae</i>)</p> <p>149. <b>Pimeliini</b> Latreille, 1802 (<i>Tenebrionidae</i>)</p> <p>150. <b>Boletophaginae</b> Kirby, 1837 (<i>Tenebrionidae</i>)</p> <p>151. <b>Boletophagini</b> Kirby, 1837 (<i>Tenebrionidae</i>)</p> <p>152. <b>Diaperinae</b> Latreille, 1802 (<i>Tenebrionidae</i>)</p> <p>153. <b>Phaleriini</b> Blanchard, 1845 (<i>Tenebrionidae</i>)</p> <p>154. <b>Diaperini</b> Latreille, 1802 (<i>Tenebrionidae</i>)</p> <p>155. <b>Crypticini</b> Brullé, 1832 (<i>Tenebrionidae</i>)</p> <p>156. <b>Trachyscelini</b> Blanchard, 1845 (<i>Tenebrionidae</i>)</p> <p>157. <b>Opatrinae</b> Brullé, 1832 (<i>Tenebrionidae</i>)</p> <p>158. <b>Opatrini</b> Brullé, 1832 (<i>Tenebrionidae</i>)</p> <p>159. <b>Melanimini</b> Seidlitz, 1894 (<i>Tenebrionidae</i>)</p> <p>160. <b>Dendarini</b> Seidlitz, 1889 (<i>Tenebrionidae</i>)</p> |
|---|--|



- |   |  |
|---|--|
| <p>161. <b>Pedinini</b> Eschscholtz, 1829<br/>(<i>Tenebrionidae</i>)</p> <p>162. <b>Leichenini</b> Mulsant &amp; Rey, 1854<br/>(<i>Tenebrionidae</i>)</p> <p>163. <b>Tenebrioninae</b> Latreille, 1802<br/>(<i>Tenebrionidae</i>)</p> <p>164. <b>Blaptini</b> Leach, 1815 (<i>Tenebrionidae</i>)</p> <p>165. <b>Ulomini</b> Blanchard, 1845<br/>(<i>Tenebrionidae</i>)</p> <p>166. <b>Helopini</b> Latreille, 1802<br/>(<i>Tenebrionidae</i>)</p> <p>167. <b>Cylindronotini</b> Espanol, 1956<br/>(<i>Tenebrionidae</i>)</p> <p>168. <b>Triboliini</b> Mulsant &amp; Rey, 1854<br/>(<i>Tenebrionidae</i>)</p> <p>169. <b>Alphitobiini</b> Reitter, 1917<br/>(<i>Tenebrionidae</i>)</p> <p>170. <b>Tenebrionini</b> Latreille, 1802<br/>(<i>Tenebrionidae</i>)</p> <p>171. <b>Toxicini</b> Lacordaire, 1859<br/>(<i>Tenebrionidae</i>)</p> <p>172. <b>Stenochiinae</b> Kirby, 1837<br/>(<i>Tenebrionidae</i>)</p> <p>173. <b>Cnodalonini</b> Gistel, 1856<br/>(<i>Tenebrionidae</i>)</p> <p>174. <b>Alleculinae</b> Laporte, 1840<br/>(<i>Tenebrionidae</i>)</p> <p>175. <b>Cteniopodini</b> Solier, 1835<br/>(<i>Tenebrionidae</i>)</p> <p>176. <b>Oedemeridae</b> Latreille, 1810<br/>(<i>Oedemeridae</i>)</p> <p>177. <b>Nacerdinae</b> Mulsant, 1858<br/>(<i>Oedemeridae</i>)</p> <p>178. <b>Calopodinae</b> Costa, 1852<br/>(<i>Oedemeridae</i>)</p> <p>179. <b>Oedemerinae</b> Latreille, 1810<br/>(<i>Oedemeridae</i>)</p> <p>180. <b>Meloidae</b> Gyllenhal, 1810 (<i>Meloidae</i>)</p> <p>181. <b>Meloinae</b> Gyllenhal, 1810 (<i>Meloidae</i>)</p> <p>182. <b>Lyttni</b> Solier, 1851 (<i>Meloidae</i>)</p> <p>183. <b>Mylabrini</b> Castelnau, 1840<br/>(<i>Meloidae</i>)</p> <p>184. <b>Meloini</b> Gyllenhal, 1810 (<i>Meloidae</i>)</p> <p>185. <b>Cerocomini</b> Leach, 1815 (<i>Meloidae</i>)</p> <p>186. <b>Epicautini</b> Denier, 1935 (<i>Meloidae</i>)</p> <p>187. <b>Nemognathinae</b> Lacordaire, 1859<br/>(<i>Meloidae</i>)</p> <p>188. <b>Sitarini</b> Mulsant, 1857 (<i>Meloidae</i>)</p> <p>189. <b>Nemognathini</b> Lacordaire, 1859<br/>(<i>Meloidae</i>)</p> <p>190. <b>Pyrochroidae</b> (<i>Pyrochroidae</i>)</p> <p>191. <b>Anthicidae</b> Latreille, 1819<br/>(<i>Anthicidae</i>)</p> <p>192. <b>Anthicinae</b> Latreille, 1819<br/>(<i>Anthicidae</i>)</p> <p>193. <b>Chrysomeloidea</b> Latreille, 1802<br/>(<i>Chrysomeloidea</i>)</p> | <p>194. <b>Chrysomeloidea</b> Latreille, 1802<br/>(<i>Chrysomeloidea</i>)</p> <p>195. <b>Cerambycidae</b> Latreille, 1802<br/>(<i>Cerambycidae</i>)</p> <p>196. <b>Prioninae</b> Latreille, 1802<br/>(<i>Cerambycidae</i>)</p> <p>197. <b>Cerambycinae</b> Latreille, 1802<br/>(<i>Cerambycidae</i>)</p> <p>198. <b>Achrysonini</b> Lacordaire, 1869<br/>(<i>Cerambycidae</i>)</p> <p>199. <b>Callichromatini</b> Blanchard, 1845<br/>(<i>Cerambycidae</i>)</p> <p>200. <b>Callidiopini</b> Lacordaire, 1869<br/>(<i>Cerambycidae</i>)</p> <p>201. <b>Cerambycini</b> Latreille, 1802<br/>(<i>Cerambycidae</i>)</p> <p>202. <b>Certalini</b> (<i>Cerambycidae</i>)</p> <p>203. <b>Clytini</b> Mulsant, 1839 (<i>Cerambycidae</i>)</p> <p>204. <b>Trachyderini</b> Dupont, 1836<br/>(<i>Cerambycidae</i>)</p> <p>205. <b>Rosaliini</b> Fairmaire, 1864<br/>(<i>Cerambycidae</i>)</p> <p>206. <b>Spondylidinae</b> Audinet-Serville, 1832 (<i>Cerambycidae</i>)</p> <p>207. <b>Lepturinae</b> Latreille, 1802<br/>(<i>Cerambycidae</i>)</p> <p>208. <b>Lepturini</b> Latreille, 1802<br/>(<i>Cerambycidae</i>)</p> <p>209. <b>Rhagiini</b> Kirby, 1837 (<i>Cerambycidae</i>)</p> <p>210. <b>Lamiinae</b> Latreille, 1825<br/>(<i>Cerambycidae</i>)</p> <p>211. <b>Acanthocinini</b> J. Thomson, 1860<br/>(<i>Cerambycidae</i>)</p> <p>212. <b>Agapanthiini</b> Mulsant, 1839<br/>(<i>Cerambycidae</i>)</p> <p>213. <b>Dorcadiini</b> Mulsant, 1839<br/>(<i>Cerambycidae</i>)</p> <p>214. <b>Lamiini</b> Latreille, 1825<br/>(<i>Cerambycidae</i>)</p> <p>215. <b>Obereini</b> Thomson, 1864<br/>(<i>Cerambycidae</i>)</p> <p>216. <b>Phytoeciini</b> Pascoe, 1864<br/>(<i>Cerambycidae</i>)</p> <p>217. <b>Saperdini</b> Mulsant, 1839<br/>(<i>Cerambycidae</i>)</p> <p>218. <b>Tetropini</b> Reitter, 1912<br/>(<i>Cerambycidae</i>)</p> <p>219. <b>Chrysomelidae</b> Latreille, 1802<br/>(<i>Chrysomelidae</i>)</p> <p>220. <b>Clytrinae</b> Kirby, 1837 (<i>Chrysomelidae</i>)</p> <p>221. <b>Cassidinae</b> Gyllenhal, 1813<br/>(<i>Chrysomelidae</i>)</p> <p>222. <b>Cryptocephalinae</b> Gyllenhal, 1813<br/>(<i>Chrysomelidae</i>)</p> <p>223. <b>Donaciinae</b> Kirby, 1837<br/>(<i>Chrysomelidae</i>)</p> |
|---|--|



- |  |  |
|--|--|
| <p>224. <b>Eumolpinae Hope, 1840</b><br/>(Chrysomelidae)</p> <p>225. <b>Galerucinae Latreille, 1802</b><br/>(Chrysomelidae)</p> <p>226. <b>Alticinae Spinola, 1844</b><br/>(Chrysomelidae)</p> <p>227. <b>Curculionidae Latreille, 1802</b><br/>(Curculionidae)</p> <p>228. <b>Curculioninae Latreille, 1802</b><br/>(Curculionidae)</p> <p>229. <b>Entiminae Schoenherr, 1823</b><br/>(Curculionidae)</p> <p>230. <b>Hyperinae Lacordaire, 1863</b><br/>(Curculionidae)</p> <p>231. <b>Lixinae Schönherr, 1823</b><br/>(Curculionidae)</p> <p>232. <b>Ceutorhynchinae Gistel, 1856</b><br/>(Curculionidae)</p> <p>233. <b>Gymnetrinae Thomson, 1859</b><br/>(Curculionidae)</p> <p>234. <b>Cioninae Schönherr, 1825</b><br/>(Curculionidae)</p> | <p>235. <b>Anthribidae Billberg, 1820</b><br/>(Anthribidae)</p> <p>236. <b>Anthribinae Billberg, 1820</b><br/>(Anthribidae)</p> <p>237. <b>Pleurocerinae (Anthribidae)</b></p> <p>238. <b>Choraginae W. Kirby, 1819</b><br/>(Anthribidae)</p> <p>239. <b>Attelabidae Billberg, 1820</b><br/>(Attelabidae)</p> <p>240. <b>Attelabinae Billberg, 1820</b><br/>(Attelabidae)</p> <p>241. <b>Attelabini Billberg, 1820</b><br/>(Attelabidae)</p> <p>242. <b>Apoderinae Jekel, 1860 (Attelabidae)</b></p> <p>243. <b>Apoderini Jekel, 1860 (Attelabidae)</b></p> <p>244. <b>Rhynchitinae Gistel, 1856</b><br/>(Attelabidae)</p> <p>245. <b>Rhynchitini Gistel, 1856 (Attelabidae)</b></p> <p>246. <b>Isotheini Scudder, 1893 (Attelabidae)</b></p> <p>247. <b>Auletini Reitter, 1913 (Attelabidae)</b></p> <p>248. <b>Byctiscini Voss, 1929 (Attelabidae)</b></p> <p>249. <b>Apionidae Schoenherr, 1823</b><br/>(Apionidae)</p> |
|--|--|

## List of the 739 genus group taxa used for the coleopteran fauna of Turkey

The following temporary list comprises the valid 739 genus group taxa (genera and subgenera) of the Coleoptera fauna of Turkey. To each generic names families and chronologically arranged synonym(s) are added, if available. Nomenclaturally unavailable names and incorrect subsequent spellings are marked with #.

1. **Ablattaria Reitter, 1885** (Silphidae) Synonym(s): *Ablattaria Reitter, 1885*
2. **Abraeus Leach, 1817** (Histeridae) Synonym(s): *Abraeus Leach, 1817*
3. **Accanthopus Dejean, 1821** (Tenebrionidae) Synonym(s): *Accanthopus Dejean, 1821;*  
*Enoplopus Solier, 1848*
4. **Acilius Leach, 1817** (Dytiscidae) Synonym(s): *Acilius Leach, 1817*
5. **Aclypea Reitter, 1885** (Silphidae) Synonym(s): *Aclypea Reitter, 1885; Blitophaga Reitter, 1885*
6. **Acmaeodera Eschscholtz, 1829** (Buprestidae) Synonym(s): *Acmaeodera Eschscholtz, 1829;*  
*Andromeda Gistel, 1834; Ptychomus Marseul, 1865*
7. **Acmaeoderella (Carininota) Volkovich, 1979** (Buprestidae) Synonym(s): *Carininota*  
*Volkovich, 1979*
8. **Acmaeoderella (Euacmaeoderella) Volkovich, 1979** (Buprestidae) Synonym(s):  
*Euacmaeoderella Volkovich, 1979*
9. **Acmaeoderella (s.str.) Cobos, 1955** (Buprestidae) Synonym(s): *Acmaeoderella Cobos, 1955*



10. **Acmaeoderella Cobos,1955** (Buprestidae) Synonym(s): *Acmaeoderella Cobos,1955*
11. **Acritus LeConte,1853** (Histeridae) Synonym(s): *Acritus LeConte,1853*
12. **Actenodia Laporte,1840** (Meloidae) Synonym(s): *Actenodia Laporte,1840*; *Rusadiria Pardo Alcaide,1954*
13. **Adalia Mulsant,1846** (Coccinellidae) Synonym(s): *Idalia Mulsant,1846 (praeocc.)*; *Adalia Mulsant,1846*; *Arrowella Brethes,1925*
14. **Adelina Wollaston,1858** (Tenebrionidae) Synonym(s): *#Adelina Dejean,1835*; *Adelina Wollaston,1858*
15. **Adelocera Latreille,1829** (Elateridae) Synonym(s): *Adelocera Latreille,1829*
16. **Adelostoma (s.str.) Duponchel,1827** (Tenebrionidae) Synonym(s): *Adelostoma Duponchel,1827*; *Polyscopus Waltl,1835*
17. **Adelostoma Duponchel,1827** (Tenebrionidae) Synonym(s): *Adelostoma Duponchel,1827*; *Polyscopus Waltl,1835*
18. **Adesmia (Macradesmia) Koch,1944** (Tenebrionidae) Synonym(s): *Macradesmia Koch,1944*
19. **Adesmia (Oteroscelis) Solier,1835** (Tenebrionidae) Synonym(s): *Oteroscelis Solier,1835*
20. **Adesmia Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): *Adesmia Fischer von Waldheim,1822*; *Adesma Percheron,1835*
21. **Adoretus Laporte,1840** (Scarabaeidae) Synonym(s): *Adoretus Laporte,1840*
22. **Adrastus Eschscholtz,1829** (Elateridae) Synonym(s): *Adrastus Eschscholtz,1829*
23. **Aeletes Horn,1873** (Histeridae) Synonym(s): *Aeletes Horn,1873*
24. **Aeoloderma Fleutiaux,1928** (Elateridae) Synonym(s): *Aeoloderma Fleutiaux,1928*
25. **Aeoloides Schwarz,1906** (Elateridae) Synonym(s): *Aeoloides Schwarz,1906*
26. **Aeolosomus Dolin,1982** (Elateridae) Synonym(s): *Aeolosomus Dolin,1982*
27. **Aethiessa Burmeister,1842** (Scarabaeidae) Synonym(s): *Aethiessa Burmeister,1842*
28. **Agabus (Acatodes) Thomson,1859** (Dytiscidae) Synonym(s): *Acatodes Thomson,1859*; *Badynectus Seidlitz,1882*; *Acathodes Seidlitz,1887*; *Heteronyctus Seidlitz,1887*; *Scytodytes Seidlitz,1887*; *Xanthodytes Seidlitz,1887*; *Allonychus Zaitzev,1905*; *Mesogabus Guéorguiev,1969*
29. **Agabus (Gaurodytes) Thomson,1859** (Dytiscidae) Synonym(s): *Necticus Hope,1838*; *Gaurodytes Thomson,1859*; *Dichodytes Thomson,1886*; *Xanthodytes Seidlitz,1887*; *Gabinectes Guignot,1931*; *Agabinectes Guignot,1932*
30. **Agabus Leach,1817** (Dytiscidae) Synonym(s): *Agabus Leach,1817*
31. **Agapanthia Audinet-Serville,1835** (Cerambycidae) Synonym(s): *Agapanthia Audinet-Serville,1835*; *Segmentaria Gistel,1848*
32. **Agapanthiola Ganglbauer,1900** (Cerambycidae) Synonym(s): *Agapanthiola Ganglbauer,1900*
33. **Agathidium (s.str.) Panzer,1797** (Leiodidae) Synonym(s): *Agathidium Panzer,1797*
34. **Agrilus (Anambus) Thomson,1864** (Buprestidae) Synonym(s): *Anambus Thomson,1864*
35. **Agrilus Curtis,1825** (Buprestidae) Synonym(s): *Agrilus Curtis,1825*
36. **Agriotes (s.str.) Eschscholtz,1829** (Elateridae) Synonym(s): *Agriotes Eschscholtz,1829*
37. **Agriotes Eschscholtz,1829** (Elateridae) Synonym(s): *Agriotes Eschscholtz,1829*
38. **Agrypnus Eschscholtz,1829** (Elateridae) Synonym(s): *Agrypnus Eschscholtz,1829*
39. **Akis Herbst,1799** (Tenebrionidae) Synonym(s): *Akis Herbst,1799*
40. **Alosimus Mulsant,1857** (Meloidae) Synonym(s): *Alosimus Mulsant,1857*; *Halosimus Gemmiger & Harold,1870*
41. **Alosterna Mulsant,1863** (Cerambycidae) Synonym(s): *Alosterna Mulsant,1863*
42. **Alphitobius Stephens,1829** (Tenebrionidae) Synonym(s): *Alphitobius Stephens,1829*
43. **Alphitophagus Stephens,1832** (Tenebrionidae) Synonym(s): *Alphitophagus Stephens,1832*
44. **Altica Fabricius,1775** (Chrysomelidae) Synonym(s): *Altica Fabricius,1775*
45. **Amara (Amarocelia) Motschoulsky,1862** (Carabidae) Synonym(s): *Amarocelia Motschoulsky,1862*
46. **Amara (Amathitis) C.Zimmermann,1832** (Carabidae) Synonym(s): *Amathitis C.Zimmermann,1832*
47. **Amara (Bradytus) Stephens,1827** (Carabidae) Synonym(s): *Bradytus Stephens,1827*
48. **Amara (Celia) C.Zimmermann,1832** (Carabidae) Synonym(s): *Celia C.Zimmermann,1832*
49. **Amara (Curtonotus) Stephens,1827** (Carabidae) Synonym(s): *Curtonotus Stephens,1827*
50. **Amara (s.str.) Bonelli,1810** (Carabidae) Synonym(s): *Amara Bonelli,1810*
51. **Amara (Xenocelia) Hieke,2001** (Carabidae) Synonym(s): *Xenocelia Hieke,2001*
52. **Amara (Zezea) Csiki,1929** (Carabidae) Synonym(s): *Zezea Csiki,1929*



53. **Amara Bonelli,1810** (Carabidae) Synonym(s): *Amara Bonelli,1810*
54. **Ammobius Guérin-Ménéville,1844** (Tenebrionidae) Synonym(s): *Ammobius Guérin-Ménéville,1844*
55. **Amnodeis Miller,1858** (Tenebrionidae) Synonym(s): *Amnodeis Miller,1858*
56. **Ampedus Dejean,1833** (Elateridae) Synonym(s): *Ampedus Dejean,1833*
57. **Amphicoma (Eulasia) Warren,1902** (Glaphyridae) Synonym(s): *Eulasia Warren,1902*
58. **Amphicoma (Pygopleurus) Motschulsky,[1860]** (Glaphyridae) Synonym(s): *Pygopleurus Motschulsky,[1860]*
59. **Amphicoma (Rudeulasia) Baraud,1990** (Glaphyridae) Synonym(s): *Rudeulasia Baraud,1990*
60. **Amphicoma (s.str.) Latreille,1807** (Glaphyridae) Synonym(s): *Amphicoma Latreille,1807*
61. **Amphicoma (Vittateulasia) Baraud,1990** (Glaphyridae) Synonym(s): *Vittateulasia Baraud,1990*
62. **Amphicoma Latreille,1807** (Glaphyridae) Synonym(s): *Amphicoma Latreille,1807; #Amphycoma Frivaldsky,1845; Amphitriche Gistel,1848*
63. **Anacaena Thomson,1859** (Hydrophilidae) Synonym(s): *Anacaena Thomson,1859*
64. **Anaglyptus Mulsant,1839** (Cerambycidae) Synonym(s): *Anaglyptus Mulsant,1839*
65. **Ancistronycha Markel,1852** (Cantharidae) Synonym(s): *Ancistronycha Markel,1852*
66. **Anisoplia (Brancoplia) Baraud,1986** (Scarabaeidae) Synonym(s): *Brancoplia Baraud,1986*
67. **Anisoplia (Chaetopteroplia) Medvedev,1949** (Scarabaeidae) Synonym(s): *Chaetopteroplia Medvedev,1949*
68. **Anisoplia (s.str.) Fischer v. Waldheim,1824** (Scarabaeidae) Synonym(s): *Anisoplia Fischer v. Waldheim,1824*
69. **Anisoplia Fischer v. Waldheim,1824** (Scarabaeidae) Synonym(s): *Anisoplia Fischer v. Waldheim,1824*
70. **Anogcodes Dejean,1834** (Oedemeridae) Synonym(s): *Anogcodes Dejean,1834*
71. **Anomala Samouelle,1819** (Scarabaeidae) Synonym(s): *Anomala Samouelle,1819*
72. **Anostirus Thomson,1859** (Elateridae) Synonym(s): *Anostirus Thomson,1859*
73. **Anoxia (Protanoxia) Medvedev,1951** (Scarabaeidae) Synonym(s): *Protanoxia Medvedev,1951*
74. **Anthaxia (Cratomerus) Solier,1833** (Buprestidae) Synonym(s): *Cratomerus Solier,1833*
75. **Anthaxia (Euanthaxia) Reitter,1911** (Buprestidae) Synonym(s): *Euanthaxia Reitter,1911*
76. **Anthaxia (Haplanthaxia) Richter,1945** (Buprestidae) Synonym(s): *Haplanthaxia Richter,1945*
77. **Anthaxia (Melanthaxia) Richter,1945** (Buprestidae) Synonym(s): *Melanthaxia Richter,1945*
78. **Anthaxia (s.str.) Eschscholtz,1829** (Buprestidae) Synonym(s): *Anthaxia Eschscholtz,1829*
79. **Anthaxia Eschscholtz,1829** (Buprestidae) Synonym(s): *Anthaxia Eschscholtz,1829*
80. **Anthobiodes Weise,1887** (Chrysomelidae) Synonym(s): *Anthobiodes Weise,1887*
81. **Anthribus Fabricius,1792** (Anthribidae) Synonym(s): *Anthribus Fabricius,1792; Macrocephalus Olivier,1795*
82. **Anthypna Eschscholtz,1818** (Glaphyridae) Synonym(s): *Anthypna Eschscholtz,1818; #Anthipna Cuvier,1832*
83. **Apalus Fabricius,1775** (Meloidae) Synonym(s): *Apalus Fabricius,1775; Hapalus Illiger,1801; Deratus Motschulsky,1848; Criolis Mulsant,1858; ? Coriologiton Marseul,1879*
84. **Aphodius (Pseudacrossus) Reitter,1892** (Scarabaeidae) Synonym(s): *Pseudacrossus Reitter,1892*
85. **Aphodius Illiger,1798** (Scarabaeidae) Synonym(s): *Aphodius Illiger,1798; Heptaulacus Mulsant,1842; Apsteiniella A.Schmidt,1916; Cnemargulus Semenov,1903*
86. **Aphthona Chevrolat,1825** (Chrysomelidae) Synonym(s): *Aphthona Chevrolat,1825*
87. **Apion Herbst,1797** (Apionidae) Synonym(s): *Apion Herbst,1797*
88. **Aplidia Hope,1837** (Scarabaeidae) Synonym(s): *Aplidia Hope,1837; Haploidea Agassiz,1846; #Haplidia Gemminger & Harold,1869*
89. **Aplotarsus Stephens,1830** (Elateridae) Synonym(s): *Aplotarsus Stephens,1830*
90. **Apoderus Voss,1926** *Apoderus Voss,1926*
91. **Apotomus (Apotomus) Illiger,1807** (Carabidae) Synonym(s): *Apotomus Illiger,1807*
92. **Aromia Audinet-Serville,1834** (Cerambycidae) Synonym(s): *Aromia Audinet-Serville,1834*
93. **Atholus Thomson,1859** (Histeridae) Synonym(s): *Atholus Thomson,1859*
94. **Athous (Euplathous) Reitter,1905** (Elateridae) Synonym(s): *Euplathous Reitter,1905*



95. **Athous (Haplathous) Reitter,1905** (Elateridae) Synonym(s): *Haplathous Reitter,1905*
96. **Athous (Orthathous) Reitter,1905** (Elateridae) Synonym(s): *Orthathous Reitter,1905*
97. **Athous (Orthathous) Reitter,1905** (Elateridae) Synonym(s): *Orthathous Reitter,1905*
98. **Athous (s.str.) Eschscholtz,1829** (Elateridae) Synonym(s): *Athous Eschscholtz,1829*
99. **Athous Eschscholtz,1829** (Elateridae) Synonym(s): *Athous Eschscholtz,1829*
100. **Attaephilus Motschoulsky,1869** (Leiodidae) Synonym(s): *Attaephilus Motschoulsky,1869*
101. **Attelabus Linnaeus,1758** (Attelabidae) Synonym(s): *Attelabus Linnaeus,1758*; *Chyphus Thunberg,1815*; *Casnonia Schönherr,1833*
102. **Auletobius Desbrochers,1869** (Attelabidae) Synonym(s): *Auletobius Desbrochers,1869*
103. **Aulonogyus Gemminger & Harold,1868** (Gyrinidae) Synonym(s): *Aulonogyus Gemminger & Harold,1868*
104. **Bangasternus Des Gozis,1882** (Curculionidae) Synonym(s): *Coelostethus Capiomont,1873 (praeocc.)*; *Bangasternus Des Gozis,1882*
105. **Batophila Foudras,1860** (Chrysomelidae) Synonym(s): *Batophila Foudras,1860*
106. **Belopus (Centorus) Mulsant,1854** (Tenebrionidae) Synonym(s): *Centorus Mulsant,1854*
107. **Belopus Gebien,1911** (Tenebrionidae) Synonym(s): *Belopus Gebien,1911*
108. **Bembidion (Bembidion) Latreille,1802** (Carabidae) Synonym(s): *Bembidion Latreille,1802*
109. **Bembidion (Bembidionetolitzkya) Strand,1929** (Carabidae) Synonym(s): *Bembidionetolitzkya Strand,1929*
110. **Bembidion (Chlorodium) Motschoulsky,1864** (Carabidae) Synonym(s): *Chlorodium Motschoulsky,1864*
111. **Bembidion (Diplocampa) Bedel,1896** (Carabidae) Synonym(s): *Diplocampa Bedel,1896*
112. **Bembidion (Emphanes) Motschoulsky,1850** (Carabidae) Synonym(s): *Emphanes Motschoulsky,1850*
113. **Bembidion (Euperyphus) Jeannel,1941** (Carabidae) Synonym(s): *Euperyphus Jeannel,1941*
114. **Bembidion (Metallina) Motschoulsky,1850** (Carabidae) Synonym(s): *Metallina Motschoulsky,1850*
115. **Bembidion (Microserrullula) Netolitzky,1921** (Carabidae) Synonym(s): *Microserrullula Netolitzky,1921*
116. **Bembidion (Neja) Motschoulsky,1864** (Carabidae) Synonym(s): *Neja Motschoulsky,1864*
117. **Bembidion (Nepha) Motschoulsky,1864** (Carabidae) Synonym(s): *Nepha Motschoulsky,1864*
118. **Bembidion (Notaphemphanes) Netolitzky,1920** (Carabidae) Synonym(s): *Notaphemphanes Netolitzky,1920*
119. **Bembidion (Notaphocampa) Netolitzky,1914** (Carabidae) Synonym(s): *Notaphocampa Netolitzky,1914*
120. **Bembidion (Notaphus) Dejean,1821** (Carabidae) Synonym(s): *Notaphus Dejean,1821*
121. **Bembidion (Ocydromus) Clairville,1806** (Carabidae) Synonym(s): *Ocydromus Clairville,1806*
122. **Bembidion (Ocyturanus) Müller & Motzfeld,1986** (Carabidae) Synonym(s): *Ocyturanus Müller & Motzfeld,1986*
123. **Bembidion (Odontium) LeConte,1848** (Carabidae) Synonym(s): *Odontium LeConte,1848*
124. **Bembidion (Omoperyphus) Netolitzky,1931** (Carabidae) Synonym(s): *Omoperyphus Netolitzky,1931*
125. **Bembidion (Peryphanes) Jeannel,1941** (Carabidae) Synonym(s): *Peryphanes Jeannel,1941*
126. **Bembidion (Peryphiolus) Jeannel,1941** (Carabidae) Synonym(s): *Peryphiolus Jeannel,1941*
127. **Bembidion (Peryphus) Dejean,1821** (Carabidae) Synonym(s): *Peryphus Dejean,1821*
128. **Bembidion (Philochthus) Stephens,1828** (Carabidae) Synonym(s): *Philochthus Stephens,1828*
129. **Bembidion (Phyla) Motschoulsky,1844** (Carabidae) Synonym(s): *Phyla Motschoulsky,1844*
130. **Bembidion (Princidium) Motschoulsky,1864** (Carabidae) Synonym(s): *Princidium Motschoulsky,1864*
131. **Bembidion (s.str.) Latreille,1802** (Carabidae) Synonym(s): *Bembidion Latreille,1802*



132. **Bembidion (Talanes) Motschoulsky,1864** (Carabidae) Synonym(s): *Talanes Motschoulsky,1864*
133. **Bembidion (Testediolum) Ganglbauer,1891** (Carabidae) Synonym(s): *Testediolum Ganglbauer,1891*
134. **Bembidion (Testedium) Motschoulsky,1864** (Carabidae) Synonym(s): *Testedium Motschoulsky,1864*
135. **Bembidion (Trepanes) Motschoulsky,1864** (Carabidae) Synonym(s): *Trepanes Motschoulsky,1864*
136. **Berosus (Enoplurus) Hope,1838** (Hydrophilidae) Synonym(s): *Enoplurus Hope,1838*
137. **Berosus (s.str.) Leach,1817** (Hydrophilidae) Synonym(s): *Berosus Leach,1817*
138. **Berosus Leach,1817** (Hydrophilidae) Synonym(s): *Berosus Leach,1817*
139. **Betarmon Kiesenwetter,1858** (Elateridae) Synonym(s): *Betarmon Kiesenwetter,1858*
140. **Bidessus Sharp,1881** (Dytiscidae) Synonym(s): *Bidessus Sharp,1881*
141. **Blaps Fabricius,1775** (Tenebrionidae) Synonym(s): *Blaps Fabricius,1775*
142. **Blepisanis Pascoe,1867** (Cerambycidae) Synonym(s): *Blepisanis Pascoe,1867*
143. **Blitopertha (Asiopertha) Machatschke,1957** (Scarabaeidae) Synonym(s): *Asiopertha Machatschke,1957*
144. **Blitopertha (Trichopertha) Reitter,1903** (Scarabaeidae) Synonym(s): *Trichopertha Reitter,1903*
145. **Blitopertha Reitter,1903** (Scarabaeidae) Synonym(s): *Blitopertha Reitter,1903*
146. **Bolitophagus Illiger,1798** (Tenebrionidae) Synonym(s): *Bolitophagus Illiger,1798; Boletophagus Say,1826*
147. **Bothynoderes Schönherr,1823** (Curculionidae) Synonym(s): *Bothynoderes Schönherr,1823*
148. **Boveycantharis Wittmer,1969** (Cantharidae) Synonym(s): *Boveycantharis Wittmer,1969*
149. **Brachinus (Aploa) Hope,1833** (Carabidae) Synonym(s): *Aploa Hope,1833*
150. **Brachinus (Brachynidius) Reitter,1919** (Carabidae) Synonym(s): *Brachynidius Reitter,1919*
151. **Brachinus (Brachynolomus) Reitter,1919** (Carabidae) Synonym(s): *Brachynolomus Reitter,1919*
152. **Brachinus (Cnecostolus) Reitter,1919** (Carabidae) Synonym(s): *Cnecostolus Reitter,1919*
153. **Brachinus (s.str.) Weber,1801** (Carabidae) Synonym(s): *Brachinus Weber,1801*
154. **Brachinus Weber,1801** (Carabidae) Synonym(s): *Brachinus Weber,1801*
155. **Brachyesthes Fairmaire,1868** (Tenebrionidae) Synonym(s): *Brachyesthes Fairmaire,1868*
156. **Brachygonus Buysson,1912** (Elateridae) Synonym(s): *Brachygonus Buysson,1912*
157. **Brumus Mulsant,1850** (Coccinellidae) Synonym(s): *Brumus Mulsant,1850*
158. **Bubas Mulsant,1842** (Scarabaeidae) Synonym(s): *Bubas Mulsant,1842*
159. **Bulaea Mulsant,1850** (Coccinellidae) Synonym(s): *Bulaea Mulsant,1850*
160. **Byctiscus C.G.Thomson,1859** (Attelabidae) Synonym(s): *Byctiscus C.G.Thomson,1859*
161. **Cabirutus Strand,1929** (Tenebrionidae) Synonym(s): *Cabirus Mulsant & Rey,1853 (praeocc.); Cabirutus Strand,1929*
162. **Caenoblaps König,1906** (Tenebrionidae) Synonym(s): *Caenoblaps König,1906*
163. **Calais Laporte,1838** (Elateridae) Synonym(s): *Calais Laporte,1838*
164. **Calamobius Guérin-Ménéville,1847** (Cerambycidae) Synonym(s): *Calamobius Guérin-Ménéville,1847*
165. **Calchaenesthes Kraatz,1863** (Cerambycidae) Synonym(s): *Calchaenesthes Kraatz,1863*
166. **Callimoxys Kraatz,1863** (Cerambycidae) Synonym(s): *Callimoxys Kraatz,1863*
167. **Callimus Mulsant,1846** (Cerambycidae) Synonym(s): *Callimus Mulsant,1846; Callimellum Strand,1928*
168. **Callisthenes (s.str.) Fischer von Waldheim,1821** (Carabidae) Synonym(s): *Callisthenes Fischer von Waldheim,1821*
169. **Callisthenes Fischer von Waldheim,1821** (Carabidae) Synonym(s): *Callisthenes Fischer von Waldheim,1821*
170. **Calosoma Weber,1801** (Carabidae) Synonym(s): *Calosoma Weber,1801*
171. **Calvia Mulsant,1846** (Coccinellidae) Synonym(s): *Calvia Mulsant,1846*
172. **Calydus Reitter,1896** (Meloidae) Synonym(s): *Caloenas Reitter,1889 nec Gray,1840; Calydus Reitter,1896*
173. **Calyptopsis Solier,1835** (Tenebrionidae) Synonym(s): *Calyptopsis Solier,1835; Choristopsis Kraatz,1865*
174. **Calyptopsis Tate,1893** (Tenebrionidae) Synonym(s): *Calyptopsis Tate,1893*



175. **Caminara Motschoulsky,1865** (Carabidae) Synonym(s): *Caminara Motschoulsky,1865*
176. **Campalita Motschoulsky,1865** (Carabidae) Synonym(s): *Campalita Motschoulsky,1865*
177. **Cantharis Linnaeus,1758** (Cantharidae) Synonym(s): *Cantharis Linnaeus,1758; Silotrachelus Solsky,1881*
178. **Canthydrus Sharp,1882** (Noteridae) Synonym(s): *Canthydrus Sharp,1882*
179. **Capnodis Eschscholtz,1829** (Buprestidae) Synonym(s): *Capnodis Eschscholtz,1829; Caloptera Gistel,1834*
180. **Carabus (Archicarabus) Seidlitz,1887** (Carabidae) Synonym(s): *Archicarabus Seidlitz,1887*
181. **Carabus (Cechenochilus) Motschoulsky,1846** (Carabidae) Synonym(s): *Cechenochilus Motschoulsky,1846*
182. **Carabus (Heterocarabus) Morawitz,1886** (Carabidae) Synonym(s): *Heterocarabus Morawitz,1886*
183. **Carabus (Ischnocarabus) Kraatz,1877** (Carabidae) Synonym(s): *Ischnocarabus Kraatz,1877*
184. **Carabus (Lamprostus) Motschoulsky,1865** (Carabidae) Synonym(s): *Lamprostus Motschoulsky,1865*
185. **Carabus (Limnocarabus) Géhin,1876** (Carabidae) Synonym(s): *Limnocarabus Géhin,1876*
186. **Carabus (Limnocarabus) Géhin,1876** (Carabidae) Synonym(s): *Limnocarabus Géhin,1876*
187. **Carabus (Lipaster) Motschoulsky,1865** (Carabidae) Synonym(s): *Lipaster Motschoulsky,1865*
188. **Carabus (Mimocarabus) Géhin,1885** (Carabidae) Synonym(s): *Mimocarabus Géhin,1885*
189. **Carabus (Morphocarabus) Géhin,1885** (Carabidae) Synonym(s): *Morphocarabus Géhin,1885*
190. **Carabus (Oreocarabus) Géhin,1876** (Carabidae) Synonym(s): *Oreocarabus Géhin,1876*
191. **Carabus (Oxycarabus) Semenov,1898** (Carabidae) Synonym(s): *Oxycarabus Semenov,1898*
192. **Carabus (Pachycarabus) Géhin,1876** (Carabidae) Synonym(s): *Pachycarabus Géhin,1876*
193. **Carabus (Pachystus) Motschoulsky,1865** (Carabidae) Synonym(s): *Pachystus Motschoulsky,1865*
194. **Carabus (Procerus) Dejean,1828** (Carabidae) Synonym(s): *Procerus Dejean,1828*
195. **Carabus (Procrustes) Bonelli,1809** (Carabidae) Synonym(s): *Procrustes Bonelli,1809; Procrusticus White,1845; Macrogenus Motschoulsky,1846; Sphodristus Motschoulsky,1865; Chaetomelas Thomson,1875; Procrustocarabus Géhin,1876; Creprostus Imura,2002*
196. **Carabus (s.str.) Linnaeus,1758** (Carabidae) Synonym(s): *Carabus Linnaeus,1758*
197. **Carabus (Sphodristocarabus) Géhin,1885** (Carabidae) Synonym(s): *Sphodristocarabus Géhin,1885*
198. **Carabus (Tachypus) Weber,1801** (Carabidae) Synonym(s): *Tachypus Weber,1801*
199. **Carabus (Tomocarabus) Reitter,1896** (Carabidae) Synonym(s): *Tomocarabus Reitter,1896*
200. **Carabus Linnaeus,1758** (Carabidae) Synonym(s): *Carabus Linnaeus,1758*
201. **Cardiophorus (s.str.) Eschscholtz,1829** (Elateridae) Synonym(s): *Cardiophorus Eschscholtz,1829*
202. **Cardiophorus Eschscholtz,1829** (Elateridae) Synonym(s): *Cardiophorus Eschscholtz,1829*
203. **Cardoria Mulsant,1863** (Cerambycidae) Synonym(s): *Cardoria Mulsant,1863*
204. **Carinatodorcadion Breuning,1942** (Cerambycidae) Synonym(s): *Carinatodorcadion Breuning,1942*
205. **Cassida Linnaeus,1758** (Chrysomelidae) Synonym(s): *Cassida Linnaeus,1758*
206. **Cataphronetis Lucas,1846** (Tenebrionidae) Synonym(s): *Cataphronetis Lucas,1846*
207. **Catomus (Stenomacidius) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Stenomacidius Seidlitz,1896*
208. **Catomus Allard,1876** (Tenebrionidae) Synonym(s): *Catomus Allard,1876*
209. **Cebrio Olivier,1790** (Cebriionidae) Synonym(s): *Cebrio Olivier,1790*
210. **Cephalostenus Dejean,1834** (Tenebrionidae) Synonym(s): *Cephalostenus Dejean,1834*
211. **Cephalota (s.str.) Dokhturov,1883** (Carabidae) Synonym(s): *Cephalota Dokhturov,1883*
212. **Cephalota (Taenidia) Rivalier,1950** (Carabidae) Synonym(s): *Taenidia Rivalier,1950*
213. **Cephalota Dokhturov,1883** (Carabidae) Synonym(s): *Cephalota Dokhturov,1883*
214. **Ceratanisus Gemminger,1870** (Tenebrionidae) Synonym(s): *Ceratanisus Gemminger,1870*



215. **Cercyon Leach,1817** (Hydrophilidae) Synonym(s): *Cercyon Leach,1817*
216. **Cerocoma Geoffroy,1762** (Meloidae) Synonym(s): *Cerocoma Geoffroy,1762*
217. **Certallum Dejean,1821** (Cerambycidae) Synonym(s): *Certallum Dejean,1821*
218. **Cetonia (s.str.) Fabricius,1775** (Scarabaeidae) Synonym(s): *Cetonia Fabricius,1775*
219. **Cetonia Fabricius,1775** (Scarabaeidae) Synonym(s): *Cetonia Fabricius,1775*
220. **Ceutorhynchus Germar,1824** (Curculionidae) Synonym(s): *Ceutorhynchus Germar,1824*
221. **Chaetarthria Stephens,1833** (Hydrophilidae) Synonym(s): *Chaetarthria Stephens,1833*
222. **Chaetocnema Stephens,1831** (Chrysomelidae) Synonym(s): *Chaetocnema Stephens,1831*
223. **Chalcophorella Kerremans,1903** (Buprestidae) Synonym(s): *Chalcophorella Kerremans,1903*
224. **Cheilotoma Chevrolat,1837** (Chrysomelidae) Synonym(s): *Cheilotoma Chevrolat,1837*
225. **Cheirodes (Anemia) Laporte,1840** (Tenebrionidae) Synonym(s): *Anemia Laporte,1840*
226. **Cheirodes Gén  ,1839** (Tenebrionidae) Synonym(s): *Cheirodes G  n  ,1839*
227. **Cheironitis Van Lansberge,1875** (Scarabaeidae) Synonym(s): *Cheironitis Van Lansberge,1875*
228. **Chilocorus Leach,1815** (Coccinellidae) Synonym(s): *Chilocorus Leach,1815*
229. **Chitona W.Schmidt,1844** (Oedemeridae) Synonym(s): *Chitona W.Schmidt,1844; Dolichopyga Seidlitz,1899*
230. **Chlorophorus Chevrolat,1863** (Cerambycidae) Synonym(s): *Chlorophorus Chevrolat,1863*
231. **Chonostropheus Prell,1924** (Attelabidae) Synonym(s): *Chonostropheus Prell,1924*
232. **Choragus Kirby,1818** (Anthribidae) Synonym(s): *Choragus Kirby,1818; Alticopus Villa,1833*
233. **Chovela (s.str.) Latreille,1796** (Leiodidae) Synonym(s): *Chovela Latreille,1796*
234. **Chovela Latreille,1796** (Leiodidae) Synonym(s): *Chovela Latreille,1796*
235. **Chromoderus Motschoulsky,1860** (Curculionidae) Synonym(s): *Chromoderus Motschoulsky,1860*
236. **Chromovalgus Kolbe,1897** (Scarabaeidae) Synonym(s): *Chromovalgus Kolbe,1897; Spilovalgus Kolbe,1904*
237. **Chromovalgus Kolbe,1897** (Scarabaeidae) Synonym(s): *Chromovalgus Kolbe,1897*
238. **Chrysanthia W.Schmidt,1844** (Oedemeridae) Synonym(s): *Chrysanthia W.Schmidt,1844*
239. **Chrysobothris Eschscholtz,1829** (Buprestidae) Synonym(s): *Chrysobothris Eschscholtz,1829*
240. **Cicindela Linnaeus,1758** (Carabidae) Synonym(s): *Cicindela Linnaeus,1758*
241. **Cidnopus Thomson,1859** (Elateridae) Synonym(s): *Cidnopus Thomson,1859*
242. **Cionus Clairville,1798** (Curculionidae) Synonym(s): *Cionus Clairville,1798*
243. **Cleonis Dejean,1821** (Curculionidae) Synonym(s): *Cleonis Dejean,1821*
244. **Clerus Geoffroy,1762** (Cleridae) Synonym(s): *Clerus Geoffroy,1762*
245. **Clitobius Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Clitobius Mulsant & Rey,1853*
246. **Clytra Laicharting,1781** (Chrysomelidae) Synonym(s): *Clytra Laicharting,1781*
247. **Clytus Laicharting,1784** (Cerambycidae) Synonym(s): *Clytus Laicharting,1784*
248. **Cnemeplatia A.Costa,1847** (Tenebrionidae) Synonym(s): *Cnemeplatia A.Costa,1847*
249. **Coccinella (Neococcinella) Savojskaia,1969** (Coccinellidae) Synonym(s): *Neococcinella Savojskaia,1969*
250. **Coccinella (s.str.) Linnaeus,1758** (Coccinellidae) Synonym(s): *Coccinella Linnaeus,1758*
251. **Coccinella Linnaeus,1758** (Coccinellidae) Synonym(s): *Coccinella Linnaeus,1758*
252. **Coccinula Dobzhansky,1925** (Coccinellidae) Synonym(s): *Coccinula Dobzhansky,1925*
253. **Coelostoma Brull  ,1835** (Hydrophilidae) Synonym(s): *Coelostoma Brull  ,1835*
254. **Coenorrhinus C.G.Thomson,1859** (Attelabidae) Synonym(s): *Coenorrhinus C.G.Thomson,1859*
255. **Colpotus Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Colpotus Mulsant & Rey,1853*
256. **Colymbetes Schellenberg,1806** (Dytiscidae) Synonym(s): *Colymbetes Schellenberg,1806*
257. **Coniatus Germar,1817** (Curculionidae) Synonym(s): *Coniatus Germar,1817*
258. **Coniocleonus Motschoulsky,1860** (Curculionidae) Synonym(s): *Coniocleonus Motschoulsky,1860*
259. **Conorhynchus Motschoulsky,1860** (Curculionidae) Synonym(s): *Conorhynchus Motschoulsky,1860*
260. **Copris Geoffroy,1762** (Scarabaeidae) Synonym(s): *Copris Geoffroy,1762*
261. **Coptocephala Chevrolat,1837** (Chrysomelidae) Synonym(s): *#Coptocephala Dejean,1835; Coptocephala Chevrolat,1837*
262. **Coptosia Fairmaire,[1863]** (Cerambycidae) Synonym(s): *Coptosia Fairmaire,[1863]*



263. **Coraeus Laporte & Gory,1836** (Buprestidae) Synonym(s): *Coraeus Laporte & Gory,1836*
264. **Cordicantharis Svihla,1999** (Cantharidae) Synonym(s): *Cordicantharis Svihla,1999*
265. **Cossyphus Olivier,1791** (Tenebrionidae) Synonym(s): *Cossyphus Olivier,1791*
266. **Crepidodera Faldermann,1837** (Chrysomelidae) Synonym(s): *Crepidodera Faldermann,1837*
267. **Cryphaeus Klug,[1833]** (Tenebrionidae) Synonym(s): *Cryphaeus Klug,[1833]*
268. **Crypticus (Platycrypticus) Espanol,1951** (Tenebrionidae) Synonym(s): *Platycrypticus Espanol,1951*
269. **Crypticus Latreille,1817** (Tenebrionidae) Synonym(s): *Crypticus Latreille,1817*
270. **Cryptobium Mannerheim,1830** (Staphylinidae) Synonym(s): *Cryptobium Mannerheim,1830*
271. **Cryptocephalus Geoffroy,1762** (Chrysomelidae) Synonym(s): *Cryptocephalus Geoffroy,1762*
272. **Cryptolaemus Mulsant,1853** (Coccinellidae) Synonym(s): *Cryptolaemus Mulsant,1853*
273. **Cryptotrogus Kraatz,1888** (Scarabaeidae) Synonym(s): *Cryptotrogus Kraatz,1888*
274. **Ctenicera Latreille,1829** (Elateridae) Synonym(s): *Ctenicera Latreille,1829*
275. **Ctenopus Fischer de Waldheim,1824** (Meloidae) Synonym(s): *Ctenopus Fischer de Waldheim,1824*
276. **Curculio Linnaeus,1758** (Curculionidae) Synonym(s): *Curculio Linnaeus,1758*
277. **Cybister (s.str.) Curtis,1827** (Dytiscidae) Synonym(s): *Cybister Curtis,1827*
278. **Cybister (Scaphinectes) Adam,1993** (Dytiscidae) Synonym(s): *Scaphinectes Adam,1993*
279. **Cybister Curtis,1827** (Dytiscidae) Synonym(s): *Cybister Curtis,1827*
280. **Cylindera (Cicindina) Adam & Merkl,1986** (Carabidae) Synonym(s): *Eugrapha Rivalier,1950 nec Hbn.,[1825]; Cicindina Adam & Merkl,1986*
281. **Cylindera (s.str.) Westwood,1831** (Carabidae) Synonym(s): *Cylindera Westwood,1831; Cyllindella Jacobson,1924*
282. **Cylindrinotus (s.str.) Faldermann,1837** (Tenebrionidae) Synonym(s): *Cylindrinotus Faldermann,1837; Cylindronotus Agassiz,1846*
283. **Cylindronotus (Helopelius) Reitter,1922** (Tenebrionidae) Synonym(s): *Helopelius Reitter,1922*
284. **Cylindronotus (Odocnemis) Allard,1876** (Tenebrionidae) Synonym(s): *Odocnemis Allard,1876*
285. **Cylindronotus (Omaleis) Allard,1877** (Tenebrionidae) Synonym(s): *Omaleis Allard,1877*
286. **Cylindronotus (Stenomax) Allard,1876** (Tenebrionidae) Synonym(s): *Stenomax Allard,1876*
287. **Cylindronotus Faldermann,1837** (Tenebrionidae) Synonym(s): *Cylindrinotus Faldermann,1837; Cylindronotus Agassiz,1846*
288. **Cynegetis Dejean,1835** (Coccinellidae) Synonym(s): *Cynegetis Dejean,1835*
289. **Cyphogenia (Lechriomus) Morawitz,1866** (Tenebrionidae) Synonym(s): *Lechriomus Morawitz,1866*
290. **Cyphogenia Solier,1835** (Tenebrionidae) Synonym(s): *Cyphogenia Solier,1835*
291. **Cyphon Paykull,1799** (Scirtidae) Synonym(s): *Cyphon Paykull,1799*
292. **Dailognatha Eschscholtz,1829** (Tenebrionidae) Synonym(s): *Dailognatha Eschscholtz,1829; Gnathosia Lacordaire,1859*
293. **Dallognatha Eschscholtz,1829** (Tenebrionidae) Synonym(s): *Dallognatha Eschscholtz,1829*
294. **Dalopius Eschscholtz,1829** (Elateridae) Synonym(s): *Dalopius Eschscholtz,1829*
295. **Danasoma Thomson,1859** (Elateridae) Synonym(s): *Danasoma Thomson,1859*
296. **Dasytes Paykull,1799** (Dasytidae) Synonym(s): *Dasytes Paykull,1799; Anthoxenus Motschulsky,1854; Psilocorse Thomson,1864; Hapalogluta Thomson,1864; Hypodasytes Mulsant & Rey,1868; Mesodasytes Mulsant & Rey,1868; Metadasytes Mulsant & Rey,1868; Pseudodasytes Mulsant & Rey,1868*
297. **Dendarus (Pandarinus) Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *Pandarinus Mulsant & Rey,1854*
298. **Dendarus (Pandarus) Faldermann,1837** (Tenebrionidae) Synonym(s): *Pandarus Faldermann,1837 nec Leach,1816*
299. **Dendarus Dejean,1821** (Tenebrionidae) Synonym(s): *Dendarus Dejean,1821*
300. **Dendroxena Motschoulsky,1858** (Silphidae) Synonym(s): *Dendroxena Motschoulsky,1858; Xylodrepa Thomson,1859*
301. **Denops Fischer de Waldheim,1829** (Cleridae) Synonym(s): *Denops Fischer de Waldheim,1829*



- 302. Denticollis Piller & Mitterpacher, 1783** (Elateridae) Synonym(s): *Denticollis Piller & Mitterpacher, 1783*
- 303. Deporaus Samouelle, 1819** (Attelabidae) Synonym(s): *Deporaus Samouelle, 1819*
- 304. Derocrepis Weise, 1886** (Chrysomelidae) Synonym(s): *Derocrepis Weise, 1886*
- 305. Deronectes Sharp, 1881** (Dytiscidae) Synonym(s): *Deronectes Sharp, 1881*
- 306. Diaclina Jacquelin du Val, 1861** (Tenebrionidae) Synonym(s): *Diaclina Jacquelin du Val, 1861*
- 307. Diaperis Geoffroy, 1762** (Tenebrionidae) Synonym(s): *Diaperis Geoffroy, 1762*
- 308. Dibolia Latreille, 1829** (Chrysomelidae) Synonym(s): *Dibolia Latreille, 1829*
- 309. Dichillus (Dichillinus) Reitter, 1916** (Tenebrionidae) Synonym(s): *Dichillinus Reitter, 1916*
- 310. Dichillus (Dichillocerus) Reitter, 1916** (Tenebrionidae) Synonym(s): *Dichillocerus Reitter, 1916*
- 311. Dichillus Jacquelin du Val, 1861** (Tenebrionidae) Synonym(s): *Dichillus Jacquelin du Val, 1861*
- 312. Dichomma Solier, 1835** (Tenebrionidae) Synonym(s): *Dichomma Solier, 1835*
- 313. Dicronychus Brullé, 1832** (Elateridae) Synonym(s): *Dicronychus Brullé, 1832*
- 314. Diorhabda Weise, 1893** (Chrysomelidae) Synonym(s): *Diorhabda Weise, 1893*
- 315. Dissonomus Jacquelin du Val, 1861** (Tenebrionidae) Synonym(s): *Heterophyllus Mulsant & Rey, 1859 (praeocc.); Dissonomus Jacquelin du Val, 1861*
- 316. Donus Capiomont, 1868** (Curculionidae) Synonym(s): *#Donus Dejean, 1821; Donus Capiomont, 1868*
- 317. Dorcadion (Cribridorcadion) Pic, 1901** (Cerambycidae) Synonym(s): *Cribridorcadion Pic, 1901*
- 318. Dorcadion (s.str.) Dalman, 1817** (Cerambycidae) Synonym(s): *Dorcadion Dalman, 1817*
- 319. Dorcadion Dalman, 1817** (Cerambycidae) Synonym(s): *Dorcadion Dalman, 1817*
- 320. Dorcus MacLeay, 1819** (Lucanidae) Synonym(s): *Dorcus MacLeay, 1819*
- 321. Drasterius Eschscholtz, 1829** (Elateridae) Synonym(s): *Drasterius Eschscholtz, 1829*
- 322. Dytiscus Linnaeus, 1758** (Dytiscidae) Synonym(s): *Dytiscus Linnaeus, 1758; Diticus Goldfuss, 1820*
- 323. Ectamenogonus Buysson, 1894** (Elateridae) Synonym(s): *Ectamenogonus Buysson, 1894*
- 324. Ectinus Eschscholtz, 1829** (Elateridae) Synonym(s): *Ectinus Eschscholtz, 1829*
- 325. Elater Linnaeus, 1758** (Elateridae) Synonym(s): *Elater Linnaeus, 1758*
- 326. Elathous Reitter, 1890** (Elateridae) Synonym(s): *Elathous Reitter, 1890*
- 327. Eledona Latreille, 1796** (Tenebrionidae) Synonym(s): *Eledona Latreille, 1796*
- 328. Elodes Latreille, 1796** (Scirtidae) Synonym(s): *Elodes Latreille, 1796*
- 329. Endomia Laporte, 1840** (Anthicidae) Synonym(s): *Endomia Laporte, 1840*
- 330. Enicopus Stephens, 1830** (Dasytidae) Synonym(s): *Enicopus Stephens, 1830; Henicopus Agassiz, 1846; Parahenicopus Portevin, 1931*
- 331. Enochrus (Lumetus) Zaitzev, 1908** (Hydrophilidae) Synonym(s): *Lumetus Zaitzev, 1908*
- 332. Enochrus (Methydrus) Rey, 1884** (Hydrophilidae) Synonym(s): *Methydrus Rey, 1884*
- 333. Enochrus (s.str.) Thomson, 1859** (Hydrophilidae) Synonym(s): *Enochrus Thomson, 1859*
- 334. Enochrus Thomson, 1859** (Hydrophilidae) Synonym(s): *Enochrus Thomson, 1859*
- 335. Entomogonus (Delonurops) Reitter, 1922** (Tenebrionidae) Synonym(s): *Delonurops Reitter, 1922*
- 336. Entomogonus (Eutelogonus) Reitter, 1922** (Tenebrionidae) Synonym(s): *Eutelogonus Reitter, 1922*
- 337. Entomogonus Solier, 1848** (Tenebrionidae) Synonym(s): *Entomogonus Solier, 1848*
- 338. Epicauta Dejean, 1834** (Meloidae) Synonym(s): *Epicauta Dejean, 1834; Causima Dejean, 1834; Henous Haldeman, 1852; Isopentra Mulsant & Ray, 1858; Apterospasta LeConte, 1862; Pleuropompha LeConte, 1862; Nomasps LeConte, 1866; Gnathospasta Horn, 1875; Anomalonyx Denier, 1935 nec Weise, 1903; Anomalonychus Saylor, 1940; Maculicauta Dillon, 1952*
- 339. Epitrix Foudras, 1860** (Chrysomelidae) Synonym(s): *Epitrix Foudras, 1860*
- 340. Eretes Laporte, 1833** (Dytiscidae) Synonym(s): *Eunectes Erichson, 1832 nec Wagl., 1830; Eretes Laporte, 1833; Nogrus Dejean, 1833*
- 341. Erodius Fabricius, 1775** (Tenebrionidae) Synonym(s): *Erodius Fabricius, 1775*
- 342. Euboeus Boieldieu, 1865** (Tenebrionidae) Synonym(s): *Euboeus Boieldieu, 1865*
- 343. Euheptaulacus Dellacasa, 1983** (Scarabaeidae) Synonym(s): *Euheptaulacus Dellacasa, 1983*
- 344. Eurythyrea Lacordaire, 1835** (Buprestidae) Synonym(s): *Eurythyrea Lacordaire, 1835*
- 345. Eustenopus Petri, 1907** (Curculionidae) Synonym(s): *Eustenopus Petri, 1907*



346. **Eutagenia Reitter, 1886** (Tenebrionidae) Synonym(s): *Eutagenia Reitter, 1886*
347. **Euzonitis Semenov, 1893** (Meloidae) Synonym(s): *Euzonitis Semenov, 1893*
348. **Exochomus Redtenbacher, 1843** (Coccinellidae) Synonym(s): *Exochomus Redtenbacher, 1843*
349. **Flabellotilloidea Gerstmeier & Ku, 1992** (Cleridae) Synonym(s): *Flabellotilloidea Gerstmeier & Ku, 1992*
350. **Formicomus Ferté-Senectere, 1849** (Anthicidae) Synonym(s): *Formicomus Ferté-Senectere, 1849*
351. **Geotrupes Latreille, 1802** (Geotrupidae) Synonym(s): *Geotrupes Latreille, 1802*
352. **Gnaptor Brullé, 1832** (Tenebrionidae) Synonym(s): *Gnaptor Brullé, 1832; Petrobius Brullé, 1832*
353. **Gnathocerus Agassiz, 1846** (Tenebrionidae) Synonym(s): *Gnathocerus Agassiz, 1846*
354. **Gonocephalum Chevrolat, 1845** (Tenebrionidae) Synonym(s): *Gonocephalum Chevrolat, 1845*
355. **Graecopachys Skopin, 1968** (Tenebrionidae) Synonym(s): *Graecopachys Skopin, 1968*
356. **Graphoderus Dejean, 1833** (Dytiscidae) Synonym(s): *Graphoderus Dejean, 1833*
357. **Graptodytes Seidlitz, 1887** (Dytiscidae) Synonym(s): *Graptodytes Seidlitz, 1887*
358. **Gunarus Gozis, 1886** (Tenebrionidae) Synonym(s): *Gunarus Gozis, 1886*
359. **Gymnopleurus Illiger, 1803** (Scarabaeidae) Synonym(s): *Gymnopleurus Illiger, 1803*
360. **Gyrinus Geoffroy, 1762** (Gyrinidae) Synonym(s): *Gyrinus Geoffroy, 1762*
361. **Haliphus Latreille, 1802** (Halipidae) Synonym(s): *Haliphus Latreille, 1802*
362. **Harmonia Mulsant, 1846** (Coccinellidae) Synonym(s): *Harmonia Mulsant, 1846*
363. **Haterumelater Ohira, 1968** (Elateridae) Synonym(s): *Haterumelater Ohira, 1968*
364. **Hedyphanes Fischer von Waldheim, 1822** (Tenebrionidae) Synonym(s): *Hedyphanes Fischer von Waldheim, 1822; #Hediphanes Ferrer & Soldati, 1999*
365. **Helladia Fairmaire, [1863]** (Cerambycidae) Synonym(s): *Helladia Fairmaire, [1863]*
366. **Helophorus (Orphelophorus) Orchymont, 1927** (Helophoridae) Synonym(s): *Orphelophorus Orchymont, 1927*
367. **Helophorus Fabricius, 1775** (Helophoridae) Synonym(s): *Helophorus Fabricius, 1775*
368. **Helops (Mesohelops) Reitter, 1922** (Tenebrionidae) Synonym(s): *Mesohelops Reitter, 1922*
369. **Helops (s.str.) Fabricius, 1775** (Tenebrionidae) Synonym(s): *Helops Fabricius, 1775*
370. **Helops Fabricius, 1775** (Tenebrionidae) Synonym(s): *Helops Fabricius, 1775*
371. **Hemicrepidius Germar, 1839** (Elateridae) Synonym(s): *Hemicrepidius Germar, 1839*
372. **Hemidendroides Ferrari, 1869** (Pyrochroidae) Synonym(s): *Hemidendroides Ferrari, 1869*
373. **Henosepilachna Li & Cook, 1961** (Coccinellidae) Synonym(s): *Henosepilachna Li & Cook, 1961*
374. **Hermaeophaga Foudras, 1860** (Chrysomelidae) Synonym(s): *Hermaeophaga Foudras, 1860*
375. **Herophila Mulsant, 1863** (Cerambycidae) Synonym(s): *Herophila Mulsant, 1863; Dorcatypus Thomson, 1864*
376. **Hippodamia (Adonia) Mulsant, 1846** (Coccinellidae) Synonym(s): *Adonia Mulsant, 1846*
377. **Hippodamia (s.str.) Dejean, 1833** (Coccinellidae) Synonym(s): *Hippodamia Dejean, 1833*
378. **Hippodamia (Semiadalia) Crotch, 1874** (Coccinellidae) Synonym(s): *Semiadalia Crotch, 1874*
379. **Hippodamia Dejean, 1833** (Coccinellidae) Synonym(s): *Hippodamia Dejean, 1833*
380. **Hippuriphila Foudras, 1860** (Chrysomelidae) Synonym(s): *Hippuriphila Foudras, 1860*
381. **Hirticomus Pic, 1894** (Anthicidae) Synonym(s): *Hirticomus Pic, 1894*
382. **Hister Linnaeus, 1758** (Histeridae) Synonym(s): *Hister Linnaeus, 1758*
383. **Holochelus (Miltotrogus) Reitter, 1902** (Scarabaeidae) Synonym(s): *Miltotrogus Reitter, 1902*
384. **Holochelus Reitter, 1889** (Scarabaeidae) Synonym(s): *Holochelus Reitter, 1889*
385. **Homodela Rivalier, 1950** (Carabidae) Synonym(s): *Homodela Rivalier, 1950*
386. **Hybometopia Ganglbauer, 1889** (Cerambycidae) Synonym(s): *Hybometopia Ganglbauer, 1889*
387. **Hycleus Latreille, 1817** (Meloidae) Synonym(s): *Coryna Billberg, 1813 nec Wolff, 1811 non Bosc., 1802; Hycleus Latreille, 1817; Dices Dejean, 1821; Decatoma Dejean, 1821 (praeocc.); Decapotoma Voigts, 1902; Gorrizia Pardo Alcaide, 1954*
388. **Hydaticus (Guignotites) Brinck, 1944** (Dytiscidae) Synonym(s): *Isonotus Houlbert, 1934 (praeocc.); Guignotites Brinck, 1944*



389. **Hydaticus Leach, 1817** (Dytiscidae) Synonym(s): *Hydaticus Leach, 1817*
390. **Hydrobius Leach, 1817** (Hydrophilidae) Synonym(s): *Hydrobius Leach, 1817*
391. **Hydrochara Berthold, 1827** (Hydrophilidae) Synonym(s): *Hydrochara Berthold, 1827*
392. **Hydrochus Leach, 1817** (Hydrochidae) Synonym(s): *Hydrochus Leach, 1817*; #*Hydrocous Provancher, 1877*; #*Hydrochous Bedel, 1881*; *Kiransus Makhan, 1994*; *Amrishiuss Makhan, 1998*; *Deepakius Makhan, 1998*; *Rishwanus Makhan, 1998*
393. **Hydroglyphus Motschoulsky, 1853** (Dytiscidae) Synonym(s): *Hydroglyphus Motschoulsky, 1853*
394. **Hydrophilus Müller, 1764** (Hydrophilidae) Synonym(s): *Hydrophilus Müller, 1764*
395. **Hydroporus Clairville, 1806** (Dytiscidae) Synonym(s): *Hydroporus Clairville, 1806*
396. **Hydrovatus Motschoulsky, 1853** (Dytiscidae) Synonym(s): *Hydrovatus Motschoulsky, 1853*
397. **Hygrobia Latreille, 1817** (Hygrobidae) Synonym(s): *Hygriobia Latreille, 1804*; *Hygrobia Latreille, 1817*
398. **Hygrotus (Coelambus) Thomson, 1860** (Dytiscidae) Synonym(s): *Coelambus Thomson, 1860*
399. **Hygrotus Stephens, 1828** (Dytiscidae) Synonym(s): *Hygrotus Stephens, 1828*
400. **Hymenalia Mulsant, 1856** (Tenebrionidae) Synonym(s): *Hymenalia Mulsant, 1856*
401. **Hypera Germar, 1817** (Curculionidae) Synonym(s): *Hypera Germar, 1817*; *Phytonomus Schoenherr, 1823*
402. **Hyperaspis Dejean, 1833** (Coccinellidae) Synonym(s): *Hyperaspis Dejean, 1833*
403. **Hypnoidus Dillwyn, 1829** (Elateridae) Synonym(s): *Hypnoidus Dillwyn, 1829*
404. **Hypocaccus (s.str.) Thomson, 1867** (Histeridae) Synonym(s): *Hypocaccus Thomson, 1867*
405. **Hypocaccus Thomson, 1867** (Histeridae) Synonym(s): *Hypocaccus Thomson, 1867*
406. **Hypocassida Weise, 1893** (Chrysomelidae) Synonym(s): *Hypocassida Weise, 1893*
407. **Hypoganus Kiesenwetter, 1863** (Elateridae) Synonym(s): *Hypoganus Kiesenwetter, 1863*
408. **Hypolixus Desbrochers, 1898** (Curculionidae) Synonym(s): *Hypolixus Desbrochers, 1898*
409. **Icosium Lucas, 1854** (Cerambycidae) Synonym(s): *Icosium Lucas, 1854*
410. **Idastrandiella Strand, 1929** (Tenebrionidae) Synonym(s): *Idastrandiella Strand, 1929*
411. **Idolus Desbrochers, 1875** (Elateridae) Synonym(s): *Idolus Desbrochers, 1875*
412. **Idotarmonides Agajev, 1985** (Elateridae) Synonym(s): *Idotarmonides Agajev, 1985*
413. **Ilybius Erichson, 1832** (Dytiscidae) Synonym(s): *Ilybius Erichson, 1832*; *Ilyobius Agassiz, 1846*
414. **Iphthimulus Reitter, 1920** (Tenebrionidae) Synonym(s): *Iphthimulus Reitter, 1920*
415. **Ischnodes Germar, 1844** (Elateridae) Synonym(s): *Ischnodes Germar, 1844*
416. **Ischnomera Stephens, 1832** (Oedemeridae) Synonym(s): *Ischnomera Stephens, 1832*
417. **Ischyronota Weise, 1891** (Chrysomelidae) Synonym(s): *Ischyronota Weise, 1891*
418. **Isidus Mulsant & Rey, 1874** (Elateridae) Synonym(s): *Isidus Mulsant & Rey, 1874*
419. **Islamocantharis (s.str.) Wittmer & Magis, 1978** (Cantharidae) Synonym(s): *Islamocantharis Wittmer & Magis, 1978*
420. **Islamocantharis (Unicantharis) Svihla, 1999** (Cantharidae) Synonym(s): *Unicantharis Svihla, 1999*
421. **Islamocantharis Wittmer & Magis, 1978** (Cantharidae) Synonym(s): *Islamocantharis Wittmer & Magis, 1978*
422. **Isotomus Mulsant, 1863** (Cerambycidae) Synonym(s): *Isotomus Mulsant, 1863*
423. **Julodella Semenov, 1893** (Buprestidae) Synonym(s): *Julodella Semenov, 1893*
424. **Julodis Solier, 1833** (Buprestidae) Synonym(s): *Julodis Solier, 1833*
425. **Labidostomis Redtenbacher, 1845** (Chrysomelidae) Synonym(s): *Labidostomis Redtenbacher, 1845*
426. **Laccobius (Compsolaccobius) Ganglbauer, 1904** (Hydrophilidae) Synonym(s): *Compsolaccobius Ganglbauer, 1904*; #*Composolaccobius İncekara et al., 2003*
427. **Laccobius (Dimorpholaccobius) Zaitzev, 1938** (Hydrophilidae) Synonym(s): *Dimorpholaccobius Zaitzev, 1938*
428. **Laccobius (Microlaccobius) Gentili, 1972** (Hydrophilidae) Synonym(s): *Microlaccobius Gentili, 1972*
429. **Laccobius (s.str.) Erichson, 1837** (Hydrophilidae) Synonym(s): *Laccobius Erichson, 1837*
430. **Laccobius Erichson, 1837** (Hydrophilidae) Synonym(s): *Laccobius Erichson, 1837*
431. **Laccophilus Leach, 1817** (Dytiscidae) Synonym(s): *Laccophilus Leach, 1817*
432. **Lachnaia Chevrolat, 1837** (Chrysomelidae) Synonym(s): *Lachnaia Chevrolat, 1837*
433. **Lacon Laporte, 1838** (Elateridae) Synonym(s): *Lacon Laporte, 1838*
434. **Laena Dejean, 1821** (Tenebrionidae) Synonym(s): *Laena Dejean, 1821*; #*Leaena Dahl, 1823*



435. **Lamia Fabricius,1775** (Cerambycidae) Synonym(s): *Lamia Fabricius,1775*
436. **Lampropterus Mulsant,1863** (Cerambycidae) Synonym(s): *Lampropterus Mulsant,1863*
437. **Lampyrus Müller,1764** (Lampyridae) Synonym(s): *Lampyrus Müller,1764*
438. **Lampyroidea Costa,1875** (Lampyridae) Synonym(s): *Lampyroidea Costa,1875*
439. **Lanelater Arnett,1952** (Elateridae) Synonym(s): *Lanelater Arnett,1952*
440. **Larinus Dejean,1821** (Curculionidae) Synonym(s): *Larinus Dejean,1821*
441. **Lasiorrhynchites Jekel,1860** (Attelabidae) Synonym(s): *Lasiorrhynchites Jekel,1860*
442. **Latheticus Waterhouse,1880** (Tenebrionidae) Synonym(s): *Latheticus Waterhouse,1880*
443. **Leichenium Blanchard,1845** (Tenebrionidae) Synonym(s): *Leichenium Blanchard,1845*
444. **Leptura Linnaeus,1758** (Cerambycidae) Synonym(s): *Leptura Linnaeus,1758*
445. **Limnoxenus Motschoulsky,1853** (Hydrophilidae) Synonym(s): *Limnoxenus Motschoulsky,1853*
446. **Limobius Schönherr,1843** (Curculionidae) Synonym(s): *Limobius Schönherr,1843; Limonobius Gemminger,1871*
447. **Limoniscus Reitter,1905** (Elateridae) Synonym(s): *Limoniscus Reitter,1905*
448. **Limonium Eschscholtz,1829** (Elateridae) Synonym(s): *Limonium Eschscholtz,1829; Kibunea Kishii,1966*
449. **Lixus Fabricius,1801** (Curculionidae) Synonym(s): *Lixus Fabricius,1801*
450. **Lobodera (Penthomagus) Reitter,1904** (Tenebrionidae) Synonym(s): *Penthomagus Reitter,1904*
451. **Lobodera Mulsant & Rey,1859** (Tenebrionidae) Synonym(s): *Lobodera Mulsant & Rey,1859*
452. **Longitarsus Latreille,1827** (Chrysomelidae) Synonym(s): *Longitarsus Latreille,1827*
453. **Lophyridia Jeannel,1946** (Carabidae) Synonym(s): *Lophyridia Jeannel,1946*
454. **Lucanus (.s.str.) Scopoli,1763** (Lucanidae) Synonym(s): *Lucanus Scopoli,1763; Hexaphyllus Mulsant,1839*
455. **Lucanus (Pseudolucanus) Hope & Westwood,1845** (Lucanidae) Synonym(s): *Pseudolucanus Hope & Westwood,1845; Eolucanus Kurosawa,1970*
456. **Lucanus Scopoli,1763** (Lucanidae) Synonym(s): *Lucanus Scopoli,1763; Hexaphyllus Mulsant,1839*
457. **Luciola Laporte de Castelnau,1833** (Lampyridae) Synonym(s): *Luciola Laporte de Castelnau,1833*
458. **Lydus Latreille,1803** (Meloidae) Synonym(s): *Lydus Latreille,1803*
459. **Lyphia Mulsant & Rey,1859** (Tenebrionidae) Synonym(s): *Lyphia Mulsant & Rey,1859*
460. **Lytta Fabricius,1787** (Meloidae) Synonym(s): *Lytta Fabricius,1787*
461. **Macrocoma Weise,1896** (Chrysomelidae) Synonym(s): *Macrocoma Weise,1896*
462. **Macrolenes Chevrolat,1837** (Chrysomelidae) Synonym(s): *Macrolenes Chevrolat,1837*
463. **Maladera (Aserica) Lewis,1895** (Scarabaeidae) Synonym(s): *Aserica Lewis,1895*
464. **Maladera Mulsant & Rey,1871** (Scarabaeidae) Synonym(s): *Maladera Mulsant & Rey,1871*
465. **Malthinus Latreille,1790** (Cantharidae) Synonym(s): *Malthinus Latreille,1790; Apteromalthinus Escalera,1913*
466. **Malthodes Kiesenwetter,1852** (Cantharidae) Synonym(s): *Malthodes Kiesenwetter,1852*
467. **Mantura Stephens,1831** (Chrysomelidae) Synonym(s): *Mantura Stephens,1831*
468. **Margarinotus (Paralister) Bickhardt,1917** (Histeridae) Synonym(s): *Paralister Bickhardt,1917*
469. **Margarinotus Marseul,1854** (Histeridae) Synonym(s): *Margarinotus Marseul,1854*
470. **Megacephala Latreille,1803** (Carabidae) Synonym(s): *Megacephala Latreille,1803*
471. **Megapenthes Kiesenwetter,1858** (Elateridae) Synonym(s): *Megapenthes Kiesenwetter,1858*
472. **Megatelus Reitter,1892** (Scarabaeidae) Synonym(s): *Megatelus Reitter,1892*
473. **Megatelus Reitter,1892** (Scarabaeidae) Synonym(s): *Megatelus Reitter,1892*
474. **Megischina Reitter,1906** (Tenebrionidae) Synonym(s): *Megischina Reitter,1906*
475. **Melanimon Steven,1829** (Tenebrionidae) Synonym(s): *Melanimon Steven,1829; Microzoum Redtenbacher,1845*
476. **Melanotus (Spheniscosomus) Schwarz,1902** (Elateridae) Synonym(s): *Spheniscosomus Schwarz,1902*
477. **Melanotus Eschscholtz,1829** (Elateridae) Synonym(s): *Melanotus Eschscholtz,1829*
478. **Meliboeus Deyrolle,1864** (Buprestidae) Synonym(s): *Meliboeus Deyrolle,1864*
479. **Meligethes Stephens,1829** (Nitidulidae) Synonym(s): *Meligethes Stephens,1829*



480. **Meloe Linnaeus,1758** (Meloidae) Synonym(s): *Meloe Linnaeus,1758*; *Proscarabaeus Schrank,1781*; *Melittophagus Kirby,1818*; *Triungulinus Dufour,1828*; *Cnestocera Thomson,1859*
481. **Melolontha (s.str.) Geoffroy,1762** (Scarabaeidae) Synonym(s): *Melolontha Geoffroy,1762*
482. **Melolontha Geoffroy,1762** (Scarabaeidae) Synonym(s): *Melolontha Geoffroy,1762*
483. **Menophilus Mulsant,1854** (Tenebrionidae) Synonym(s): *Menophilus Mulsant,1854*
484. **Mesomorphus Miedel,1880** (Tenebrionidae) Synonym(s): *Mesomorphus Miedel,1880*
485. **Mesostena Eschscholtz,1831** (Tenebrionidae) Synonym(s): *Mesostena Eschscholtz,1831*
486. **Metacantharis Bourgeois,1886** (Cantharidae) Synonym(s): *Metacantharis Bourgeois,1886*
487. **Metaclisa Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Metaclisa Jacquelin du Val,1861*
488. **Microhoria Chevrolat,1877** (Anthicidae) Synonym(s): *Microhoria Chevrolat,1877*
489. **Microlarinus Hochhuth,1847** (Curculionidae) Synonym(s): *Microlarinus Hochhuth,1847*
490. **Micromallosia Pic,1900** (Cerambycidae) Synonym(s): *Micromallosia Pic,1900*
491. **Micrositus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *Micrositus Mulsant & Rey,1854*
492. **Mniophila Stephens,1831** (Chrysomelidae) Synonym(s): *Mniophila Stephens,1831*
493. **Morimus Brullé,1832** (Cerambycidae) Synonym(s): *Morimus Brullé,1832*
494. **Mulsanteus Gozis,1875** (Elateridae) Synonym(s): *Mulsanteus Gozis,1875*; *Neotrichophorus Jacobson,1913*
495. **Musaria Thomson,1864** (Cerambycidae) Synonym(s): *Musaria Thomson,1864*
496. **Muzimes Aksentjev,1988** (Meloidae) Synonym(s): *Micromerus Mulsant & Rey,1858 nec Rambur,1842*; *Muzimes Aksentjev,1988*
497. **Mylabris Fabricius,1775** (Meloidae) Synonym(s): *Mylabris Fabricius,1775*; *Zonabris Harold,1879*; *Megabris Des Gozis,1881*;
498. **Myriochile (Monelica) Rivalier,1950** (Carabidae) Synonym(s): *Monelica Rivalier,1950*
499. **Myriochile (s.str.) Motschulsky,1862** (Carabidae) Synonym(s): *Myriochile Motschulsky,1862*
500. **Myriochile Motschulsky,1862** (Carabidae) Synonym(s): *Myriochile Motschulsky,1862*
501. **Nacerdes (s.str.) Dejean,1834** (Oedemeridae) Synonym(s): *Nacerdes Dejean,1834*
502. **Nacerdes (Xanthochroa) W.Schmidt,1846** (Oedemeridae) Synonym(s): *Xanthochroa W.Schmidt,1846*
503. **Nacerdes Dejean,1834** (Oedemeridae) Synonym(s): *Nacerdes Dejean,1834*
504. **Nalassus Mulsant,1854** (Tenebrionidae) Synonym(s): *Nalassus Mulsant,1854*
505. **Neatus LeConte,1862** (Tenebrionidae) Synonym(s): *Neatus LeConte,1862*
506. **Nebria (Eunebria) Jeannel,1937** (Carabidae) Synonym(s): *Eunebria Jeannel,1937*
507. **Nebria (Eurynebria) Ganglbauer,1891** (Carabidae) Synonym(s): *Eurynebria Ganglbauer,1891*
508. **Nebria (Nebria) Latreille,1802** (Carabidae) Synonym(s): *Nebria Latreille,1802*
509. **Nebria (s.str.) Latreille,1802** (Carabidae) Synonym(s): *Nebria Latreille,1802*
510. **Nebria (Tyrrhenia) Ledoux & Roux,2005** (Carabidae) Synonym(s): *Tyrrhenia Ledoux & Roux,2005*
511. **Nebrioporus Régimbart,1906** (Dytiscidae) Synonym(s): *Nebrioporus Régimbart,1906*
512. **Necrodes Leach,1815** (Silphidae) Synonym(s): *Necrodes Leach,1815*; *Asbolus Bergroth,1884*; *Protonecrodes Portevin,1922*
513. **Negastrius Thomson,1859** (Elateridae) Synonym(s): *Negastrius Thomson,1859*
514. **Nemognatha Illiger,1807** (Meloidae) Synonym(s): *Nemognatha Illiger,1807*
515. **Neocrepidodera Heikertinger,1911** (Chrysomelidae) Synonym(s): *Neocrepidodera Heikertinger,1911*
516. **Neodorcadion Ganglbauer,1884** (Cerambycidae) Synonym(s): *Neodorcadion Ganglbauer,1884*
517. **Neomusaria Plavilshchikov,1928** (Cerambycidae) Synonym(s): *Neomusaria Plavilshchikov,1928*
518. **Neoplagonotus Kasatkin,2005** (Cerambycidae) Synonym(s): *Neoplagonotus Kasatkin,2005*
519. **Neopristilpophus Buysson,1894** (Elateridae) Synonym(s): *Neopristilpophus Buysson,1894*
520. **Neotournieria Apfelbeck,1932** (Curculionidae) Synonym(s): *Neotournieria Apfelbeck,1932*
521. **Nephus Mulsant,1846** (Coccinellidae) Synonym(s): *Nephus Mulsant,1846*; *Diomus Mulsant,1850*; *Sidis Mulsant,1850*; *Bipunctatus Fürsch,1987*
522. **Nicrophorus Fabricius,1775** (Silphidae) Synonym(s): *Nicrophorus Fabricius,1775 ...*
523. **Noterus Schellenberg,1806** (Noteridae) Synonym(s): *Noterus Schellenberg,1806*



524. **Noterus Schellenberg,1806** (Noteridae) Synonym(s): *Noterus Schellenberg,1806*
525. **Nothodes LeConte,1861** (Elateridae) Synonym(s): *Nothodes LeConte,1861*
526. **Notiophilus Dumeril,1806** (Carabidae) Synonym(s): *Notiophilus Dumeril,1806*
527. **Notoxus Geoffroy,1762** (Anthicidae) Synonym(s): *Notoxus Geoffroy,1762*
528. **Noxius Jordan,1936** (Anthribidae) Synonym(s): *Noxius Jordan,1936*
529. **Nyctophila E.Olivier,1884** (Lampyridae) Synonym(s): *Nyctophila E.Olivier,1884*
530. **Oberea Mulsant,1839** (Cerambycidae) Synonym(s): *Oberea Mulsant,1839*
531. **Occathemus Svihla,1999** (Cantharidae) Synonym(s): *Occathemus Svihla,1999*
532. **Ochrosis Foudras,1860** (Chrysomelidae) Synonym(s): *Ochrosis Foudras,1860*
533. **Ochthebius (Asiabates) Thomson,1859** (Hydraenidae) Synonym(s): *Asiabates Thomson,1859*
534. **Ochthebius (s.str.) Leach,1815** (Hydraenidae) Synonym(s): *Ochthebius Leach,1815*
535. **Ochthebius Leach,1815** (Hydraenidae) Synonym(s): *Ochthebius Leach,1815*
536. **Odeles Klausnitzer,2004** (Scirtidae) Synonym(s): *Odeles Klausnitzer,2004*
537. **Oedemera (Oncomera) Stephens,1829** (Oedemeridae) Synonym(s): *Oncomera Stephens,1829*
538. **Oedemera (s.str.) Olivier,1789** (Oedemeridae) Synonym(s): *Oedemera Olivier,1789*
539. **Oedemera Olivier,1789** (Oedemeridae) Synonym(s): *Oedemera Olivier,1789*
540. **Oenas Latreille,1802** (Meloidae) Synonym(s): *Oenas Latreille,1802*
541. **Oenopia Mulsant,1850** (Coccinellidae) Synonym(s): *Oenopia Mulsant,1850; Synharmonia Ganglbauer,1899*
542. **Oiceoptoma Leach,1815** (Silphidae) Synonym(s): *Oiceoptoma Leach,1815; Isosilpha Portevin,1920*
543. **Omaloplia (Acarina) Baraud,1965** (Scarabaeidae) Synonym(s): *Acarina Baraud,1965*
544. **Omaloplia (s.str.) Schoenherr,1817** (Scarabaeidae) Synonym(s): *Omaloplia Schoenherr,1817; Brachyphylla Mulsant,1842; Homalopia Redtenbacher,1845*
545. **Omaloplia Schoenherr,1817** (Scarabaeidae) Synonym(s): *Omaloplia Schoenherr,1817; Brachyphylla Mulsant,1842; Homalopia Redtenbacher,1845*
546. **Omophlus (Odontomophlus) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Odontomophlus Seidlitz,1896*
547. **Omophlus (s.str.) Solier,1835** (Tenebrionidae) Synonym(s): *Omophlus Solier,1835*
548. **Omophlus Solier,1835** (Tenebrionidae) Synonym(s): *Omophlus Solier,1835*
549. **Onitis Fabricius,1798** (Scarabaeidae) Synonym(s): *Onitis Fabricius,1798*
550. **Onthophagus (Amphionthophagus) Martin Pierra & Zunino,1983** (Scarabaeidae) Synonym(s): *Amphionthophagus Martin Pierra & Zunino,1983*
551. **Onthophagus (Palaeonthophagus) Zunino,1979** (Scarabaeidae) Synonym(s): *Palaeonthophagus Zunino,1979*
552. **Oochrotus Lucas,1852** (Tenebrionidae) Synonym(s): *Oochrotus Lucas,1852*
553. **Oodes (s.str.) Bonelli,1810** (Carabidae) Synonym(s): *Oodes Bonelli,1810*
554. **Opanthribus Schilsky,1907** (Anthribidae) Synonym(s): *Opanthribus Schilsky,1907*
555. **Opatroides Brullé,1832** (Tenebrionidae) Synonym(s): *Opatroides Brullé,1832; Penthicus Faldermann,1837*
556. **Opatrum Fabricius,1775** (Tenebrionidae) Synonym(s): *Opatrum Fabricius,1775*
557. **Opilo Latreille,1802** (Cleridae) Synonym(s): *Opilo Latreille,1802*
558. **Opsilia Mulsant,1863** (Cerambycidae) Synonym(s): *Opsilia Mulsant,1863*
559. **Opsimea Miller,1880** (Oedemeridae) Synonym(s): *Opsimea Miller,1880*
560. **Orectochilus Lacordaire,1835** (Gyrinidae) Synonym(s): *#Orectochilus Dejean,1833; Orectochilus Lacordaire,1835*
561. **Oreodytes Seidlitz,1887** (Dytiscidae) Synonym(s): *Oreodytes Seidlitz,1887*
562. **Orestia Germar,1845** (Chrysomelidae) Synonym(s): *Orestia Germar,1845*
563. **Oryctes Illiger,1798** (Scarabaeidae) Synonym(s): *Oryctes Illiger,1798*
564. **Osmanius Branco & Baraud,1988** (Scarabaeidae) Synonym(s): *Osmanius Branco & Baraud,1988*
565. **Osphranteria Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *Osphranteria Redtenbacher,[1849]*
566. **Oxyilia Mulsant,1863** (Cerambycidae) Synonym(s): *Oxyilia Mulsant,1863*
567. **Oxythyrea Mulsant & Rey,1842** (Scarabaeidae) Synonym(s): *Oxythyrea Mulsant & Rey,1842*



568. **Pachybrachis (s.str.) Chevrolat,1837** (Chrysomelidae) Synonym(s): *Pachybrachis Chevrolat,1837*
569. **Pachybrachis Chevrolat,1837** (Chrysomelidae) Synonym(s): *Pachybrachis Chevrolat,1837*
570. **Pachycerus Schönherr,1823** (Curculionidae) Synonym(s): *Pachycerus Schönherr,1823*
571. **Pachyscelis Solier,1836** (Tenebrionidae) Synonym(s): *Pachyscelis Solier,1836; Phymatotris Solier,1836*
572. **Pachytodes Pic,1891** (Cerambycidae) Synonym(s): *Pachytodes Pic,1891*
573. **Pakabsidia Wittmer,1972** (Cantharidae) Synonym(s): *Pakabsidia Wittmer,1972*
574. **Palorus (Circomus) Fleischer,1900** (Tenebrionidae) Synonym(s): *Circomus Fleischer,1900*
575. **Palorus Mulsant,1854** (Tenebrionidae) Synonym(s): *Palorus Mulsant,1854*
576. **Paracardiophorus Schwarz,1895** (Elateridae) Synonym(s): *Paracardiophorus Schwarz,1895*
577. **Paraclytus Bates,1884** (Cerambycidae) Synonym(s): *Paraclytus Bates,1884*
578. **Paracorymbia Miroshnikov,1998** (Cerambycidae) Synonym(s): *Paracorymbia Miroshnikov,1998*
579. **Paracymus Thomson,1867** (Hydrophilidae) Synonym(s): *Paracymus Thomson,1867*
580. **Paraplagionotus Kasatkin,2005** (Cerambycidae) Synonym(s): *Paraplagionotus Kasatkin,2005*
581. **Paroniticellus Balthasar,1963** (Scarabaeidae) Synonym(s): *Paroniticellus Balthasar,1963*
582. **Paussus (Cochliopaussus) H.Kolbe,1927** (Carabidae) Synonym(s): *Cochliopaussus H.Kolbe,1927*
583. **Paussus Linnaeus,1775** (Carabidae) Synonym(s): *Paussus Linnaeus,1775; #Pausus Thunberg,1781*
584. **Pedestredorcadion Breuning,1942** (Cerambycidae) Synonym(s): *Pedestredorcadion Breuning,1942*
585. **Pedinus (Vadalus) Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Vadalus Mulsant & Rey,1853*
586. **Pedinus Latreille,1796** (Tenebrionidae) Synonym(s): *Pedinus Latreille,1796*
587. **Pedostrangalia Sokolov,1896** (Cerambycidae) Synonym(s): *Pedostrangalia Sokolov,1896*
588. **Peltodytes Régimbart,1879** (Halipilidae) Synonym(s): *Peltodytes Régimbart,1879*
589. **Pentaphyllus Latreille,1829** (Tenebrionidae) Synonym(s): *Pentaphyllus Latreille,1829*
590. **Pentodon Hope,1837** (Scarabaeidae) Synonym(s): *Pentodon Hope,1837*
591. **Peripontius Gurjeva,1979** (Elateridae) Synonym(s): *Peripontius Gurjeva,1979*
592. **Phaenotherium Ganglbauer,1902** (Anthribidae) Synonym(s): *Phaenotherium Ganglbauer,1902*
593. **Phaenotherion Frivaldsky,1878** (Anthribidae) Synonym(s): *Phaenotherion Frivaldsky,1878; Phaenotherium Ganglbauer,1902*
594. **Phaenotheriosoma Frieser,1978** (Anthribidae) Synonym(s): *Phaenotheriosoma Frieser,1978*
595. **Phaleria Latreille,1802** (Tenebrionidae) Synonym(s): *Phaleria Latreille,1802*
596. **Pharoscymnus Bedel,1906** (Coccinellidae) Synonym(s): *Pharoscymnus Bedel,1906*
597. **Phloiocopus Spinola,1841** (Cleridae) Synonym(s): *Phloiocopus Spinola,1841*
598. **Phosphuga Leach,1817** (Silphidae) Synonym(s): *Phosphuga Leach,1817*
599. **Phradonoma Jacquelin du Val,1859** (Dermestidae) Synonym(s): *Phradonoma Jacquelin du Val,1859*
600. **Phtora Germar,1835** (Tenebrionidae) Synonym(s): *Phtora Germar,1835*
601. **Phyllobrotica Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phyllobrotica Chevrolat,1837*
602. **Phyllotreta Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phyllotreta Chevrolat,1837*
603. **Phytoecia Dejean,1835** (Cerambycidae) Synonym(s): *Phytoecia Dejean,1835*
604. **Pimelia (Camphonota) Solier,1836** (Tenebrionidae) Synonym(s): *Camphonota Solier,1836*
605. **Pimelia (Eurypimelia) Reitter,1915** (Tenebrionidae) Synonym(s): *Eurypimelia Reitter,1915*
606. **Pimelia (Gedeon) Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *Gedeon Reiche & Saulcy,1857*
607. **Pimelia (Melanostola) Dejean,1834** (Tenebrionidae) Synonym(s): *Melanostola Dejean,1834*
608. **Pimelia (s.str.) Fabricius,1775** (Tenebrionidae) Synonym(s): *Pimelia Fabricius,1775*
609. **Pimelia Fabricius,1775** (Tenebrionidae) Synonym(s): *Pimelia Fabricius,1775*



610. **Pittonotus Jacquelin du Val,1860** (Elateridae) Synonym(s): *Pittonotus Jacquelin du Val,1860*
611. **Plagionotus Mulsant,1842** (Cerambycidae) Synonym(s): *Platynotus Mulsant,1839 (praeocc.); Plagionotus Mulsant,1842*
612. **Plastocerus LeConte,1853** (Elateridae) Synonym(s): *Plastocerus LeConte,1853*
613. **Platambus Thomson,1860** (Dytiscidae) Synonym(s): *Platambus Thomson,1860*
614. **Platycerus Geoffroy,1762** (Lucanidae) Synonym(s): *Platycerus Geoffroy,1762*
615. **Platydemia Laporte & Brullé,1831** (Tenebrionidae) Synonym(s): *Platydemia Laporte & Brullé,1831*
616. **Platynaspis Redtenbacher,1843** (Coccinellidae) Synonym(s): *Platynaspis Redtenbacher,1843*
617. **Pleurophorus Mulsant,1842** (Scarabaeidae) Synonym(s): *Pleurophorus Mulsant,1842*
618. **Pleurophorus Mulsant,1842** (Scarabaeidae) Synonym(s): *Pleurophorus Mulsant,1842*
619. **Podagrica Chevrolat,1837** (Chrysomelidae) Synonym(s): *Podagrica Chevrolat,1837*
620. **Podeonius Kiesenwetter,1858** (Elateridae) Synonym(s): *Podeonius Kiesenwetter,1858*
621. **Polycoelogastridion Reichardt,1936** (Tenebrionidae) Synonym(s): *Polycoelogastridion Reichardt,1936*
622. **Polyphylla Harris,1841** (Scarabaeidae) Synonym(s): *Polyphylla Harris,1841*
623. **Porthmidius Germar,1847** (Elateridae) Synonym(s): *Porthmidius Germar,1847*
624. **Probaticus (Pelorinus) de Vauloger,1900** (Tenebrionidae) Synonym(s): *Pelorinus de Vauloger,1900*
625. **Probaticus (s.str.) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Probaticus Seidlitz,1896*
626. **Probaticus Seidlitz,1896** (Tenebrionidae) Synonym(s): *Probaticus Seidlitz,1896*
627. **Procallimus Pic,1907** (Cerambycidae) Synonym(s): *Procallimus Pic,1907*
628. **Procraerus Reitter,1905** (Elateridae) Synonym(s): *Procraerus Reitter,1905*
629. **Propomacrus Newman,1837** (Scarabaeidae) Synonym(s): *Propomacrus Newman,1837; Porropus Laporte,1840*
630. **Propylea Mulsant,1846** (Coccinellidae) Synonym(s): *Propylea Mulsant,1846*
631. **Prosternon Latreille,1804** (Elateridae) Synonym(s): *Prosternon Latreille,1804*
632. **Protaetia (Cetonischema) Miksic,1963** (Scarabaeidae) Synonym(s): *Cetonischema Miksic,1963*
633. **Protaetia (Eupotosia) Miksic,1954** (Scarabaeidae) Synonym(s): *Eupotosia Miksic,1954*
634. **Protaetia (Eupotosia) Miksic,1954** (Scarabaeidae) Synonym(s): *Eupotosia Miksic,1954*
635. **Protaetia (Foveopotosia) Miksic,1959** (Scarabaeidae) Synonym(s): *Foveopotosia Miksic,1959*
636. **Protaetia (Potosia) Mulsant & Rey,1871** (Scarabaeidae) Synonym(s): *Potosia Mulsant & Rey,1871*
637. **Protaetia Burmeister,1842** (Scarabaeidae) Synonym(s): *Protaetia Burmeister,1842*
638. **Pselaphorhynchites Schilsky,1903** (Attelabidae) Synonym(s): *Pselaphorhynchites Schilsky,1903*
639. **Pseudagriotes Schwarz,1896** (Elateridae) Synonym(s): *Pseudagriotes Schwarz,1896*
640. **Pseudanostirus Dolin,1964** (Elateridae) Synonym(s): *Pseudanostirus Dolin,1964*
641. **Pseudocrepidophorus Dolin & Agajev,1988** (Elateridae) Synonym(s): *Pseudocrepidophorus Dolin & Agajev,1988*
642. **Pseudosphegesthes Reitter,1912** (Cerambycidae) Synonym(s): *Pseudosphegesthes Reitter,1912*
643. **Pseudotrematodes Jacquelin du Val,1806** (Scarabaeidae) Synonym(s): *Pseudotrematodes Jacquelin du Val,1806*
644. **Pseudovadonia Lobanov, Danilevsky & Murzin,1981** (Cerambycidae) Synonym(s): *Pseudovadonia Lobanov, Danilevsky & Murzin,1981*
645. **Psylliodes Berthold,1827** (Chrysomelidae) Synonym(s): *Psylliodes Berthold,1827*
646. **Psyllobora Dejean,1833** (Coccinellidae) Synonym(s): *Psyllobora Dejean,1833*
647. **Purpuricenus Fischer von Waldheim,1824** (Cerambycidae) Synonym(s): *Purpuricenus Fischer von Waldheim,1824*
648. **Quasimus Gozis,1886** (Elateridae) Synonym(s): *Quasimus Gozis,1886*
649. **Raiboscelis Seidlitz,1896** (Tenebrionidae) Synonym(s): *Raiboscelis Seidlitz,1896*
650. **Rantus Dejean,1833** (Dytiscidae) Synonym(s): *Rantus Dejean,1833; Rhantus Lacordaire,1835*
651. **Reitterelater Platia & Cate,1990** (Elateridae) Synonym(s): *Reitterelater Platia & Cate,1990*
652. **Rhagonycha Eschscholtz,1830** (Cantharidae) Synonym(s): *Rhagonycha Eschscholtz,1830*
653. **Rhinocyllus Germar,1817** (Curculionidae) Synonym(s): *Rhinocyllus Germar,1817*



654. **Rhizotrogus (Amphimallon) Berthold,1827** (Scarabaeidae) Synonym(s): *Amphimallon Berthold,1827*
655. **Rhizotrogus Berthold,1827** (Scarabaeidae) Synonym(s): *Rhizotrogus Berthold,1827*; *#Rhisotragus Cristofori & Jan,1832*
656. **Rhynchites Schneider,1791** (Attelabidae) Synonym(s): *Rhynchites Schneider,1791*; *Mechoris Billberg,1820*
657. **Rodolia Mulsant,1850** (Coccinellidae) Synonym(s): *Rodolia Mulsant,1850*
658. **Rutpela Nakane & Ohbayashi,1957** (Cerambycidae) Synonym(s): *Rutpela Nakane & Ohbayashi,1957*
659. **Ryukyucardiophorus Ohira,1973** (Elateridae) Synonym(s): *Ryukyucardiophorus Ohira,1973*
660. **Saperda Fabricius,1775** (Cerambycidae) Synonym(s): *Saperda Fabricius,1775*
661. **Saprinus Erichson,1834** (Histeridae) Synonym(s): *Saprinus Erichson,1834*
662. **Scarabaeus Linnaeus,1758** (Scarabaeidae) Synonym(s): *Scarabaeus Linnaeus,1758*
663. **Scarodytes Des Gozis,1914** (Dytiscidae) Synonym(s): *Scarodytes Des Gozis,1914*
664. **Scaurus Fabricius,1775** (Tenebrionidae) Synonym(s): *Scaurus Fabricius,1775*
665. **Scleron Hope,1840** (Tenebrionidae) Synonym(s): *Scleron Hope,1840*
666. **Scymnus Kugelann,1794** (Coccinellidae) Synonym(s): *Scymnus Kugelann,1794*; *Pullus Mulsant,1846*; *Neopullus Sasaji,1971*; *Mimopullus Fürsch,1987*
667. **Selatosomus (Pristilophus) Latreille,1834** (Elateridae) Synonym(s): *Pristilophus Latreille,1834*
668. **Selatosomus (s.str.) Stephens,1830** (Elateridae) Synonym(s): *Selatosomus Stephens,1830*
669. **Selatosomus (Warchalowskianus) Tarnawski,1995** (Elateridae) Synonym(s): *Warchalowskianus Tarnawski,1995*
670. **Selatosomus Stephens,1830** (Elateridae) Synonym(s): *Selatosomus Stephens,1830*
671. **Semnasia K.Daniel,1904** (Cerambycidae) Synonym(s): *Semnasia K.Daniel,1904*
672. **Silpha Linnaeus,1758** (Silphidae) Synonym(s): *Silpha Linnaeus,1758*; *Parasilpha Reitter,1885*; *Carpatosilpha Smetana,1952*
673. **Sinodendron Schneider,1791** (Lucanidae) Synonym(s): *Ligniperda Fabricius,1790* (*praeocc.*); *Sinodendron Schneider,1791*
674. **Sinometa Wittmer,1969** (Cantharidae) Synonym(s): *Sinometa Wittmer,1969*
675. **Sisyphus Wiedemann,1823** (Scarabaeidae) Synonym(s): *Sisyphus Wiedemann,1823*
676. **Sitophagus Mulsant,1854** (Tenebrionidae) Synonym(s): *Sitophagus Mulsant,1854*
677. **Smaragdina Chevrolat,1837** (Chrysomelidae) Synonym(s): *Smaragdina Chevrolat,1837*
678. **Solskyana Dolin,1978** (Elateridae) Synonym(s): *Solskyana Dolin,1978*
679. **Sparedrus Dejean,1821** (Oedemeridae) Synonym(s): *Sparedrus Dejean,1821*
680. **Sphaeridium Fabricius,1775** (Hydrophilidae) Synonym(s): *Sphaeridium Fabricius,1775*
681. **Sphaeroderma Stephens,1831** (Chrysomelidae) Synonym(s): *Sphaeroderma Stephens,1831*
682. **Stegastopsis Kraatz,1865** (Tenebrionidae) Synonym(s): *Stegastopsis Kraatz,1865*; *Ohyonthis Reitter,1898*
683. **Stenagostus Thomson,1859** (Elateridae) Synonym(s): *Stenagostus Thomson,1859*
684. **Stenodera Eschscholtz,1818** (Meloidae) Synonym(s): *Stenodera Eschscholtz,1818*; *Zonitides Abeille de Perrin,1880*
685. **Stenopterus Illiger,1804** (Cerambycidae) Synonym(s): *Stenopterus Illiger,1804*; *Steropterus Agassiz,1846*
686. **Stenoria Mulsant,1857** (Meloidae) Synonym(s): *Stenoria Mulsant,1857*
687. **Stenosis Herbst,1799** (Tenebrionidae) Synonym(s): *Stenosis Herbst,1799*
688. **Stenurella Villers,1974** (Cerambycidae) Synonym(s): *Stenurella Villers,1974*
689. **Sternoplax (Pachysternoplax) Skopin,1973** (Tenebrionidae) Synonym(s): *Pachysternoplax Skopin,1973*
690. **Sternoplax Frivaldsky,1890** (Tenebrionidae) Synonym(s): *Sternoplax Frivaldsky,1890*
691. **Stethorus Weise,1885** (Coccinellidae) Synonym(s): *Stethorus Weise,1885*
692. **Stictoleptura Casey,1924** (Cerambycidae) Synonym(s): *Stictoleptura Casey,1924*
693. **Strangalia Audinet-Serville,1835** (Cerambycidae) Synonym(s): *Strangalia Audinet-Serville,1835*
694. **Subcoccinella Huber,1841** (Coccinellidae) Synonym(s): *Subcoccinella Huber,1841*; *Subcoccinella Guérin-Méneville,1842*
695. **Synaptus Eschscholtz,1829** (Elateridae) Synonym(s): *Synaptus Eschscholtz,1829*



696. **Syriolytta Kaszab,1962** (Meloidae) Synonym(s): *Syriolytta Kaszab,1962*
697. **Tanyproctus Faldermann,1832** (Scarabaeidae) Synonym(s): *Tanyproctus Faldermann,1832*
698. **Teles Mulsant & Godart,1876** (Tenebrionidae) Synonym(s): *Teles Mulsant & Godart,1876*
699. **Tenebrio Linnaeus,1758** (Tenebrionidae) Synonym(s): *Tenebrio Linnaeus,1758*
700. **Tentyria Latreille,1802** (Tenebrionidae) Synonym(s): *Tentyria Latreille,1802; Heliodromus Brullé,1832*
701. **Teratolytta Semenov,1894** (Meloidae) Synonym(s): *Teratolytta Semenov,1894*
702. **Tetartopeus Czwalina,1888** (Staphylinidae) Synonym(s): *Tetartopeus Czwalina,1888*
703. **Tetrigus Candeze,1857** (Elateridae) Synonym(s): *Tetrigus Candeze,1857*
704. **Tetrops Kirby,1826** (Cerambycidae) Synonym(s): *Tetrops Kirby,1826; Tetraopes Kirby,1826*
705. **Thanasimus Latreille,1806** (Cleridae) Synonym(s): *Thanasimus Latreille,1806*
706. **Thanatophilus Leach,1815** (Silphidae) Synonym(s): *Thanatophilus Leach,1815; Pseudopelta Bergroth,1884; Philas Portevin,1903; Silphosoma Portevin,1903; Chalcosilpha Portevin,1926*
707. **Theophilea Pic,1895** (Cerambycidae) Synonym(s): *Theophilea Pic,1895*
708. **Tilloidea Laporte,1832** (Cleridae) Synonym(s): *Tilloidea Laporte,1832*
709. **Tillus Olivier,1790** (Cleridae) Synonym(s): *Tillus Olivier,1790*
710. **Tituboea Lacordaire,1848** (Chrysomelidae) Synonym(s): *Tituboea Lacordaire,1848*
711. **Tolphorea Gurjeva,1983** (Elateridae) Synonym(s): *Tolphorea Gurjeva,1983*
712. **Trachyderma Latreille,1829** (Tenebrionidae) Synonym(s): *Trachyderma Latreille,1829*
713. **Trachyscelis Latreille,1809** (Tenebrionidae) Synonym(s): *Trachyscelis Latreille,1809*
714. **Trechus (s.str.) Clairville,1806** (Carabidae) Synonym(s): *Trechus Clairville,1806*
715. **Tribalus Erichson,1834** (Histeridae) Synonym(s): *Tribalus Erichson,1834*
716. **Tribolium MacLeay,1825** (Tenebrionidae) Synonym(s): *Tribolium MacLeay,1825*
717. **Trichius Fabricius,1775** (Scarabaeidae) Synonym(s): *Trichius Fabricius,1775*
718. **Trichodes Herbst,1792** (Cleridae) Synonym(s): *Trichodes Herbst,1792*
719. **Trichomeloe Reitter,1911** (Meloidae) Synonym(s): *Trichomeloe Reitter,1911*
720. **Triodontella Reitter,1919** (Scarabaeidae) Synonym(s): *Triodonta Mulsant,1842 nec Bory,1827; Triodontella Reitter,1919*
721. **Tropiderinus Reitter,1916** (Anthribidae) Synonym(s): *Tropiderinus Reitter,1916*
722. **Tropinota (Epicometis) Burmeister,1842** (Scarabaeidae) Synonym(s): *Epicometis Burmeister,1842*
723. **Tropinota (s.str.) Mulsant,1842** (Scarabaeidae) Synonym(s): *Tropinota Mulsant,1842*
724. **Tropinota Mulsant,1842** (Scarabaeidae) Synonym(s): *Tropinota Mulsant,1842*
725. **Tychius Germar,1817** (Curculionidae) Synonym(s): *Tychius Germar,1817*
726. **Tytthaspis Crotch,1874** (Coccinellidae) Synonym(s): *Tytthaspis Crotch,1874*
727. **Uloma Latreille,1829** (Tenebrionidae) Synonym(s): *Uloma Latreille,1829*
728. **Vadonia Mulsant,1863** (Cerambycidae) Synonym(s): *Vadonia Mulsant,1863*
729. **Valgus Scriba,1790** (Scarabaeidae) Synonym(s): *Valgus Scriba,1790; Acanthurus Kirby,1827*
730. **Vibidia Mulsant,1846** (Coccinellidae) Synonym(s): *Vibidia Mulsant,1846*
731. **Xanthochroina Ganglbauer,1881** (Oedemeridae) Synonym(s): *Xanthochroina Ganglbauer,1881*
732. **Xylotrechus Chevrolat,1860** (Cerambycidae) Synonym(s): *Xylotrechus Chevrolat,1860*
733. **Zabrus (s.str.) Clairville,1806** (Carabidae) Synonym(s): *Zabrus Clairville,1806*
734. **Zabrus Clairville,1806** (Carabidae) Synonym(s): *Zabrus Clairville,1806*
735. **Zonitis Fabricius,1775** (Meloidae) Synonym(s): *Zonitis Fabricius,1775*
736. **Zophosis (Oculosis) Penrith,1977** (Tenebrionidae) Synonym(s): *Oculosis Penrith,1977*
737. **Zophosis (Septentriophosis) Penrith,1982** (Tenebrionidae) Synonym(s): *Septentriophosis Penrith,1982*
738. **Zophosis Latreille,1802** (Tenebrionidae) Synonym(s): *Zophosis Latreille,1802*
739. **Zoroachros Thomson,1859** (Elateridae) Synonym(s): *Zoroachros Thomson,1859; #Zoroachrus Thomson,1864*



## List of the 3185 species of the coleopteran fauna of Turkey

The following temporary list comprises the valid 3185 species of the Coleoptera fauna of Turkey. To each species, their families and chronologically arranged synonyms are added, if available. Nomenclaturally unavailable names and incorrect subsequent spellings are marked with #. If known, the provincial distribution in Turkey are mentioned as codes and dark blue in colour (see explanation below). Original references of a few species are added in green.

01 Adana	22 Edirne	43 Kütahya	64 Uşak
02 Adıyaman	23 Elazığ	44 Malatya	65 Van
03 Afyonkarahisar	24 Erzincan	45 Manisa	66 Yozgat
04 Ağrı	25 Erzurum	46 Kahramanmaraş	67 Zonguldak
05 Amasya	26 Eskişehir	47 Mardin	68 Aksaray
06 Ankara	27 Gaziantep	48 Muğla	69 Bayburt
07 Antalya	28 Giresun	49 Muş	70 Karaman
08 Artvin	29 Gümüşhane	50 Nevşehir	71 Kırıkkale
09 Aydın	30 Hakkari	51 Niğde	72 Batman
10 Balıkesir	31 Hatay	52 Ordu	73 Şırnak
11 Bilecik	32 Isparta	53 Rize	74 Bartın
12 Bingöl	33 İçel (Mersin)	54 Sakarya	75 Ardahan
13 Bitlis	34 İstanbul	55 Samsun	76 Iğdır
14 Bolu	35 İzmir	56 Siirt	77 Yalova
15 Burdur	36 Kars	57 Sinop	78 Karabük
16 Bursa	37 Kastamonu	58 Sivas	79 Kilis
17 Çanakkale	38 Kayseri	59 Tekirdağ	80 Osmaniye
18 Çankırı	39 Kırklareli	60 Tokat	81 Düzce
19 Çorum	40 Kırşehir	61 Trabzon	
20 Denizli	41 Kocaeli (İzmit)	62 Tunceli	
21 Diyarbakır	42 Konya	63 Şanlıurfa	

- Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926 **07 14 20 31 50 63 80**
- Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata* Fabricius,1775 **22 37 61**
- Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839
- Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802
- Abraeus roubali Olexa,1958** (Histeridae) Synonym(s): *roubali* Olexa,1958
- Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis* Piller & Mitterpacher,1783; *dentipes* Rossi,1790 **39**
- Acilius sulcatus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *sulcatus* Linnaeus,1758 **08 25 37 38**
- Aclypea undata (O.F.Müller,1776)** (Silphidae) Synonym(s): *undata* O.F.Müller,1776 **02 13 24 25 33 36 49 61 62**
- Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926 **07 08 12 27 31 33 35 62 70 80**
- Acmaeodera (s.str.) transcaucasica Semenov,1895** (Buprestidae) Synonym(s): *transcaucasica* Semenov,1895 **08**



11. **Acmaeoderella (Carininota) flavofasciata (Piller & Mitterpacher,1783)** (Buprestidae) **Synonym(s):** *flavofasciata* Piller & Mitterpacher,1783 **68**
12. **Acmaeoderella (Euacmaeoderella) vetusta (Ménétriés,1832)** (Buprestidae) **Synonym(s):** *vetusta* Ménétriés,1832 **36**
13. **Acmaeoderella (Euacmaeoderella) villosula (Steven,1830)** (Buprestidae) **Synonym(s):** *villosula* Steven,1830 **50**
14. **Acritus minutus (Herbst,1792)** (Histeridae) **Synonym(s):** *minutus* Herbst,1792
15. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) **Synonym(s):** *nigricornis* Hoffmann,1803
16. **Actenodia confluens (Reiche,1866)** (Meloidae) **Synonym(s):** *confluens* Reiche,1866; *picta* Baudi di Selve,1878; *caudanigra* Abeille de Perrin,1880; *ottomana* Escherich,1899; *mediopartita* Mader,1929; *mediodisjuncta* Pic,1930 **06 07 11 16 26 34 35 42**
17. **Actenodia peyroni (Reiche,1866)** (Meloidae) **Synonym(s):** *peyroni* Reiche,1866; *#peyronis* Reiche,1866 **33**
18. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae) **Synonym(s):** *bipunctata* Linnaeus,1758 **03 06 10 15 16 20 22 24 25 30 35 36 41 53 54 75**
19. **Adalia (s.str.) decempunctata (Linnaeus,1758)** (Coccinellidae) **Synonym(s):** *decempunctata* Linnaeus,1758 **22**
20. **Adalia (s.str.) fasciatopunctata Mulsant,1866** (Coccinellidae) **Synonym(s):** *fasciatopunctata* Mulsant,1866
21. **Adelina turcica (Reitter,1877)** (Tenebrionidae) **Synonym(s):** *turcica* Reitter,1877 **07**
22. **Adelocera pygmaea (Baudi,1871)** (Elateridae) **Synonym(s):** *pygmaea* Baudi,1871; *adanensis* Jagemann,1944 **01 33**
23. **Adelocera schuberti Platia & Gudenzi,2002** (Elateridae) **Synonym(s):** *schuberti* Platia & Gudenzi,2002 **07**
24. **Adelostoma (s.str.) ovalipenne Chevrolat,1877** (Tenebrionidae) **Synonym(s):** *ovalipenne* Chevrolat,1877
25. **Adelostoma (s.str.) subtilis Reitter,1900** (Tenebrionidae) **Synonym(s):** *subtilis* Reitter,1900 **51**
26. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) **Synonym(s):** *sulcatum* Duponchel,1827
27. **Adesmia (Macradesmia) servillei Solier,1835** (Tenebrionidae) **Synonym(s):** *servillei* Solier,1835
28. **Adesmia (Oteroscelis) audouini Solier,1835** (Tenebrionidae) **Synonym(s):** *audouini* Solier,1835
29. **Adesmia (Oteroscelis) carinata Miller,1861** (Tenebrionidae) **Synonym(s):** *carinata* Miller,1861
30. **Adesmia (s.str.) anatolica Ganglbauer,1906** (Tenebrionidae) **Synonym(s):** *anatolica* Ganglbauer,1906
31. **Adesmia (s.str.) anthracina Klug,1830** (Tenebrionidae) **Synonym(s):** *anthracina* Klug,1830; *olivieri* Reiche & Saulcy,1857 **02 21 27 31 46 72 80**
32. **Adesmia (s.str.) fischeri Faldermann,1837** (Tenebrionidae) **Synonym(s):** *fischeri* Faldermann,1837 **23 65**
33. **Adesmia (s.str.) gibbula Reitter,1916** (Tenebrionidae) **Synonym(s):** *gibbula* Reitter,1916
34. **Adesmia (s.str.) procera Miller,1861** (Tenebrionidae) **Synonym(s):** *procera* Miller,1861  
*Adesmia procera* Miller,1861, *Wien. ent. Monatschr.* 5: 170, pl.5 figs.10,11. **63**
35. **Adoretus sterbae Reitter,1909** (Scarabaeidae) **Synonym(s):** *sterbae* Reitter,1909
36. **Adrastus anatolicus Platia & Schimmel,1991** (Elateridae) **Synonym(s):** *anatolicus* Platia & Schimmel,1991
37. **Adrastus circassicus Reitter,1896** (Elateridae) **Synonym(s):** *circassicus* Reitter,1896 **08 52**
38. **Adrastus dolini Welschmied,1978** (Elateridae) **Synonym(s):** *dolini* Welschmied,1978
39. **Adrastus limbatus (Fabricius,1776)** (Elateridae) **Synonym(s):** *limbatus* Fabricius,1776 **08 14 53**
40. **Adrastus longicornis Gurjeva,1976** (Elateridae) **Synonym(s):** *longicornis* Gurjeva,1976
41. **Adrastus montanus (Scopoli,1763)** (Elateridae) **Synonym(s):** *montanus* Scopoli,1763
42. **Adrastus pallens (Fabricius,1792)** (Elateridae) **Synonym(s):** *pallens* Fabricius,1792
43. **Adrastus protractus Roubal,1924** (Elateridae) **Synonym(s):** *protractus* Roubal,1924 **08 14**

- 44. *Adrastus rachifer* (Fourcroy,1785)** (Elateridae) Synonym(s): *rachifer* Fourcroy,1785 **05**  
**14 35 37 44 55 81**
- 45. *Adrastus samedovi* Dolin & Agajev,1974** (Elateridae) Synonym(s): *samedovi* Dolin & Agajev,1974 **25 36**
- 46. *Aeletes atomarius* (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843
- 47. *Aeletes hopffgarteni* (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni* Reitter,1876
- 48. *Aeoloderma crucifer* (Rossi,1790)** (Elateridae) Synonym(s): *crucifer* Rossi,1790 **07 15**
- 49. *Aeoloderma oblitterata* (Candeze,1859)** (Elateridae) Synonym(s): *oblitterata* Candeze,1859
- 50. *Aeoloides figuratus* (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844;  
*turcomanus* Candeze,1889 **33 56**
- 51. *Aeoloides grisescens* (Germar,1844)** (Elateridae) Synonym(s): *grisescens* Germar,1844;  
*bicarinatus* Reitter,1891 **35**
- 52. *Aeoloides sarmaticus* (Motschoulsky,1860)** (Elateridae) Synonym(s): *sarmaticus* Motschoulsky,1860
- 53. *Aelosomus rossi* (Germar,1844)** (Elateridae) Synonym(s): *rossi* Germar,1844
- 54. *Aethiessa mesopotamica* Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939
- 55. *Agabus (Acatodes) bergi* Zaitzev,1913** (Dytiscidae) Synonym(s): *bergi* Zaitzev,1913
- 56. *Agabus (Acatodes) congener* (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 **07 20 36**
- 57. *Agabus (Acatodes) coxalis* Sharp,1882** (Dytiscidae) Synonym(s): *coxalis* Sharp,1882;  
*splichali* Reitter,1899
- 58. *Agabus (Acatodes) lapponicus* (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus* Thomson,1867; *obovatus* Sahlberg,1875; *obscuripennis* Sahlberg,1875
- 59. *Agabus (Acatodes) sturmii* Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808; *goedellii* A.Villa & G.B. Villa,1833; *fallax* Munster,1932
- 60. *Agabus (Gaurodytes) biguttatus* (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **01 06 08 11 16 18 23 25 27 29 31 32 33 35 37 53 54 61 66 68**
- 61. *Agabus (Gaurodytes) bipustulatus* (Linnaeus,1767)** (Dytiscidae) Synonym(s): *bipustulatus* Linnaeus,1767 **01 06 07 08 16 32 34 35 36 37 38 41 42 48 53 61 64 65**
- 62. *Agabus (Gaurodytes) caraboides* Sharp,1882** (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884
- 63. *Agabus (Gaurodytes) conspersus* (Marsham,1802)** (Dytiscidae) Synonym(s): *conspersus* Marsham,1802 **01 03 07 15 16 20 32 35 42**
- 64. *Agabus (Gaurodytes) didymus* (Olivier,1795)** (Dytiscidae) Synonym(s): *didymus* Olivier,1795 **03 07 10 32 35 45**
- 65. *Agabus (Gaurodytes) dilatatus* (Brullé,1832)** (Dytiscidae) Synonym(s): *dilatatus* Brullé,1832 **01 06 16 29 32 35 41 42 53 61 65**
- 66. *Agabus (Gaurodytes) faldermanni* Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975 **21 32 42 48 50**
- 67. *Agabus (Gaurodytes) glacialis* Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846; *armeniacus* Sharp,1882; *inguttatus* Reitter,1908
- 68. *Agabus (Gaurodytes) guttatus* (Paykull,1798)** (Dytiscidae) Synonym(s): *guttatus* Paykull,1798 **07 14 20 37**
- 69. *Agabus (Gaurodytes) nebulosus* (Forster,1771)** (Dytiscidae) Synonym(s): *nebulosus* Forster,1771
- 70. *Agabus (s.str.) labiatus* (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908; *transcaucasicus* Zaitzev,1927
- 71. *Agabus (s.str.) zimmermanni* Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni* Scholz,1920 **09**
- 72. *Agabus glacialis* Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846 **08**  
**16 25 53 61 75**
- 73. *Agabus paludosus* (Fabricius,1801)** (Dytiscidae) Synonym(s): *paludosus* Fabricius,1801  
**06 08 25 53**
- 74. *Agapanthia amicula* Holzschuh,1989** (Cerambycidae) Synonym(s): *amicula* Holzschuh,1989



- 75. *Agapanthia coeruleipennis* Frivaldsky, 1878** (Cerambycidae) Synonym(s): *coeruleipennis* Frivaldsky, 1878 **02**
- 76. *Agapanthia fallax* Holzschuh, 1974** (Cerambycidae) Synonym(s): *fallax* Holzschuh, 1974 **49**
- 77. *Agapanthia frivaldskyi* Ganglbauer, 1884** (Cerambycidae) Synonym(s): *frivaldskyi* Ganglbauer, 1884 **49**
- 78. *Agapanthia kirbyi* (Gyllenhal, 1817)** (Cerambycidae) Synonym(s): *kirbyi* Gyllenhal, 1817 **06**
- 79. *Agapanthia lais* Reiche, 1858** (Cerambycidae) Synonym(s): *lais* Reiche, 1858
- 80. *Agapanthia lateralis* Ganglbauer, 1884** (Cerambycidae) Synonym(s): *lateralis* Ganglbauer, 1884 **33**
- 81. *Agapanthia osmanlis* Reiche & Saulcy, 1858** (Cerambycidae) Synonym(s): *osmanlis* Reiche & Saulcy, 1858
- 82. *Agapanthia simplicicornis* Reitter, 1898** (Cerambycidae) Synonym(s): *simplicicornis* Reitter, 1898 **49**
- 83. *Agapanthia suturalis* (Fabricius, 1787)** (Cerambycidae) Synonym(s): *suturalis* Fabricius, 1787
- 84. *Agapanthia villosoviridescens* (De Geer, 1775)** (Cerambycidae) Synonym(s): *villosoviridescens* De Geer, 1775 **21**
- 85. *Agapanthia violacea* (Fabricius, 1775)** (Cerambycidae) Synonym(s): *violacea* Fabricius, 1775
- 86. *Agapanthia walteri* Reitter, 1898** (Cerambycidae) Synonym(s): *walteri* Reitter, 1898 **36**
- 87. *Agapanthiola leucaspis* (Steven, 1817)** (Cerambycidae) Synonym(s): *leucaspis* Steven, 1817
- 88. *Agathidium* (s.str.) *namrunense* Angelini, 1998** (Leiodidae) Synonym(s): *namrunense* Angelini, 1998 **33**
- 89. *Agonum antennarium* (Duftschmid, 1812)** (Carabidae) Synonym(s): *antennarium* Duftschmid, 1812
- 90. *Agonum chalconotum* Ménétériés, 1832** (Carabidae) Synonym(s): *chalconotum* Ménétériés, 1832
- 91. *Agonum extensum* Ménétériés, 1849** (Carabidae) Synonym(s): *extensum* Ménétériés, 1849
- 92. *Agonum gisellae* Csiki, 1931** (Carabidae) Synonym(s): *gisellae* Csiki, 1931
- 93. *Agonum gracile* Sturm, 1824** (Carabidae) Synonym(s): *gracile* Sturm, 1824
- 94. *Agonum hypocrita* (Apfelbeck, 1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck, 1904
- 95. *Agonum longicorne* Chaudoir, 1846** (Carabidae) Synonym(s): *longicorne* Chaudoir, 1846
- 96. *Agonum lugens* (Duftschmid, 1812)** (Carabidae) Synonym(s): *lugens* Duftschmid, 1812
- 97. *Agonum marginatum* (Linnaeus, 1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus, 1758 **06**
- 98. *Agonum monachum* (Duftschmid, 1812)** (Carabidae) Synonym(s): *monachum* Duftschmid, 1812
- 99. *Agonum muelleri* (Herbst, 1784)** (Carabidae) Synonym(s): *muelleri* Herbst, 1784
- 100. *Agonum nigrum* Dejean, 1828** (Carabidae) Synonym(s): *nigrum* Dejean, 1828
- 101. *Agonum rugicollis* Chaudoir, 1846** (Carabidae) Synonym(s): *rugicollis* Chaudoir, 1846
- 102. *Agonum sexpunctatum* (Linnaeus, 1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus, 1758
- 103. *Agonum sordidum* Dejean, 1828** (Carabidae) Synonym(s): *sordidum* Dejean, 1828
- 104. *Agonum thoreyi* Dejean, 1828** (Carabidae) Synonym(s): *thoreyi* Dejean, 1828
- 105. *Agonum viridicupreum* (Goeze, 1777)** (Carabidae) Synonym(s): *viridicupreum* Goeze, 1777 **06 65**
- 106. *Agrilus* (Anambus) *ater* (Linnaeus, 1767)** (Buprestidae) Synonym(s): *ater* Linnaeus, 1767 **24**
- 107. *Agrilus* (Anambus) *buresi* Obenberger, 1935** (Buprestidae) Synonym(s): *buresi* Obenberger, 1935 **07 08 11 25 29 42**
- 108. *Agrilus* (Anambus) *derasofasciatus* Lacordaire, 1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire, 1835 **01 06 07 08 09 15 23 25 27 30 31 33 35 43 47 48 56 59 64 70**
- 109. *Agrilus* (Anambus) *obscuricollis* Kiesenwetter, 1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter, 1857 **07 08 11 17 27 29 33 34 80**

- 110. Agrilus (Anambus) roscidus Kiesenwetter, 1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter, 1857* 01 02 06 07 08 09 10 11 12 14 15 16 17 18 19 20 21 22 25 26 28 31 33 35 38 42 43 46 47 48 56 57 58 59 60 62 63 80
- 111. Agrilus (Anambus) sericans Kiesenwetter, 1857** (Buprestidae) Synonym(s): *sericans Kiesenwetter, 1857*
- 112. Agrilus (s.str.) aurichalceus Redtenbacher, 1849** (Buprestidae) Synonym(s): *aurichalceus Redtenbacher, 1849* 07 09 15 21 26 29 33 46
- 113. Agrilus (s.str.) hyperici (Creutzer, 1799)** (Buprestidae) Synonym(s): *hyperici Creutzer, 1799* 10 11 17 25 29 35 39 45 48 54 58
- 114. Agrilus (s.str.) lineolus Redtenbacher, 1849** (Buprestidae) Synonym(s): *lineolus Redtenbacher, 1849* 07 15 21 25 30 35 37 38 43 62 66
- 115. Agrilus kutahyanus Krolik, 2002** (Buprestidae) Synonym(s): *kutahyanus Krolik, 2002* 43
- 116. Agrilus rhoos Krolik & Niehuis, 2003** (Buprestidae) Synonym(s): *rhoos Krolik & Niehuis, 2003* 07 12 14 33 62 80
- 117. Agriotes (s.str.) acuminatus (Stephens, 1830)** (Elateridae) Synonym(s): *acuminatus Stephens, 1830* 14
- 118. Agriotes (s.str.) adanensis Pic, 1900** (Elateridae) Synonym(s): *adanensis Pic, 1900* 01
- 119. Agriotes (s.str.) adlbaueri Platia & Schimmel, 1992** (Elateridae) Synonym(s): *adlbaueri Platia & Schimmel, 1992* 11
- 120. Agriotes (s.str.) anatolicus Platia, 2003** (Elateridae) Synonym(s): *anatolicus Platia, 2003* 33
- 121. Agriotes (s.str.) aquilus Platia, 2003** (Elateridae) Synonym(s): *aquilus Platia, 2003* 07
- 122. Agriotes (s.str.) audisioi Platia & Schimmel, 1992** (Elateridae) Synonym(s): *audisioi Platia & Schimmel, 1992*
- 123. Agriotes (s.str.) barriesi Cate & Platia, 1997** (Elateridae) Synonym(s): *barriesi Cate & Platia, 1997*
- 124. Agriotes (s.str.) brevis Candeze, 1863** (Elateridae) Synonym(s): *brevis Candeze, 1863*
- 125. Agriotes (s.str.) cilicensis Platia & Gundenzi, 1998** (Elateridae) Synonym(s): *cilicensis Platia & Gundenzi, 1998*
- 126. Agriotes (s.str.) colonnelli Guglielmi & Platia, 1985** (Elateridae) Synonym(s): *colonnelli Guglielmi & Platia, 1985* 17
- 127. Agriotes (s.str.) conspicuus Schwarz, 1891** (Elateridae) Synonym(s): *conspicuus Schwarz, 1891*
- 128. Agriotes (s.str.) constrictus Reitter, 1900** (Elateridae) Synonym(s): *constrictus Reitter, 1900*
- 129. Agriotes (s.str.) crassiusculus Platia & Gundenzi, 1998** (Elateridae) Synonym(s): *crassiusculus Platia & Gundenzi, 1998*
- 130. Agriotes (s.str.) cribrithorax Pic, 1910** (Elateridae) Synonym(s): *cribrithorax Pic, 1910* 33
- 131. Agriotes (s.str.) defreinaei Platia & Gundenzi, 1998** (Elateridae) Synonym(s): *defreinaei Platia & Gundenzi, 1998*
- 132. Agriotes (s.str.) depressus Schwarz, 1891** (Elateridae) Synonym(s): *depressus Schwarz, 1891* 25
- 133. Agriotes (s.str.) dusaneki Platia & Gundenzi, 1998** (Elateridae) Synonym(s): *dusaneki Platia & Gundenzi, 1998* 33
- 134. Agriotes (s.str.) furlani Platia, 2003** (Elateridae) Synonym(s): *furlani Platia, 2003* 35
- 135. Agriotes (s.str.) ganglbaueri Schwarz, 1891** (Elateridae) Synonym(s): *ganglbaueri Schwarz, 1891*
- 136. Agriotes (s.str.) goksunensis Platia, 2004** (Elateridae) Synonym(s): *goksunensis Platia, 2004* 46
- 137. Agriotes (s.str.) graecus Franz, 1967** (Elateridae) Synonym(s): *graecus Franz, 1967*
- 138. Agriotes (s.str.) granulosus Platia & Gundenzi, 1992** (Elateridae) Synonym(s): *granulosus Platia & Gundenzi, 1992*
- 139. Agriotes (s.str.) gurgistanus (Faldermann, 1835)** (Elateridae) Synonym(s): *gurgistanus Faldermann, 1835* 08 17 67
- 140. Agriotes (s.str.) heydeni Schwarz, 1891** (Elateridae) Synonym(s): *heydeni Schwarz, 1891*
- 141. Agriotes (s.str.) informis Schwarz, 1891** (Elateridae) Synonym(s): *informis Schwarz, 1891*



- 142. Agriotes (s.str.) infuscatus Desbrochers,1870** (Elateridae) Synonym(s): *infuscatus Desbrochers,1870* **11 58**
- 143. Agriotes (s.str.) integricollis Reitter,1911** (Elateridae) Synonym(s): *integricollis Reitter,1911*
- 144. Agriotes (s.str.) izmirensis Cate & Platia,1997** (Elateridae) Synonym(s): *izmirensis Cate & Platia,1997* **35**
- 145. Agriotes (s.str.) karsantianus Pic,1910** (Elateridae) Synonym(s): *karsantianus Pic,1910* **32**
- 146. Agriotes (s.str.) kraatzi Schwarz,1891** (Elateridae) Synonym(s): *kraatzi Schwarz,1891*
- 147. Agriotes (s.str.) lapicida (Falderann,1835)** (Elateridae) Synonym(s): *lapicida Falderann,1835* **44**
- 148. Agriotes (s.str.) leinfesti Platia & Gudenzi,1998** (Elateridae) Synonym(s): *leinfesti Platia & Gudenzi,1998*
- 149. Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae) Synonym(s): *lineatus Linnaeus,1767* **14 16 25 28 32 37 42**
- 150. Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus Rossi,1792*
- 151. Agriotes (s.str.) lizleri Platia,2003** (Elateridae) Synonym(s): *lizleri Platia,2003* **32**
- 152. Agriotes (s.str.) lundbergi Platia,1989** (Elateridae) Synonym(s): *lundbergi Platia,1989* **32**
- 153. Agriotes (s.str.) mertliki Platia,2003** (Elateridae) Synonym(s): *mertliki Platia,2003* **07**
- 154. Agriotes (s.str.) meticulosus Candeze,1863** (Elateridae) Synonym(s): *meticulosus Candeze,1863* **25**
- 155. Agriotes (s.str.) modestus Kiesenwetter,1858** (Elateridae) Synonym(s): *modestus Kiesenwetter,1858; incognitus Schwarz,1891; ponticus Stepanov,1935*
- 156. Agriotes (s.str.) nigropubens Reitter,1904** (Elateridae) Synonym(s): *nigropubens Reitter,1904*
- 157. Agriotes (s.str.) nigror Platia,2003** (Elateridae) Synonym(s): *nigror Platia,2003* **01**
- 158. Agriotes (s.str.) nuceus Fairmaire,1866** (Elateridae) Synonym(s): *nuceus Fairmaire,1866* **07 45**
- 159. Agriotes (s.str.) obscurus (Linnaeus,1758)** (Elateridae) Synonym(s): *obscurus Linnaeus,1758*
- 160. Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae) Synonym(s): *paludum Kiesenwetter,1859* **01 03 33 41 42**
- 161. Agriotes (s.str.) petterssoni Platia & Gudenzi,2000** (Elateridae) Synonym(s): *petterssoni Platia & Gudenzi,2000*
- 162. Agriotes (s.str.) pilosellus (Schönherr,1817)** (Elateridae) Synonym(s): *pilosellus Schönherr,1817*
- 163. Agriotes (s.str.) propleuralis Platia & Gudenzi,1998** (Elateridae) Synonym(s): *propleuralis Platia & Gudenzi,1998*
- 164. Agriotes (s.str.) proximus Schwarz,1891** (Elateridae) Synonym(s): *proximus Schwarz,1891; lineatoides Reitter,1911* **14 16 25 37**
- 165. Agriotes (s.str.) radula Desbrochers,1875** (Elateridae) Synonym(s): *radula Desbrochers,1875; brevicollis Schwarz,1891*
- 166. Agriotes (s.str.) reitteri Schwarz,1891** (Elateridae) Synonym(s): *reitteri Schwarz,1891*
- 167. Agriotes (s.str.) riesei Platia,2004** (Elateridae) Synonym(s): *riesei Platia,2004*
- 168. Agriotes (s.str.) rufipalpis (Brullé,1832)** (Elateridae) Synonym(s): *rufipalpis Brullé,1832; rubiginosus Candeze,1863*
- 169. Agriotes (s.str.) sameki Platia,2003** (Elateridae) Synonym(s): *sameki Platia,2003*
- 170. Agriotes (s.str.) schuberti Platia,2004** (Elateridae) Synonym(s): *schuberti Platia,2004*
- 171. Agriotes (s.str.) schurmanni Platia & Gudenzi,1998** (Elateridae) Synonym(s): *schurmanni Platia & Gudenzi,1998*
- 172. Agriotes (s.str.) sexualis Platia,2004** (Elateridae) Synonym(s): *sexualis Platia,2004*
- 173. Agriotes (s.str.) solai Platia,2004** (Elateridae) Synonym(s): *solai Platia,2004*
- 174. Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae) Synonym(s): *sputator Linnaeus,1758* **04 13 14 16 18 32 33 37 42 58 60 69 75**
- 175. Agriotes (s.str.) starcki Schwarz,1891** (Elateridae) Synonym(s): *starcki Schwarz,1891*
- 176. Agriotes (s.str.) strigosus Kiesenwetter,1859** (Elateridae) Synonym(s): *strigosus Kiesenwetter,1859*

177. **Agriotes (s.str.) subsulcatus Pic,1913** (Elateridae) **Synonym(s):** *subsulcatus Pic,1913*
178. **Agriotes (s.str.) sylviae Cate & Platia,1997** (Elateridae) **Synonym(s):** *sylviae Cate & Platia,1997*
179. **Agriotes (s.str.) tauricus Heyden,1882** (Elateridae) **Synonym(s):** *tauricus Heyden,1882*  
**14**
180. **Agriotes (s.str.) tristiculus Reitter,1906** (Elateridae) **Synonym(s):** *tristiculus Reitter,1906* **7 09 15 32 33 41 42**
181. **Agriotes (s.str.) turcicus Candeze,1863** (Elateridae) **Synonym(s):** *turcicus Candeze,1863*  
**32**
182. **Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) **Synonym(s):** *ustulatus Schaller,1783* **14 25**
183. **Agriotes (s.str.) werneri Platia,2003** (Elateridae) **Synonym(s):** *werneri Platia,2003*  
**33**
184. **Agriotes (s.str.) witzgalli Platia & Schimmel,1993** (Elateridae) **Synonym(s):** *witzgalli Platia & Schimmel,1993*
185. **Agrypnus crenicollis (Ménétriés,1832)** (Elateridae) **Synonym(s):** *crenicollis Ménétriés,1832*
186. **Agrypnus murinus (Linnaeus,1758)** (Elateridae) **Synonym(s):** *murinus Linnaeus,1758*  
**14**
187. **Agrypnus sarikamisensis Platia, Yildırım & Kesdek,2007** (Elateridae) **Synonym(s):** *sarikamisensis Platia, Yildırım & Kesdek,2007* **36**
188. **Akis elongata Brullé,1832** (Tenebrionidae) **Synonym(s):** *elongata Brullé,1832; deplanata Waltl,1838*
189. **Akis latreillei Solier,1836** (Tenebrionidae) **Synonym(s):** *latreillei Solier,1836*
190. **Akis opaca Heyden,1897** (Tenebrionidae) **Synonym(s):** *opaca Heyden,1897; anatolica Reitter,1904* **33**
191. **Akis otoes Fischer von Waldheim,1837** (Tenebrionidae) **Synonym(s):** *otoes Fischer von Waldheim,1837*
192. **Akis spinosa (Linnaeus,1764)** (Tenebrionidae) **Synonym(s):** *spinosa Linnaeus,1764* **34**
193. **Alosimus armeniacus (Faldermann,1837)** (Meloidae) **Synonym(s):** *armeniaceus Faldermann,1837* **04 06 14 21 25 29 36 51 55 56 60 69 75**
194. **Alosimus castaneus Escherich,1896** (Meloidae) **Synonym(s):** *castaneus Escherich,1896*  
**21 25 47 56**
195. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae) **Synonym(s):** *chalybaeus Tauscher,1812*  
**01 07 22 25 35 42 45 51 63 64**
196. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae) **Synonym(s):** *decolor Abeille de Perrin,1880* **12 21 22 34 35 45 47 62 66**
197. **Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae) **Synonym(s):** *gracilis Abeille de Perrin,1880* **07 25 33**
198. **Alosimus luteus (Waltl,1838)** (Meloidae) **Synonym(s):** *luteus Waltl,1838* **02 21 56 62 63**
199. **Alosimus marginicollis Haag-Rutenberg,1880** (Meloidae) **Synonym(s):** *marginicollis Haag-Rutenberg,1880* **43 50 60**
200. **Alosimus pallidicollis (Gyllenhal,1806)** (Meloidae) **Synonym(s):** *pallidicollis Gyllenhal,1806* **12 23 33 62**
201. **Alosimus reittedianus (Semenov,1990)** (Meloidae) **Synonym(s):** *reittedianus Semenov,1990* **25**
202. **Alosimus smyrnensis (Maran,1942)** (Meloidae) **Synonym(s):** *smyrnensis Maran,1942*  
**20 35 43 64**
203. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) **Synonym(s):** *syriacus Linnaeus,1758; austriacus Schrank,1781* *Meloe syriacus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria".* **42 63**
204. **Alosterna anatolica Adlbauer,1992** (Cerambycidae) **Synonym(s):** *anatolica Adlbauer,1992*  
**07**
205. **Alosterna scapularis (Heyden,1878)** (Cerambycidae) **Synonym(s):** *scapularis Heyden,1878*
206. **Alphitobius diaperinus (Panzer,1797)** (Tenebrionidae) **Synonym(s):** *diaperinus Panzer,1797* **35**



- 207. *Alphitobius laevigatus* (Fabricius,1781)** (Tenebrionidae) **Synonym(s):** *laevigatus* Fabricius,1781 **35**
- 208. *Alphitophagus bifasciatus* (Say,1823)** (Tenebrionidae) **Synonym(s):** *bifasciatus* Say,1823 **07 48**
- 209. *Alphitophagus convexicollis* Reitter,1911** (Tenebrionidae) **Synonym(s):** *convexicollis* Reitter,1911
- 210. *Altica ancyrensis* (Weise,1897)** (Chrysomelidae) **Synonym(s):** *ancyrensis* Weise,1897 **06 25 60**
- 211. *Altica bicarinata* (Kutschera,1860)** (Chrysomelidae) **Synonym(s):** *bicarinata* Kutschera,1860; *ciliciensis* Weise,1897 **01 07 11 26 31 33 38 50 55 61**
- 212. *Altica brevicollis* Foudras,1860** (Chrysomelidae) **Synonym(s):** *brevicollis* Foudras,1860 **02 16 25 34 53 60**
- 213. *Altica bulgharensis* Kral,1969** (Chrysomelidae) **Synonym(s):** *bulgharensis* Kral,1969 **33**
- 214. *Altica carduorum* (Guérin-Ménéville,1858)** (Chrysomelidae) **Synonym(s):** *carduorum* Guérin-Ménéville,1858 **06 08 18 19 25 38 42 52 58 66**
- 215. *Altica cornivorax* Kral,1969** (Chrysomelidae) **Synonym(s):** *cornivorax* Kral,1969 **34**
- 216. *Altica deserticola* (Weise,1889)** (Chrysomelidae) **Synonym(s):** *deserticola* Weise,1889 **05 08 25 31 36 44 49 60 72 76**
- 217. *Altica globicollis* (Weise,1889)** (Chrysomelidae) **Synonym(s):** *globicollis* Weise,1889 *Haltica globicollis* Weise,1889, *Horae Soc. ent. ross.* 23: 635. **Type: Erzurum.** **25 33 34**
- 218. *Altica graeca* Kral,1966** (Chrysomelidae) **Synonym(s):** *graeca* Kral,1966 **60**
- 219. *Altica hamperi* (Allard,1867)** (Chrysomelidae) **Synonym(s):** *hamperi* Allard,1867; *khnozoriani* Kral,1969 **05 06 25**
- 220. *Altica impressicollis* (Reiche,1862)** (Chrysomelidae) **Synonym(s):** *impressicollis* Reiche,1862; *#impressicollis* Aslan et al,1999 **07 08 11 25 34 38 41 55**
- 221. *Altica jarmilae* Kral,1979** (Chrysomelidae) **Synonym(s):** *jarmilae* Kral,1979 **06 16 25 31 33 35**
- 222. *Altica lythri* Aubé,1843** (Chrysomelidae) **Synonym(s):** *lythri* Aubé,1843 **25 61**
- 223. *Altica oleracea* (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** *oleracea* Linnaeus,1758 **06 15 25 36 38 42 50 53 58 60 69**
- 224. *Altica palustris* (Weise,1888)** (Chrysomelidae) **Synonym(s):** *palustris* Weise,1888 **25 38 42 69 77**
- 225. *Altica pontica* (Ogloblin,1925)** (Chrysomelidae) **Synonym(s):** *pontica* Ogloblin,1925 **25 61**
- 226. *Altica quercetorum* Foudras,1860** (Chrysomelidae) **Synonym(s):** *quercetorum* Foudras,1860 **34**
- 227. *Altica tamaricis* Schrank,1785** (Chrysomelidae) **Synonym(s):** *tamaricis* Schrank,1785 **22 34 52 53 61**
- 228. *Amara* ((*Curtonotus*) *propinqua* Ménétériés,1832** (Carabidae) **Synonym(s):** *propinqua* Ménétériés,1832; *bistriata* Putzeys,1866
- 229. *Amara* (*Amarocelia*) *erratica* (Duftschmid,1812)** (Carabidae) **Synonym(s):** *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutshnik,1935
- 230. *Amara* (*Amathitis*) *abdominalis* (Motschoulsky,1844)** (Carabidae) **Synonym(s):** *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929
- 231. *Amara* (*Bradytus*) *apricaria* (Paykull,1790)** (Carabidae) **Synonym(s):** *apricaria* Paykull,1790; *analisis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 **16 37**
- 232. *Amara* (*Bradytus*) *consularis* (Duftschmid,1812)** (Carabidae) **Synonym(s):** *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966
- 233. *Amara* (*Bradytus*) *fulva* (O.F.Müller,1776)** (Carabidae) **Synonym(s):** *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837
- 234. *Amara* (*Bradytus*) *majuscula* (Chaudoir,1850)** (Carabidae) **Synonym(s):** *majuscula* Chaudoir,1850

- 235. Amara (Celia) aberrans Baudi di Selva, 1864** (Carabidae) **Synonym(s):** *aberrans Baudi di Selva, 1864; syriaca Putzeys, 1866; palaestina Putzeys, 1870; gridellii Baliani, 1928*
- 236. Amara (Celia) arenaria (Putzeys, 1865)** (Carabidae) **Synonym(s):** *arenaria Putzeys, 1865; diversa Putzeys, 1865; croatica Ganglbauer, 1891; hispanica Csiki, 1929*
- 237. Amara (Celia) bifrons (Gyllenhal, 1810)** (Carabidae) **Synonym(s):** *oricalcica O.F. Müller, 1776; bifrons Gyllenhal, 1810; discrepans Stephens, 1828; zimmermanni Heer, 1837; longiceps Seidlitz, 1887; kleini Schuler, 1964*
- 238. Amara (Celia) montana Dejean, 1828** (Carabidae) **Synonym(s):** *montana Dejean, 1828; distincta Rambur, 1838; corsica Putzeys, 1866; collina Putzeys, 1867; burdigalenis Schuler, 1964*
- 239. Amara (Celia) praetermissa (Sahlberg, 1827)** (Carabidae) **Synonym(s):** *pallens Sturm, 1825; praetermissa Sahlberg, 1827; rufocincta Sahlberg, 1827; grandicollis C. Zimmermann, 1832; oreophila C. Zimmermann, 1832; solitaria Gistel, 1857; indivisa Putzeys, 1871; transcaucasica Lutshnik, 1935; monticusta Jablckoff & Khnzorian, 1957*
- 240. Amara (Curtonotus) aulica (Panzer, 1796)** (Carabidae) **Synonym(s):** *aulica Panzer, 1796; caucasica Motschoulsky, 1844; lithuanica Motschoulsky, 1844; abruzzensis Schaubberger, 1923*
- 241. Amara (Curtonotus) muciei Jedlicka, 1962** (Carabidae) **Synonym(s):** *muciei Jedlicka, 1962* **06**
- 242. Amara (Euderocycla) abnormis Tschitscherine, 1894** (Carabidae) **Synonym(s):** *abnormis Tschitscherine, 1894; fleischeri Tschitscherine, 1897; harpaloides Fleischer, 1897*
- 243. Amara (Paracelia) cyrenaica Baliani, 1928** (Carabidae) **Synonym(s):** *cyrenaica Baliani, 1928*
- 244. Amara (Paracelia) monochroa Hieke, 2004** (Carabidae) **Synonym(s):** *monochroa Hieke, 2004* **48**
- 245. Amara (Percosia) equestris (Duftschmid, 1812)** (Carabidae) **Synonym(s):** *equestris Duftschmid, 1812*
- 246. Amara (radytus) crenata Dejean, 1828** (Carabidae) **Synonym(s):** *crenata Dejean, 1828; crenatostriata Chaudoir, 1846*
- 247. Amara (s.str.) aenea (De Geer, 1774)** (Carabidae) **Synonym(s):** *aenea De Geer, 1774; trivialis Gyllenhal, 1810; atra Stephens, 1828; persica Chaudoir, 1842; maculipes Grimmer, 1841; palustris Gistel, 1857; sororcula Tschitscherine, 1895; vogesiaca Bourgeois, 1898; devincta Casey, 1918; palanda Jedlicka, 1957; thisbe Antoine, 1951*
- 248. Amara (s.str.) anthobia A. Villa & G.B. Villa, 1833** (Carabidae) **Synonym(s):** *anthobia A. Villa & G.B. Villa, 1833; krekihi Schtzmair, 1919*
- 249. Amara (s.str.) convexior Stephens, 1828** (Carabidae) **Synonym(s):** *convexior Stephens, 1828; obtusa Stephens, 1828; puncticollis Rylands, 1841; continua Thomson, 1873*
- 250. Amara (s.str.) curta Dejean, 1828** (Carabidae) **Synonym(s):** *curta Dejean, 1828; brunnicornis Heer, 1837; aeruginosa Kolenati, 1845; cyanocnemis Thomson, 1857; ovalis Mulsant & Rey, 1861*
- 251. Amara (s.str.) eurynota (Panzer, 1796)** (Carabidae) **Synonym(s):** *eurynota Panzer, 1796; acuminata Paykull, 1898; aerata Stephens, 1828; exculpta Hassmann, 1866; raymondi Putzeys, 1870*
- 252. Amara (s.str.) famelica C. Zimmermann, 1832** (Carabidae) **Synonym(s):** *famelica C. Zimmermann, 1832; bibula Antoine, 1944*
- 253. Amara (s.str.) familiaris (Duftschmid, 1812)** (Carabidae) **Synonym(s):** *familiaris Duftschmid, 1812; cursor Sturm, 1825; levis Sturm, 1825; perplexa Dejean, 1828; elegans Rylands, 1841; humilis Casey, 1918* **08 75**
- 254. Amara (s.str.) littorea Thomson, 1857** (Carabidae) **Synonym(s):** *dubia Motschoulsky, 1844; ovata Motschoulsky, 1844; littorea Thomson, 1857; motschoulskyi Heyden, 1880; wuki Matcha, 1922; bogatshevi Lutshnik, 1934; kodymi Jedlicka, 1936; tockoensis Jedlicka, 1936*
- 255. Amara (s.str.) lucida (Duftschmid, 1812)** (Carabidae) **Synonym(s):** *lucida Duftschmid, 1812; erythrope Stephens, 1828; gemina C. Zimmermann, 1832; septentrionalis Curtis, 1840; heydeni Schatzmayr, 1909; chobauti Puel, 1924* **16**
- 256. Amara (s.str.) lukasi Hejkal, 2002** (Carabidae) **Synonym(s):** *lukasi Hejkal, 2002* **Amara (s.str.) lukasi Hejkal, 2002, Klapalekiana 38: 27-35, figs. Holotype ♂: Turkey: Anatolia centr., Gölbaşı, südl. Ankara 1100m 25.iv.1973 Heinz leg. (coll. W. Heinz).** **06 19 26 66**
- 257. Amara (s.str.) morio Ménétériés, 1832** (Carabidae) **Synonym(s):** *morio Ménétériés, 1832*
- 258. Amara (s.str.) ovata (Fabricius, 1792)** (Carabidae) **Synonym(s):** *ovata Fabricius, 1792; trivialis Duftschmid, 1812; pratensis Sturm, 1825; incisa Germar, 1841; adamantina Kolenati, 1845; audax Gistel, 1857; sarsi Munster, 1927; melanochlora Lutshnik, 1933; simulatoides Jedlicka, 1934; aequatorialis Baliani, 1939*
- 259. Amara (Xenocelia) ambulans C. Zimmermann, 1832** (Carabidae) **Synonym(s):** *ambulans C. Zimmermann, 1832; inderiensis Motschoulsky, 1850; dagestana Jedlicka, 1962*



- 260. Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutschnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970
- 261. Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853
- 262. Amara (Xenocelia) fusgenua Hieke,1999** (Carabidae) Synonym(s): *fusgenua* Hieke,1999
- 263. Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828
- 264. Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812
- 265. Amara (Zezea) chaudiroi Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946
- 266. Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859
- 267. Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957
- 268. Ammobius rufus Lucas,1849** (Tenebrionidae) Synonym(s): *rufus* Lucas,1849 **07**
- 269. Amnodeis asiaticus Miller,1858** (Tenebrionidae) Synonym(s): *asiaticus* Miller,1858; *wagneri* Chevrolat,1877
- 270. Amnodeis grandis Miller,1858** (Tenebrionidae) Synonym(s): *grandis* Miller,1858  
*Amnodeis grandis* Miller,1858, *Wien. ent. Monatschr.* 2: 120. **21 63**
- 271. Amnodeis intermedius Reitter,1914** (Tenebrionidae) Synonym(s): *intermedius* Reitter,1914
- 272. Amnodeis milleri Reitter,1914** (Tenebrionidae) Synonym(s): *milleri* Reitter,1914 **21 27 47**
- 273. Ampedus adlbaueri Schimmel,1990** (Elateridae) Synonym(s): *adlbaueri* Schimmel,1990
- 274. Ampedus aethiops (Lacordaire,1835)** (Elateridae) Synonym(s): *aethiops* Lacordaire,1835
- 275. Ampedus agajewi Dolin,1970** (Elateridae) Synonym(s): *agajewi* Dolin,1970
- 276. Ampedus agilis Platia,2001** (Elateridae) Synonym(s): *agilis* Platia,2001
- 277. Ampedus anatolicus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *anatolicus* Platia & Gudenzi,2002
- 278. Ampedus balteatus (Linnaeus,1758)** (Elateridae) Synonym(s): *balteatus* Linnaeus,1758 **14 37**
- 279. Ampedus canaliculatus (Reitter,1918)** (Elateridae) Synonym(s): *canaliculatus* Reitter,1918
- 280. Ampedus cinnabarinus (Eschscholtz,1829)** (Elateridae) Synonym(s): *cinnabarinus* Eschscholtz,1829; *atropilosus* Reitter,1918
- 281. Ampedus circassicus (Reitter,1887)** (Elateridae) Synonym(s): *circassicus* Reitter,1887
- 282. Ampedus decumanus Gurjewa,1977** (Elateridae) Synonym(s): *decumanus* Gurjewa,1977
- 283. Ampedus demaisoni (Buysson,1898)** (Elateridae) Synonym(s): *demaisoni* Buysson,1898 **05 55**
- 284. Ampedus elegantulus (Schönherr,1817)** (Elateridae) Synonym(s): *elegantulus* Schönherr,1817
- 285. Ampedus elongatulus (Fabricius,1787)** (Elateridae) Synonym(s): *elongatulus* Fabricius,1787; *glycereus* Herbst,1784; *bodemeyeri* Winkler,1924
- 286. Ampedus erythrogonus (P.W.Müller,1821)** (Elateridae) Synonym(s): *erythrogonus* P.W.Müller,1821
- 287. Ampedus ganglbaueri (Reitter,1889)** (Elateridae) Synonym(s): *ganglbaueri* Reitter,1889
- 288. Ampedus hirticollis (Semenov,1891)** (Elateridae) Synonym(s): *hirticollis* Semenov,1891
- 289. Ampedus lubricus (Buysson,1891)** (Elateridae) Synonym(s): *lubricus* Buysson,1891
- 290. Ampedus nigerrimus (Lacordaire,1835)** (Elateridae) Synonym(s): *nigerrimus* Lacordaire,1835
- 291. Ampedus nigrinus (Herbst,1784)** (Elateridae) Synonym(s): *nigrinus* Herbst,1784
- 292. Ampedus nigroflavus (Goeze,1777)** (Elateridae) Synonym(s): *nigroflavus* Goeze,1777
- 293. Ampedus ocellatus (Buysson,1891)** (Elateridae) Synonym(s): *ocellatus* Buysson,1891; *fragarinus* Wurst,1995
- 294. Ampedus ochropterus Germar,1844** (Elateridae) Synonym(s): *ochropterus* Germar,1844
- 295. Ampedus platiai Schimmel,1990** (Elateridae) Synonym(s): *platiai* Schimmel,1990

- 296. *Ampedus pomonae* (Stephens,1830)** (Elateridae) Synonym(s): *pomonae* Stephens,1830
- 297. *Ampedus pomorum* (Herbst,1784)** (Elateridae) Synonym(s): *pomorum* Herbst,1784;  
*robustus* Bouwer,1980 **52**
- 298. *Ampedus praeustus* (Fabricius,1792)** (Elateridae) Synonym(s): *praeustus* Fabricius,1792
- 299. *Ampedus pulcher* (Baudi,1871)** (Elateridae) Synonym(s): *pulcher* Baudi,1871
- 300. *Ampedus punctatus* Schwarz,1893** (Elateridae) Synonym(s): *punctatus* Schwarz,1893
- 301. *Ampedus ressl* Platia & Gudenzi,1999** (Elateridae) Synonym(s): *ressli* Platia & Gudenzi,1999
- 302. *Ampedus rufipennis* (Stephens,1830)** (Elateridae) Synonym(s): *rufipennis* Stephens,1830
- 303. *Ampedus samedovi* Dolin & Ajajew,1983** (Elateridae) Synonym(s): *samedovi* Dolin & Ajajew,1983
- 304. *Ampedus sanguineus* (Linnaeus,1758)** (Elateridae) Synonym(s): *sanguineus* Linnaeus,1758
- 305. *Ampedus sanguinolentus* (Schränk,1776)** (Elateridae) Synonym(s): *sanguinolentus* Schränk,1776
- 306. *Ampedus schoettleri* Zeising & Brunne,2003** (Elateridae) Synonym(s): *schoettleri* Zeising & Brunne,2003
- 307. *Ampedus sinuatus* Germar,1844** (Elateridae) Synonym(s): *sinuatus* Germar,1844
- 308. *Ampedus turcicus* Platia & Kabalak, Sert,2007** (Elateridae) Synonym(s): *turcicus* Platia & Kabalak, Sert,2007
- 309. *Ampedus wachtangi* Dolin,1970** (Elateridae) Synonym(s): *wachtangi* Dolin,1970
- 310. *Amphicoma* (Eulasia) *arctos* (Pallas,1781)** (Glaphyridae) Synonym(s): *arctos* Pallas,1781; *martes* Frivaldsky,1845; *armeniaca* Reitter,1890; *subfasciatula* Reitter,1903; *anatolica* Reitter,1903 **05 13 60 75**
- 311. *Amphicoma* (Eulasia) *aurantiaca* (Reitter,1890)** (Glaphyridae) Synonym(s): *aurantiaca* Reitter,1890
- 312. *Amphicoma* (Eulasia) *bicolor* Walzl,1838** (Glaphyridae) Synonym(s): *bicolor* Walzl,1838; *limbipennis* Reitter,1899; *dichroa* Reitter,1890 **30**
- 313. *Amphicoma* (Eulasia) *bombylifomis* (Pallas,1781)** (Glaphyridae) Synonym(s): *bombylifomis* Pallas,1781; *rufipennis* Reitter,1890; *pygidialis* Petrovitz,1963; *erevanica* Petrovitz,1972; *athenae* Petrovitz,1980
- 314. *Amphicoma* (Eulasia) *chrysopyga* Faldermann,1835** (Glaphyridae) Synonym(s): *chrysopyga* Faldermann,1835; *pallidopilosa* Motschoulsky,1859
- 315. *Amphicoma* (Eulasia) *corniculata* Reitter,1903** (Glaphyridae) Synonym(s): *corniculata* Reitter,1903 **42**
- 316. *Amphicoma* (Eulasia) *diadema* Reitter,1890** (Glaphyridae) Synonym(s): *diadema* Reitter,1890; *diademata* Reitter,1903; *cuprea* Petrovitz,1962; *coerulea* Petrovitz,1967; *nigripilis* Petrovitz,1967 **07**
- 317. *Amphicoma* (Eulasia) *ernae* Petrovitz,1962** (Glaphyridae) Synonym(s): *ernae* Petrovitz,1962 **06**
- 318. *Amphicoma* (Eulasia) *hyrax* Truqui,1848** (Glaphyridae) Synonym(s): *hyrax* Truqui,1848; *truqui* Reitter,1890; *atripilis* Petrovitz,1971; *splendidula* Petrovitz,1971
- 319. *Amphicoma* (Eulasia) *montana* (Reitter,1890)** (Glaphyridae) Synonym(s): *montana* Reitter,1890
- 320. *Amphicoma* (Eulasia) *nitidicollis* (Reiche,1962)** (Glaphyridae) Synonym(s): *sublineata* Reitter,1890; *nitidicollis* Reiche,1962; *simplicipennis* Petrovitz,1964
- 321. *Amphicoma* (Eulasia) *praeusta* (Champenois,1896)** (Glaphyridae) Synonym(s): *praeusta* Champenois,1896; *clypealis* Petrovitz,1972
- 322. *Amphicoma* (Pygopleurus) *akbesianus* Petrovitz,1957** (Glaphyridae) Synonym(s): *akbesianus* Petrovitz,1957; *cuprea* Petrovitz,1957; *coerulea* Petrovitz,1962
- 323. *Amphicoma* (Pygopleurus) *aleppensis* Petrovitz,1957** (Glaphyridae) Synonym(s): *aleppensis* Petrovitz,1957; *violacea* Petrovitz,1957; *palaestinis* Petrovitz,1963
- 324. *Amphicoma* (Pygopleurus) *anemoninus* (Brullé,1832)** (Glaphyridae) Synonym(s): *anemoninus* Brullé,1832; *purpuricollis* Walzl,1838; *chrysonota* Brullé,1832; *albopilosa* Petrovitz,1957; *pseudopsilotrichia* Petrovitz,1957 **35**
- 325. *Amphicoma* (Pygopleurus) *angulatus* Fairmaire,1884** (Glaphyridae) Synonym(s): *angulatus* Fairmaire,1884 **07**
- 326. *Amphicoma* (Pygopleurus) *basalis* Reitter,1890** (Glaphyridae) Synonym(s): *basalis* Reitter,1890; *purpurea* Petrovitz,1957
- 327. *Amphicoma* (Pygopleurus) *costatus* Petrovitz,1957** (Glaphyridae) Synonym(s): *costatus* Petrovitz,1957



- 328. *Amphicoma (Pygopleurus) cyaneoviolaceus* Motschoulsky, 1859** (Glaphyridae)  
Synonym(s): *psilotrichia* Waltl, 1838 nec Fald., 1835; *cyaneoviolaceus* Motschoulsky, 1859; *versicolor* Baraud, 1989
- 329. *Amphicoma (Pygopleurus) cyanescens* (Reitter, 1890)** (Glaphyridae) Synonym(s): *cyanescens* Reitter, 1890; *bicolor* Petrovitz, 1968 nec Wlzl., 1838; *brunneipennis* Petrovitz, 1968
- 330. *Amphicoma (Pygopleurus) demelti* Petrovitz, 1967** (Glaphyridae) Synonym(s): *demelti* Petrovitz, 1967 *Amphicoma (Pygopleurus) demelti* Petrovitz, 1967, *Annln naturh. Mus. Wien* 70: 330-331. Holotype ♂: Türkiye, [Ankara Prov.]: Kızılcahamam lwg. Demelt (coll. Petrovitz). **06**
- 331. *Amphicoma (Pygopleurus) despectus* Petrovitz, 1957** (Glaphyridae) Synonym(s): *despectus* Petrovitz, 1957; *orichalcia* Petrovitz, 1962
- 332. *Amphicoma (Pygopleurus) diffusus* Petrovitz, 1957** (Glaphyridae) Synonym(s): *diffusus* Petrovitz, 1957
- 333. *Amphicoma (Pygopleurus) distinctus* Faldermann, 1835** (Glaphyridae)  
Synonym(s): *distinctus* Faldermann, 1835; *persica* Ganglbauer, 1905 **21 47**
- 334. *Amphicoma (Pygopleurus) foina* (Reitter, 1890)** (Glaphyridae) Synonym(s): *foina* Reitter, 1890; *albopilosa* Petrovitz, 1957; *atriplicis* Petrovitz, 1957; *chalybeipennis* Petrovitz, 1962
- 335. *Amphicoma (Pygopleurus) gordyenensis* Petrovitz, 1971** (Glaphyridae) Synonym(s): *gordyenensis* Petrovitz, 1971 *Amphicoma (Pygopleurus) gordyenensis* Petrovitz, 1971, *Annln naturh. Mus. Wien* 75: 571, fig. Holotype ♂: Hakkari, zw. Yüksekova u. Şemdinli, 24.5.1966, leg. Petrovitz. **30**
- 336. *Amphicoma (Pygopleurus) hirsutus* (Brullé, 1832)** (Glaphyridae) Synonym(s): *hirsutus* Brullé, 1832; *suturangula* Reitter, 1890
- 337. *Amphicoma (Pygopleurus) humeralis* (Brullé, 1832)** (Glaphyridae) Synonym(s): *humeralis* Brullé, 1832; *apicale* Waltl, 1838; *viridisuturata* Reitter, 1903; *elegans* Balthasar, 1931; *bogoevskii* Miksic, 1955; *nigroapicalis* Petrovitz, 1957; *obscurithotax* Miksic, 1959; *petrovitzi* Miksic, 1959; *isikdagensis* Petrovitz, 1962; *rufa* Petrovitz, 1972; *uniformis* Petrovitz, 1972 **06**
- 338. *Amphicoma (Pygopleurus) immundus* (Reitter, 1903)** (Glaphyridae) Synonym(s): *immundus* Reitter, 1903; *distinguenda* Mucha, 1963
- 339. *Amphicoma (Pygopleurus) kareli* Petrovitz, 1962** (Glaphyridae) Synonym(s): *kareli* Petrovitz, 1962 **07 15 32**
- 340. *Amphicoma (Pygopleurus) koniae* Petrovitz, 1957** (Glaphyridae) Synonym(s): *koniae* Petrovitz, 1957; *vulpoides* Petrovitz, 1968 **42 65**
- 341. *Amphicoma (Pygopleurus) labaumei* Petrovitz, 1971** (Glaphyridae) Synonym(s): *labaumei* Petrovitz, 1971 *Amphicoma (Pygopleurus) [sic!] labaumei* Petrovitz, 1971, *Annln naturh. Mus. Wien* 75: 572-573, Abb. Holotype ♂: Türkiye, Seydiköy, İzmir iv. 1917 (leg. La Baume). **35**
- 342. *Amphicoma (Pygopleurus) libanonensis* Petrovitz, 1957** (Glaphyridae) Synonym(s): *libanonensis* Petrovitz, 1957
- 343. *Amphicoma (Pygopleurus) lyciensis* Petrovitz, 1971** (Glaphyridae) Synonym(s): *lyciensis* Petrovitz, 1971 *Amphicoma (Pygopleurus) lyciensis* Petrovitz, 1971, *Annln naturh. Mus. Wien* 75: 570, fig. Holotype ♂: Finike, leg. Petrovitz. **07**
- 344. *Amphicoma (Pygopleurus) madenensis* Petrovitz, 1968** (Glaphyridae) Synonym(s): *madenensis* Petrovitz, 1968 *Amphicoma (Pygopleurus) madenensis* Petrovitz, 1968, *Annln naturh. Mus. Wien* 72: 471-472, Abb. Holotype ♂: Türkiye: Bulgarmaden Madenköy, 12-16.v.1965 leg. Petrovitz. **51**
- 345. *Amphicoma (Pygopleurus) medius* Petrovitz, 1957** (Glaphyridae) Synonym(s): *medius* Petrovitz, 1957; *nigroapicalis* Petrovitz, 1962
- 346. *Amphicoma (Pygopleurus) mithridates* Petrovitz, 1962** (Glaphyridae) Synonym(s): *mithridates* Petrovitz, 1962 **15 32 42**
- 347. *Amphicoma (Pygopleurus) ottomanus* Baraud, 1989** (Glaphyridae) Synonym(s): *ottomanus* Baraud, 1989
- 348. *Amphicoma (Pygopleurus) ponticus* Petrovitz, 1957** (Glaphyridae) Synonym(s): *ponticus* Petrovitz, 1957
- 349. *Amphicoma (Pygopleurus) pseudomedijs* (Miksic, 1964)** (Glaphyridae)  
Synonym(s): *pseudomedijs* Miksic, 1964
- 350. *Amphicoma (Pygopleurus) psilotrichius* Faldermann, 1835** (Glaphyridae)  
Synonym(s): *psilotrichius* Faldermann, 1835; *aurigaster* Reitter, 1895; *nigripennis* Champenois, 1896; *maculipennis* Petrovitz, 1957; *albopilosa* Petrovitz, 1968; *annamariae* Mitter, 1992 **05 60**
- 351. *Amphicoma (Pygopleurus) resli* Petrovitz, 1963** (Glaphyridae) Synonym(s): *ressli* Petrovitz, 1963
- 352. *Amphicoma (Pygopleurus) rufovillosus* Reitter, 1907** (Glaphyridae) Synonym(s): *rufovillosus* Reitter, 1907; *nigropubescens* Petrovitz, 1963; *pompa* Petrovitz, 1963 **27 31**

- 353. *Amphicoma (Pygopleurus) sexualis* Petrovitz, 1968** (Glaphyridae) Synonym(s): *sexualis* Petrovitz, 1968; *muliebris* Petrovitz, 1968 *Amphicoma (Pygopleurus) sexualis* Petrovitz, 1968, *Annln naturh. Mus. Wien* 72: 472-473, figs. Holotype ♂: Türkiye: Van Prov. Kusgunkiran 2265m 29.v.1966. **65**
- 354. *Amphicoma (Pygopleurus) simplex* Petrovitz, 1963** (Glaphyridae) Synonym(s): *simplex* Petrovitz, 1963
- 355. *Amphicoma (Pygopleurus) tristis* Petrovitz, 1968** (Glaphyridae) Synonym(s): *tristis* Petrovitz, 1968 *Amphicoma (Pygopleurus) tristis* Petrovitz, 1968, *Annln naturh. Mus. Wien* 72: 469-470, Abb. Holotype ♂: Türkiye: Hakkari, Yüksekova 24.v.1966 leg. Petrovitz. **30**
- 356. *Amphicoma (Pygopleurus) vulpes* (Fabricius, 1792)** (Glaphyridae) Synonym(s): *alopecias* Pallas, 1781; *hirta* Fabricius, 1781; *vulpes* Fabricius, 1792; *vulpecula* Truqui, 1848; *pyrrhothrix* Dohrn, 1885; *griseovillosa* Reitter, 1903; *obscurithorax* Miksic, 1955; *bogoevskii* Miksic, 1955 **06**
- 357. *Amphicoma (Rudeulasia) anemurensis* Petrovitz, 1964** (Glaphyridae) Synonym(s): *anemurensis* Petrovitz, 1964 **33**
- 358. *Amphicoma (Rudeulasia) chalybaea* Faldermann, 1835** (Glaphyridae) Synonym(s): *chalybaea* Faldermann, 1835; *adusta* Ganglbauer, 1905; *brenskii* Reitter, 1890; *apicipennis* Petrovitz, 1968; *brunneipennis* Petrovitz, 1968; *coeruleipennis* Petrovitz, 1968 **23 44 47 49 63**
- 359. *Amphicoma (Rudeulasia) eiselti* Petrovitz, 1967** (Glaphyridae) Synonym(s): *eiselti* Petrovitz, 1967 *Amphicoma (Eulasia) eiselti* Petrovitz, 1967, *Annln naturh. Mus. Wien* 70: 331-332. Holotype ♂: Türkiye: Fethiye, Kestep (in coll. mus. vindob). **07**
- 360. *Amphicoma (Rudeulasia) fastuosa* Reitter, 1890** (Glaphyridae) Synonym(s): *fastuosa* Reitter, 1890; *heydeni* Reitter, 1890; *pretiosa* Reitter, 1890; *semicyanea* Reitter, 1890; *reitteri* Ganglbauer, 1905; *cyanea* Petrovitz, 1962
- 361. *Amphicoma (Rudeulasia) harmonia* (Petrovitz, 1968)** (Glaphyridae) Synonym(s): *#harmonia* Petrovitz, 1962; *#maculata* Petrovitz, 1962; *harmonia* Petrovitz, 1968; *purpurea* Petrovitz, 1968 *Amphicoma (Eulasia) harmonia* Petrovitz, 1968, *Annln naturh. Mus. Wien* 72: 474-475, Abb. Holotype ♂: Türkiye, Hatay, Amanusgebirge, Topboğazı u. Nurdağ tepesi. **31**
- 362. *Amphicoma (Rudeulasia) hybrida* (Reitter, 1890)** (Glaphyridae) Synonym(s): *hybrida* Reitter, 1890; *agricola* Reitter, 1890; *ithae* Reitter, 1903 **06 12 21 23 24 27 30 32 38 44 46 47 49 56 62 63 65**
- 363. *Amphicoma (Rudeulasia) papaveris* (Sturm, 1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm, 1843; *cupripennis* Kollar & Redtenbacher, 1843; *dominula* Reitter, 1890; *testaceipennis* Champenois, 1896
- 364. *Amphicoma (Rudeulasia) pulchra* (Reitter, 1890)** (Glaphyridae) Synonym(s): *pulchra* Reitter, 1890; *kurdistan* Petrovitz, 1968 **21 23 30 44 47 56 65**
- 365. *Amphicoma (Rudeulasia) speciosa* Champenois, 1900** (Glaphyridae) Synonym(s): *speciosa* Champenois, 1900
- 366. *Amphicoma (Rudeulasia) straussi* Ganglbauer, 1905** (Glaphyridae) Synonym(s): *straussi* Ganglbauer, 1905; *#viridis* Petrovitz, 1968 **47**
- 367. *Amphicoma (Vittateulasia) pareyssei* (Brullé, 1832)** (Glaphyridae) Synonym(s): *pareyssei* Brullé, 1832; *lasserei* Germar, 1834 **35**
- 368. *Amphicoma (Vittateulasia) vittata* (Fabricius, 1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius, 1775; *lineata* Faldermann, 1835; *strigata* Wlthl, 1838; *smyrnensis* Castelnau, 1840; *syriaca* Kollar & Redtenbacher, 1843; *africana* Reitter, 1890; *chrysura* Reitter, 1890; *decorata* Reitter, 1890; *semifulva* Reitter, 1890; *lateritia* Reitter, 1903; *pseudochrysura* Miksic, 1960; *persica* Petrovitz, 1963 **13 19 35 60 65**
- 369. *Anacaena limbata* (Fabricius, 1792)** (Hydrophilidae) Synonym(s): *limbata* Fabricius, 1792
- 370. *Anacaena rufipes* (Guillebeau, 1896)** (Hydrophilidae) Synonym(s): *rufipes* Guillebeau, 1896
- 371. *Anaglyptus arabicus* (Küster, 1847)** (Cerambycidae) Synonym(s): *arabicus* Küster, 1847
- 372. *Anaglyptus ganglbaueri* Reitter, 1886** (Cerambycidae) Synonym(s): *ganglbaueri* Reitter, 1886
- 373. *Anaglyptus mysticus* (Linnaeus, 1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus, 1758
- 374. *Anastrangalia Casey*, 1924** (Cerambycidae) Synonym(s): *Anastrangalia Casey*, 1924
- 375. *Anastrangalia dubia* (Scopoli, 1763)** (Cerambycidae) Synonym(s): *dubia* Scopoli, 1763
- 376. *Anastrangalia montana* (Mulsant & Rey, 1863)** (Cerambycidae) Synonym(s): *montana* Mulsant & Rey, 1863 **32**
- 377. *Anastrangalia sanguinolenta* (Linnaeus, 1761)** (Cerambycidae) Synonym(s): *sanguinolenta* Linnaeus, 1761 **75**



- 378. *Ancistronycha erichsoni* Bach,1852** (Cantharidae) **Synonym(s):** *erichsoni* Bach,1852  
**01 07 08 33 38 42 51**
- 379. *Anisoplia (Autanisoplia) austriaca* (Herbst,1783)** (Scarabaeidae) **Synonym(s):**  
*austriaca* Herbst,1783 **06 24 46**
- 380. *Anisoplia (Brancoplia) leucaspis* Laporte,1840** (Scarabaeidae) **Synonym(s):** *leucaspis*  
Laporte,1840 **13**
- 381. *Anisoplia (Brancoplia) mesopotamica* Pilleri,1954** (Scarabaeidae) **Synonym(s):**  
*mesopotamica* Pilleri,1954
- 382. *Anisoplia (Chaetopteropia) muelleri* Pilleri,1954** (Scarabaeidae) **Synonym(s):**  
*muelleri* Pilleri,1954
- 383. *Anisoplia (Chaetopteropia) segetum* (Herbst,1783)** (Scarabaeidae) **Synonym(s):**  
*segetum* Herbst,1783 **19 44 65**
- 384. *Anisoplia (Chaetopteropia) syriaca* Burmeister,1844** (Scarabaeidae) **Synonym(s):**  
*syriaca* Burmeister,1844
- 385. *Anisoplia (s.str.) signata* Faldermann,1835** (Scarabaeidae) **Synonym(s):** *signata*  
Faldermann,1835 **31**
- 386. *Anisoplia (s.str.) tenebralis* Burmeister,1844** (Scarabaeidae) **Synonym(s):** *tenebralis*  
Burmeister,1844
- 387. *Anisoplia imitatrix* Apfelbeck,1909** (Scarabaeidae) **Synonym(s):** *imitatrix* Apfelbeck,1909  
**32**
- 388. *Anisoplia noahi* Petrovitz,1973** (Scarabaeidae) **Synonym(s):** *noahi* Petrovitz,1973; #nohai  
Sabatinelli,1977 *Anisoplia noahi* Petrovitz,1973, *Fragm. ent.* 9: 11-14, figs. Holotype ♂: Türkiye: Vilajet  
Agri, Mte. Ararat 2000-2500m, 31.vii- 15.viii.1970 leg. V.Sbordoni (IZR). **76**
- 389. *Anogcodes difformis* (Marseul,1857)** (Oedemeridae) **Synonym(s):** *difformis*  
Marseul,1857 **07 11 33 62**
- 390. *Anogcodes ferrugineus* (Schrank,1776)** (Oedemeridae) **Synonym(s):** *ferrugineus*  
Schrank,1776 **39**
- 391. *Anogcodes fulvicollis* (Scopoli,1763)** (Oedemeridae) **Synonym(s):** *fulvicollis* Scopoli,1763
- 392. *Anogcodes geniculatus* (W.Schmidt,1846)** (Oedemeridae) **Synonym(s):** *geniculatus*  
W.Schmidt,1846
- 393. *Anogcodes paradoxus* (Faldermann,1837)** (Oedemeridae) **Synonym(s):** *paradoxus*  
Faldermann,1837 **08**
- 394. *Anogcodes ruficollis* (Fabricius,1781)** (Oedemeridae) **Synonym(s):** *ruficollis*  
Fabricius,1781 **02 06 37 38 47 50 62 68 76**
- 395. *Anogcodes rufiventris* (Scopoli,1763)** (Oedemeridae) **Synonym(s):** *rufiventris*  
Scopoli,1763
- 396. *Anogcodes seladonius* (Fabricius,1792)** (Oedemeridae) **Synonym(s):** *seladonius*  
Fabricius,1792
- 397. *Anogcodes ustulatus* (Scopoli,1763)** (Oedemeridae) **Synonym(s):** *ustulatus* Scopoli,1763
- 398. *Anomala (s.str.) dubia* (Scopoli,1763)** (Scarabaeidae) **Synonym(s):** *dubia* Scopoli,1763  
**08**
- 399. *Anomala osmanlis* Blanchard,1851** (Scarabaeidae) **Synonym(s):** *osmanlis* Blanchard,1851  
**35**
- 400. *Anoplodera Mulsant*,1839** (Cerambycidae) **Synonym(s):** *Anoplodera Mulsant*,1839
- 401. *Anoplodera rufipes* (Schaller,1783)** (Cerambycidae) **Synonym(s):** *rufipes* Schaller,1783
- 402. *Anostirus alexandri* Wurst,1995** (Elateridae) **Synonym(s):** *alexandri* Wurst,1995
- 403. *Anostirus ataturki* Platia & Gudenzi,2000** (Elateridae) **Synonym(s):** *ataturki* Platia &  
Gudenzi,2000
- 404. *Anostirus eschscholtzi* (Faldermann,1835)** (Elateridae) **Synonym(s):** *eschscholtzi*  
Faldermann,1835
- 405. *Anostirus gracilicollis* (Stierlin,1896)** (Elateridae) **Synonym(s):** *gracilicollis* Stierlin,1896
- 406. *Anostirus holtzi* (Schwarz,1902)** (Elateridae) **Synonym(s):** *holtzi* Schwarz,1902
- 407. *Anostirus incostatus* (Pic,1905)** (Elateridae) **Synonym(s):** *incostatus* Pic,1905
- 408. *Anostirus lederi* (Heyden,1878)** (Elateridae) **Synonym(s):** *lederi* Heyden,1878
- 409. *Anostirus nubilosus* Wurst & Schimmel,1995** (Elateridae) **Synonym(s):** *nubilosus*  
Wurst & Schimmel,1995
- 410. *Anostirus purpureus* (Poda,1761)** (Elateridae) **Synonym(s):** *purpureus* Poda,1761
- 411. *Anostirus saltinii* Cate, Platia & Schimmel,2002** (Elateridae) **Synonym(s):** *saltinii*  
Cate, Platia & Schimmel,2002

- 412. *Anostirus trivialis* Gurjeva, 1988** (Elateridae) Synonym(s): *trivialis* Gurjeva, 1988
- 413. *Anostirus turcicus* Platia & Mertlik, 1996** (Elateridae) Synonym(s): *turcicus* Platia & Mertlik, 1996
- 414. *Anoxia (Protanoxia) orientalis* Krynicki, 1832** (Scarabaeidae) Synonym(s): *orientalis* Krynicki, 1832; *meridionalis* Reitter, 1890 **07 16 55**
- 415. *Anoxia (s.str.) asiatica* Desbrochers, 1872** (Scarabaeidae) Synonym(s): *asiatica* Desbrochers, 1872; *syriaca* Brenske, 1894 **07 35**
- 416. *Anthaxia (Cratomerus) diadema* Fischer, 1824** (Buprestidae) Synonym(s): *diadema* Fischer, 1824 **01 06 07 09 19 30 32 33 35 42 45 64 80**
- 417. *Anthaxia (Cratomerus) eugeniae* Ganglbauer, 1885** (Buprestidae) Synonym(s): *eugeniae* Ganglbauer, 1885 **05 07 10 33 35 38 47 58**
- 418. *Anthaxia (Cratomerus) hungarica* (Scopoli, 1772)** (Buprestidae) Synonym(s): *hungarica* Scopoli, 1772 **37 39 42**
- 419. *Anthaxia (Cratomerus) krueperi* Ganglbauer, 1885** (Buprestidae) Synonym(s): *krueperi* Ganglbauer, 1885 **07 31 35 64**
- 420. *Anthaxia (Cratomerus) mirabilis* Zicharev, 1918** (Buprestidae) Synonym(s): *mirabilis* Zicharev, 1918 **30 44 49**
- 421. *Anthaxia (Cratomerus) nupta* Kiesenwetter, 1857** (Buprestidae) Synonym(s): *nupta* Kiesenwetter, 1857 **07 09 35**
- 422. *Anthaxia (Cratomerus) scorzonerae* (Frivaldski, 1838)** (Buprestidae) Synonym(s): *scorzonerae* Frivaldski, 1838; *euphrosyne* Ganglbauer, 1885; *artemis* Daniel, 1905 **10 35**
- 423. *Anthaxia (Cratomerus) sponsa* Kiesenwetter, 1857** (Buprestidae) Synonym(s): *sponsa* Kiesenwetter, 1857 **01 06 07 09 13 24 32 33 35 38 48 58 64**
- 424. *Anthaxia (Euanthaxia) anatolica* Chevrolat, 1837** (Buprestidae) Synonym(s): *anatolica* Chevrolat, 1837 **20 35 45 64**
- 425. *Anthaxia (Haplanthaxia) armeniaca* Obenberger, 1929** (Buprestidae) Synonym(s): *armeniaca* Obenberger, 1929 **02 27 47 56 63**
- 426. *Anthaxia (Haplanthaxia) bettagi* Niehuis, 1983** (Buprestidae) Synonym(s): *bettagi* Niehuis, 1983 **07 11**
- 427. *Anthaxia (Haplanthaxia) bosdaghensis* Obenberger, 1938** (Buprestidae) Synonym(s): *bosdaghensis* Obenberger, 1938 **16 38**
- 428. *Anthaxia (Haplanthaxia) cavazzutii* Bily, 1980** (Buprestidae) Synonym(s): *cavazzutii* Bily, 1980 **29 62**
- 429. *Anthaxia (Haplanthaxia) cichorii* (Olivier, 1790)** (Buprestidae) Synonym(s): *cichorii* Olivier, 1790 **01 06 07 08 09 13 21 22 27 30 31 33 35 44 45 47 48 55 58 73 74 80 81**
- 430. *Anthaxia (Haplanthaxia) cylindrica* Abeille, 1900** (Buprestidae) Synonym(s): *cylindrica* Abeille, 1900 **07 33**
- 431. *Anthaxia (Haplanthaxia) flavicomis* Abeille, 1900** (Buprestidae) Synonym(s): *flavicomis* Abeille, 1900; *erivana* Obenberger, 1913; *#flavicomis* Ulay & Tezcan, 1998 **30 58**
- 432. *Anthaxia (Haplanthaxia) karsanthiana* Pic, 1917** (Buprestidae) Synonym(s): *karsanthiana* Pic, 1917 **01 11**
- 433. *Anthaxia (Haplanthaxia) kiesenwetteri* Marseul, 1865** (Buprestidae) Synonym(s): *kiesenwetteri* Marseul, 1865 **01 80**
- 434. *Anthaxia (Haplanthaxia) laticeps* Abeille, 1900** (Buprestidae) Synonym(s): *laticeps* Abeille, 1900; *minerva* Obenberger, 1913; *navratili* Bily, 1984 **01**
- 435. *Anthaxia (Haplanthaxia) millefolii* (Fabricius, 1801)** (Buprestidae) Synonym(s): *millefolii* Fabricius, 1801 **01 06 09 19 27 31 32 35 37 41 58 67 80**
- 436. *Anthaxia (Haplanthaxia) mundula* Kiesenwetter, 1857** (Buprestidae) Synonym(s): *mundula* Kiesenwetter, 1857 **01 02 06 07 09 10 15 21 31 33 35 45 46 47 48 56 80**
- 437. *Anthaxia (Haplanthaxia) niehuisi* Brandl, 1987** (Buprestidae) Synonym(s): *niehuisi* Brandl, 1987 **07 35**
- 438. *Anthaxia (Haplanthaxia) olympica* Kiesenwetter, 1880** (Buprestidae) Synonym(s): *olympica* Kiesenwetter, 1880 **35 56 58**
- 439. *Anthaxia (Haplanthaxia) ovaciki* Nocak, 1994** (Buprestidae) Synonym(s): *ovaciki* Nocak, 1994 **62**
- 440. *Anthaxia (Haplanthaxia) parapleuris* Obenberger, 1929** (Buprestidae) Synonym(s): *parapleuris* Obenberger, 1929



- 441. Anthaxia (Haplanthaxia) praeclara Mannerheim, 1837** (Buprestidae) **Synonym(s):** *praeclara Mannerheim, 1837* **01 07 09 31 33 35 48 79 80**
- 442. Anthaxia (Haplanthaxia) puella Bily, 1980** (Buprestidae) **Synonym(s):** *puella Bily, 1980* **47 62**
- 443. Anthaxia (Haplanthaxia) rossica Daniel, 1903** (Buprestidae) **Synonym(s):** *rossica Daniel, 1903; horvathi Kaszab, 1940* **35 39**
- 444. Anthaxia (Haplanthaxia) serena Daniel, 1903** (Buprestidae) **Synonym(s):** *serena Daniel, 1903* **33**
- 445. Anthaxia (Haplanthaxia) umbellatarum (Fabricius, 1787)** (Buprestidae) **Synonym(s):** *umbellatarum Fabricius, 1787* **09 17 35 45 48**
- 446. Anthaxia (Haplanthaxia) ursulae Niehuis, 1989** (Buprestidae) **Synonym(s):** *ursulae Niehuis, 1989* **11 12 13 30 49 62 73**
- 447. Anthaxia (Melanthaxia) bilyi Curletti, 1984** (Buprestidae) **Synonym(s):** *bilyi Curletti, 1984* **07 46**
- 448. Anthaxia (Melanthaxia) caucasica Abeille, 1900** (Buprestidae) **Synonym(s):** *caucasica Abeille, 1900* **25**
- 449. Anthaxia (Melanthaxia) corinthia Reiche & Saulcy, 1856** (Buprestidae) **Synonym(s):** *corinthia Reiche & Saulcy, 1856* **01 07 20 33 45 46**
- 450. Anthaxia (Melanthaxia) godeti Gory & Laporte, 1839** (Buprestidae) **Synonym(s):** *godeti Gory & Laporte, 1839; granulata Küster, 1850; cupricolor Abeille, 1909; frankenbergeri Obenberger, 1914; submontana Obenberger, 1930; balcanica Obenberger, 1938; spaethi Obenberger, 1938; scheerpeltzi Obenberger, 1938; raclinae Baudon, 1959* **06 10 29 36 78**
- 451. Anthaxia (Melanthaxia) masculina Bily, 1984** (Buprestidae) **Synonym(s):** *masculina Bily, 1984* **01 06 07 17 33 35 48 60 70**
- 452. Anthaxia (Melanthaxia) meregallii Curletti & Magnali, 1985** (Buprestidae) **Synonym(s):** *meregallii Curletti & Magnali, 1985* **01 07 11 46**
- 453. Anthaxia (Melanthaxia) misteriosa Obenberger, 1917** (Buprestidae) **Synonym(s):** *misteriosa Obenberger, 1917* **33 70**
- 454. Anthaxia (Melanthaxia) negrei Cobos, 1953** (Buprestidae) **Synonym(s):** *negrei Cobos, 1953* **01 07 32 33**
- 455. Anthaxia (Melanthaxia) nigrojubata Roubal, 1913** (Buprestidae) **Synonym(s):** *nigrojubata Roubal, 1913; incognita Bily, 1974* **06 14 15 18 35**
- 456. Anthaxia (Melanthaxia) obesa Abeille, 1900** (Buprestidae) **Synonym(s):** *obesa Abeille, 1900* **07 31 33 35**
- 457. Anthaxia (Melanthaxia) pinguis Kiesenwetter, 1880** (Buprestidae) **Synonym(s):** *pinguis Kiesenwetter, 1880* **07 31 32 33 42 80**
- 458. Anthaxia (Melanthaxia) quadripunctata (Linnaeus, 1758)** (Buprestidae) **Synonym(s):** *quadripunctata Linnaeus, 1758; punctata Ponza, 1805; angulicollis Küster, 1850; angulata Küster, 1850; quadrioveolata Obenberger, 1918* **01 33 80**
- 459. Anthaxia (Melanthaxia) rugicollis Lucas, 1846** (Buprestidae) **Synonym(s):** *rugicollis Lucas, 1846; tassii Herman, 1966* **33**
- 460. Anthaxia (Melanthaxia) scurra Bily & Brodsky, 1982** (Buprestidae) **Synonym(s):** *scurra Bily & Brodsky, 1982* **31 33**
- 461. Anthaxia (Melanthaxia) sternalis (Abeille, 1895)** (Buprestidae) **Synonym(s):** *sternalis Abeille, 1895* **31**
- 462. Anthaxia (Melanthaxia) tenella Kiesenwetter, 1858** (Buprestidae) **Synonym(s):** *tenella Kiesenwetter, 1858; insularis Obenberger, 1914; virgo Bily, 1980* **01 33 46**
- 463. Anthaxia (Melanthaxia) truncata Abeille, 1900** (Buprestidae) **Synonym(s):** *truncata Abeille, 1900* **25**
- 464. Anthaxia (s.str.) adiyamana Svoboda, 1994** (Buprestidae) **Synonym(s):** *adiyamana Svoboda, 1994* **05 35 42**
- 465. Anthaxia (s.str.) amasina Daniel, 1903** (Buprestidae) **Synonym(s):** *amasina Daniel, 1903* **05 35 42**
- 466. Anthaxia (s.str.) berytensis Abeille, 1895** (Buprestidae) **Synonym(s):** *berytensis Abeille, 1895* **01 21 27 45 47 63 64**
- 467. Anthaxia (s.str.) bicolor Faldermann, 1835** (Buprestidae) **Synonym(s):** *bicolor Faldermann, 1835* **01 07 08 25 35 46**

- 468. Anthaxia (s.str.) brevis** Gory & Laporte,1839 (Buprestidae) Synonym(s): *brevis* Gory & Laporte,1839 **01 07 11 27 33**
- 469. Anthaxia (s.str.) deaurata** (Gmelin,1788) (Buprestidae) Synonym(s): *deaurata* Gmelin,1788; *senicula* Schrank,1789 **06 11 35**
- 470. Anthaxia (s.str.) discicollis** Gory & Laporte,1839 (Buprestidae) Synonym(s): *discicollis* Gory & Laporte,1839; *kanaanita* Obenberger,1912 **01 02 07 31 33 35 39 48 64**
- 471. Anthaxia (s.str.) fulgurans** (Schrank,1789) (Buprestidae) Synonym(s): *fulgurans* Schrank,1789 **06 07 34 35 42 48**
- 472. Anthaxia (s.str.) funerula** (Illiger,1803) (Buprestidae) Synonym(s): *funerula* Illiger,1803
- 473. Anthaxia (s.str.) ghazi** Obenberger,1938 (Buprestidae) Synonym(s): *ghazi* Obenberger,1938 **01 07 15 21 27 31 63**
- 474. Anthaxia (s.str.) hackeri** Frivalsky,1884 (Buprestidae) Synonym(s): *hackeri* Frivalsky,1884
- 475. Anthaxia (s.str.) herbertschmidtii** Novak,1992 (Buprestidae) Synonym(s): *herbertschmidtii* Novak,1992 **07**
- 476. Anthaxia (s.str.) hypomelaena** (Illiger,1803) (Buprestidae) Synonym(s): *hypomelaena* Illiger,1803 **06 10 11 24 25 31 35 40 46 50 72**
- 477. Anthaxia (s.str.) irregularis** Abeille,1909 (Buprestidae) Synonym(s): *irregularis* Abeille,1909 **01 07**
- 478. Anthaxia (s.str.) kervillei** Thery,1939 (Buprestidae) Synonym(s): *kervillei* Thery,1939 **35**
- 479. Anthaxia (s.str.) kurdistanica** Obenberger,1912 (Buprestidae) Synonym(s): *kurdistanica* Obenberger,1912; *adanensis* Obenberger,1913 **01**
- 480. Anthaxia (s.str.) lucens** Küster,1852 (Buprestidae) Synonym(s): *lucens* Küster,1852; *phoenica* Ganglbauer,1882 **02 09 10 11 17 20 21 32 33 35 45**
- 481. Anthaxia (s.str.) manca** (Linnaeus,1767) (Buprestidae) Synonym(s): *manca* Linnaeus,1767
- 482. Anthaxia (s.str.) muliebris** Obenberger,1918 (Buprestidae) Synonym(s): *muliebris* Obenberger,1918 **07 08 24 25 35 38 42 43 46 48 50 51 70**
- 483. Anthaxia (s.str.) myrmidon** Abeille,1891 (Buprestidae) Synonym(s): *myrmidon* Abeille,1891 **01 07 31 35 48**
- 484. Anthaxia (s.str.) nigricollis** Abeille,1904 (Buprestidae) Synonym(s): *nigricollis* Abeille,1904 **01 07 31 32 33 35 46 48**
- 485. Anthaxia (s.str.) novickii** Obenberger,1938 (Buprestidae) Synonym(s): *novickii* Obenberger,1938 **07**
- 486. Anthaxia (s.str.) olivieri** Gory & Laporte,1839 (Buprestidae) Synonym(s): *olivieri* Gory & Laporte,1839 **07 33**
- 487. Anthaxia (s.str.) passerini** (Pecchioli,1837) (Buprestidae) Synonym(s): *passerini* Pecchioli,1837 **01 34**
- 488. Anthaxia (s.str.) perrini** Obenberger,1918 (Buprestidae) Synonym(s): *perrini* Obenberger,1918
- 489. Anthaxia (s.str.) platysoma** Abeille,1891 (Buprestidae) Synonym(s): *platysoma* Abeille,1891 **33 48**
- 490. Anthaxia (s.str.) plicata** Kiesenwetter,1859 (Buprestidae) Synonym(s): *plicata* Kiesenwetter,1859 **03 07 16 17 20 33 35 43 46 48 64**
- 491. Anthaxia (s.str.) rutilipennis** Abeille,1891 (Buprestidae) Synonym(s): *rutilipennis* Abeille,1891 **01 46**
- 492. Anthaxia (s.str.) salicis** (Fabricius,1776) (Buprestidae) Synonym(s): *salicis* Fabricius,1776 **03 42 67 78**
- 493. Anthaxia (s.str.) semicuprea** Küster,1851 (Buprestidae) Synonym(s): *semicuprea* Küster,1851 **35 42**
- 494. Anthaxia (s.str.) shirasensis** Obenberger,1940 (Buprestidae) Synonym(s): *shirasensis* Obenberger,1940 **12**
- 495. Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae) Synonym(s): *signaticollis* Krynicky,1832; *vandykeana* Obenberger,1936 **05 08 11 16 19 24 25 28 35 37 38 39 41 42 43 55 57 60 61**



- 496. *Anthaxia* (s.str.) *togata* Abeille,1882** (Buprestidae) Synonym(s): *togata* Abeille,1882
- 497. *Anthaxia* (s.str.) *turcica* Svoboda,1994** (Buprestidae) Synonym(s): *turcica* Svoboda,1994  
07
- 498. *Anthaxia* (s.str.) *turcomanica* Obenberger,1937** (Buprestidae) Synonym(s):  
*turcomanica* Obenberger,1937 24 47
- 499. *Anthaxia* (s.str.) *winckleri* Obenberger,1914** (Buprestidae) Synonym(s): *winckleri*  
Obenberger,1914 02 27 46 47 56 63
- 500. *Anthobiodes* *turcicus* (Medvedev,1975)** (Chrysomelidae) Synonym(s): *turcicus*  
Medvedev,1975 07
- 501. *Anthypna* *ciliata* (Ménétriés,1836)** (Glaphyridae) Synonym(s): *ciliata* Ménétriés,1836;  
*mustela* Waltl,1838 19 60
- 502. *Apalus* *apicalis* Latreille,1804** (Meloidae) Synonym(s): *apicalis* Latreille,1804
- 503. *Apalus* *bimaculatus* (Linnaeus,1761)** (Meloidae) Synonym(s): *bimaculatus* Linnaeus,1761
- 504. *Apalus* *bipunctatus* Germar,1817** (Meloidae) Synonym(s): *bipunctatus* Germar,1817;  
#*bipunctatus* Özbek & Szaloki,1998 08
- 505. *Apalus* *montanus* Escherich,1897** (Meloidae) Synonym(s): *montanus* Escherich,1897  
51
- 506. *Apalus* *necydalaeus* (Pallas,1782)** (Meloidae) Synonym(s): *necydalaeus* Pallas,1782 21  
25
- 507. *Apalus* *spectabilis* Schaum,1859** (Meloidae) Synonym(s): *spectabilis* Schaum,1859 17
- 508. *Aphodius* (Pseudacrossus) *zuercheri* Reitter,1908** (Scarabaeidae) Synonym(s):  
*zuercheri* Reitter,1908 01
- 509. *Aphthona* *abdominalis* (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *abdominalis*  
Duftschmid,1825; *finitima* Ogloblin,1927
- 510. *Aphthona* *alanyensis* Fritzlär,2004** (Chrysomelidae) Synonym(s): *alanyensis*  
Fritzlär,2004 07
- 511. *Aphthona* *atrovirens* (Förster,1849)** (Chrysomelidae) Synonym(s): *atrovirens*  
Förster,1849
- 512. *Aphthona* *bergealoides* Fritzlär,2004** (Chrysomelidae) Synonym(s): *bergealoides*  
Fritzlär,2004 07
- 513. *Aphthona* *bonvouloiri* Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861;  
*tauricola* Pic,1910 01 11 25 26 33 34 42
- 514. *Aphthona* *crassicornis* Lopatin,1990** (Chrysomelidae) Synonym(s): *crassicornis*  
Lopatin,1990 65
- 515. *Aphthona* *euphorbiae* (Schränk,1781)** (Chrysomelidae) Synonym(s): *euphorbiae*  
Schränk,1781 01 05 06 19 25 33 34 38
- 516. *Aphthona* *flava* Guillebeau,1894** (Chrysomelidae) Synonym(s): *flava* Guillebeau,1894  
25
- 517. *Aphthona* *flaviceps* Allard,1859** (Chrysomelidae) Synonym(s): *flaviceps* Allard,1859  
01 06 07 25 33 34
- 518. *Aphthona* *franzi* Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi*  
Heikertinger,1944 05 06 24 25 36 38
- 519. *Aphthona* *fuentei* Reitter,1901** (Chrysomelidae) Synonym(s): *fuentei* Reitter,1901 01  
33
- 520. *Aphthona* *gracilis* Faldermann,1837** (Chrysomelidae) Synonym(s): *gracilis*  
Faldermann,1837 25 69
- 521. *Aphthona* *kuntzei* Roubal,1931** (Chrysomelidae) Synonym(s): *kuntzei* Roubal,1931 06  
25 36
- 522. *Aphthona* *lutescens* (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): *lutescens*  
Gyllenhal,1808 07 25 26 34 42
- 523. *Aphthona* *maculata* Allard,1876** (Chrysomelidae) Synonym(s): *maculata* Allard,1876  
01 07 27 35
- 524. *Aphthona* *nigriceps* (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *nigriceps*  
Redtenbacher,1842 14 22 25
- 525. *Aphthona* *nigriscutis* Foudras,1860** (Chrysomelidae) Synonym(s): *nigriscutis*  
Foudras,1860 06 25 33 36 50

- 526. *Aphthona nonstriata* (Goeze,1777) (Chrysomelidae) Synonym(s): *nonstriata* Goeze,1777  
34 39 42 55**
- 527. *Aphthona ovata* Foudras,1860 (Chrysomelidae) Synonym(s): *ovata* Foudras,1860 34**
- 528. *Aphthona pygmaea* Kutschera,1861 (Chrysomelidae) Synonym(s): *pygmaea*  
Kutschera,1861 01 07 24 25 33 35 54**
- 529. *Aphthona rugipennis* Ogloblin,1926 (Chrysomelidae) Synonym(s): *rugipennis*  
Ogloblin,1926 25**
- 530. *Aphthona semicyanea* Allard,1859 (Chrysomelidae) Synonym(s): *semicyanea* Allard,1859  
06 16 18 19 25 50 66**
- 531. *Aphthona syriaca* Heikertinger,1944 (Chrysomelidae) Synonym(s): *syriaca*  
Heikertinger,1944 35 36**
- 532. *Aphthona valachica* Heikertinger,1944 (Chrysomelidae) Synonym(s): *valachica*  
Heikertinger,1944 07**
- 533. *Aphthona venustula* Kutschera,1861 (Chrysomelidae) Synonym(s): *venustula*  
Kutschera,1861 25 26**
- 534. *Apion tauricum* Schubert,1963 (Apionidae) Synonym(s): *tauricum* Schubert,1963 Apion  
*tauricum* Schubert,1963, Koleopt. Rdsch. 40/41: 81-82. Type♂: Türkiye: [İçel Prov.]: Namrun, May  
1960 (coll. Schubert). 33**
- 535. *Aplidia akbesiana* Petrovitz,1971 (Scarabaeidae) Synonym(s): *akbesiana* Petrovitz,1971  
31**
- 536. *Aplidia caesarina* Reitter,1902 (Scarabaeidae) Synonym(s): *caesarina* Reitter,1902**
- 537. *Aplidia dilatata* Reitter,1902 (Scarabaeidae) Synonym(s): *dilatata* Reitter,1902**
- 538. *Aplidia fissa* Burmeister,1855 (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855**
- 539. *Aplidia lizleri* Keith,2000 (Scarabaeidae) Synonym(s): *lizleri* Keith,2000**
- 540. *Aplidia nitidula* Kraatz,1882 (Scarabaeidae) Synonym(s): *nitidula* Kraatz,1882**
- 541. *Aplidia pilicollis* Petrovitz,1967 (Scarabaeidae) Synonym(s): *pilicollis* Petrovitz,1967**
- 542. *Aplidia tarsensis* Kraatz,1882 (Scarabaeidae) Synonym(s): *tarsensis* Kraatz,1882**
- 543. *Aplidia werneri* Keith,2000 (Scarabaeidae) Synonym(s): *werneri* Keith,2000**
- 544. *Aplidia wewalkai* Petrovitz,1971 (Scarabaeidae) Synonym(s): *wewalkai* Petrovitz,1971  
33**
- 545. *Aplotarsus angustulus* (Kiesenwetter,1858) (Elateridae) Synonym(s): *angustulus*  
Kiesenwetter,1858 36**
- 546. *Apoderus coryli* (Linnaeus,1758) (Attelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris*  
*Scopoli*,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus*  
Gmelin,1790 34**
- 547. *Apotomus ctypeonitens* J.Müller,1943 (Carabidae) Synonym(s): *ctypeonitens*  
J.Müller,1943 01**
- 548. *Apotomus rufithorax* Pecchioli,1837 (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837**
- 549. *Apotomus testaceus* Dejean,1825 (Carabidae) Synonym(s): *testaceus* Dejean,1825**
- 550. *Aromia moschata* (Linnaeus,1758) (Cerambycidae) Synonym(s): *moschata* Linnaeus,1758  
02 36**
- 551. *Atholus bimaculatus* (Linnaeus,1758) (Histeridae) Synonym(s): *bimaculatus*  
Linnaeus,1758**
- 552. *Atholus corvinus* (Germar,1817) (Histeridae) Synonym(s): *corvinus* Germar,1817**
- 553. *Atholus duodecimstriatus* (Schränk,1781) (Histeridae) Synonym(s): *duodecimstriatus*  
Schränk,1781**
- 554. *Athous (Euplathous) proximus* (Hampe,1864) (Elateridae) Synonym(s): *proximus*  
Hampe,1864**
- 555. *Athous (Haplathous) carpathicus* Reitter,1889 (Elateridae) Synonym(s): *carpathicus*  
Reitter,1889**
- 556. *Athous (Haplathous) marginicollis* Reitter,1890 (Elateridae) Synonym(s):  
*marginicollis* Reitter,1890 14 37 57**
- 557. *Athous (Haplathous) subfuscus* (O.F.Müller,1764) (Elateridae) Synonym(s):  
*subfuscus* O.F.Müller,1764**
- 558. *Athous (Haplathous) turcicus* Reitter,1905 (Elateridae) Synonym(s): *turcicus*  
Reitter,1905 34**
- 559. *Athous (Orthathous) acutangulus* Fairmaire,1866 (Elateridae) Synonym(s):  
*acutangulus* Fairmaire,1866; *thessalonicus* Reiche,1869**



- 560. Athous (Orthathous) anatolicus** Platia, 1989 (Elateridae) Synonym(s): *anatolicus* Platia, 1989
- 561. Athous (Orthathous) apfelbecki** Reitter, 1905 (Elateridae) Synonym(s): *apfelbecki* Reitter, 1905
- 562. Athous (Orthathous) artvinensis** Platia, Yıldırım & Kesdek, 2007 (Elateridae) Synonym(s): *artvinensis* Platia, Yıldırım & Kesdek, 2007 **08**
- 563. Athous (Orthathous) audisioi** Guglielmi & Platia, 1985 (Elateridae) Synonym(s): *audisioi* Guglielmi & Platia, 1985 **57**
- 564. Athous (Orthathous) barriesi** Platia & Gudenzi, 1996 (Elateridae) Synonym(s): *barriesi* Platia & Gudenzi, 1996
- 565. Athous (Orthathous) benedikti** Platia, 2003 (Elateridae) Synonym(s): *benedikti* Platia, 2003 **28**
- 566. Athous (Orthathous) cavazzutii** Platia, 2003 (Elateridae) Synonym(s): *cavazzutii* Platia, 2003
- 567. Athous (Orthathous) daccordii** Guglielmi & Platia, 1985 (Elateridae) Synonym(s): *daccordii* Guglielmi & Platia, 1985 **61**
- 568. Athous (Orthathous) dasycerus** Buysson, 1890 (Elateridae) Synonym(s): *dasycerus* Buysson, 1890 **08 28 76**
- 569. Athous (Orthathous) demirsoyi** Platia, Kabalak & Sert, 2007 (Elateridae) Synonym(s): *demirsoyi* Platia, Kabalak & Sert, 2007
- 570. Athous (Orthathous) dusaneki** Platia, 2003 (Elateridae) Synonym(s): *dusaneki* Platia, 2003 **55**
- 571. Athous (Orthathous) edirnensis** Platia & Gudenzi, 2000 (Elateridae) Synonym(s): *edirnensis* Platia & Gudenzi, 2000 **22**
- 572. Athous (Orthathous) epirus** Stierlin, 1875 (Elateridae) Synonym(s): *epirus* Stierlin, 1875
- 573. Athous (Orthathous) fragariae** Platia & Kovanci, 2005 (Elateridae) Synonym(s): *fragariae* Platia & Kovanci, 2005 **43**
- 574. Athous (Orthathous) freudei** Platia, 1989 (Elateridae) Synonym(s): *freudei* Platia, 1989
- 575. Athous (Orthathous) frontalis** Platia & Schimmel, 1991 (Elateridae) Synonym(s): *frontalis* Platia & Schimmel, 1991
- 576. Athous (Orthathous) gianassoi** Platia & Gudenzi, 1996 (Elateridae) Synonym(s): *gianassoi* Platia & Gudenzi, 1996
- 577. Athous (Orthathous) graecus** Platia, 1989 (Elateridae) Synonym(s): *graecus* Platia, 1989
- 578. Athous (Orthathous) gudenzi** Guglielmi & Platia, 1985 (Elateridae) Synonym(s): *gudenzi* Guglielmi & Platia, 1985 **35**
- 579. Athous (Orthathous) hajeki** Platia & Gudenzi, 2005 (Elateridae) Synonym(s): *hajeki* Platia & Gudenzi, 2005
- 580. Athous (Orthathous) hetzeli** Platia, 2004 (Elateridae) Synonym(s): *hetzeli* Platia, 2004
- 581. Athous (Orthathous) kovancii** Platia, 2003 (Elateridae) Synonym(s): *kovancii* Platia, 2003 **16**
- 582. Athous (Orthathous) lassallei** Platia & Gudenzi, 1996 (Elateridae) Synonym(s): *lassallei* Platia & Gudenzi, 1996
- 583. Athous (Orthathous) malmusii** Platia & Gudenzi, 2000 (Elateridae) Synonym(s): *malmusii* Platia & Gudenzi, 2000
- 584. Athous (Orthathous) margheritae** Guglielmi & Platia, 1985 (Elateridae) Synonym(s): *margheritae* Guglielmi & Platia, 1985 **37 57**
- 585. Athous (Orthathous) mertliki** Platia & Gudenzi, 2002 (Elateridae) Synonym(s): *mertliki* Platia & Gudenzi, 2002 **67**
- 586. Athous (Orthathous) paflagonensis** Platia & Gudenzi, 1998 (Elateridae) Synonym(s): *paflagonensis* Platia & Gudenzi, 1998
- 587. Athous (Orthathous) ponticus** Platia & Gudenzi, 2007 (Elateridae) Synonym(s): *ponticus* Platia & Gudenzi, 2007
- 588. Athous (Orthathous) propinquus** Buysson, 1889 (Elateridae) Synonym(s): *propinquus* Buysson, 1889
- 589. Athous (Orthathous) ruffoi** Guglielmi & Platia, 1985 (Elateridae) Synonym(s): *ruffoi* Guglielmi & Platia, 1985 **61**
- 590. Athous (Orthathous) sabatinellii** Guglielmi & Platia, 1985 (Elateridae) Synonym(s): *sabatinellii* Guglielmi & Platia, 1985 **14**

- 591. Athous (Orthathous) sameki Platia,2003** (Elateridae) Synonym(s): *sameki Platia,2003* 37
- 592. Athous (Orthathous) senaci Buysson,1889** (Elateridae) Synonym(s): *senaci Buysson,1889; ottomanus Reitter,1905*
- 593. Athous (Orthathous) snizeki Platia,2004** (Elateridae) Synonym(s): *snizeki Platia,2004*
- 594. Athous (Orthathous) svihlai Platia & Gudenzi,1998** (Elateridae) Synonym(s): *svihlai Platia & Gudenzi,1998* 67
- 595. Athous (Orthathous) tekkirazicus Platia,2003** (Elateridae) Synonym(s): *tekkirazicus Platia,2003* 52
- 596. Athous (Orthathous) tribertii Guglielmi & Platia,1985** (Elateridae) Synonym(s): *tribertii Guglielmi & Platia,1985* 14
- 597. Athous (Orthathous) warchalowskii Platia & Tarnawski,1998** (Elateridae) Synonym(s): *warchalowskii Platia & Tarnawski,1998* 54
- 598. Athous (Orthathous) wewalkai Platia,1989** (Elateridae) Synonym(s): *wewalkai Platia,1989*
- 599. Athous (Orthathous) zanettii Guglielmi & Platia,1985** (Elateridae) Synonym(s): *zanettii Guglielmi & Platia,1985* 37
- 600. Athous (Orthathous) zbuzeki Platia & Gudenzi,2007** (Elateridae) Synonym(s): *zbuzeki Platia & Gudenzi,2007* 37
- 601. Athous (s.str.) haemorrhoidalis (Fabricius,1801)** (Elateridae) Synonym(s): *haemorrhoidalis Fabricius,1801*
- 602. Athous (s.str.) nadoraz Mertlik & Dusanek,2006** (Elateridae) Synonym(s): *nadoraz Mertlik & Dusanek,2006* 52
- 603. Athous (s.str.) vittatus (Fabricius,1792)** (Elateridae) Synonym(s): *vittatus Gmelin,1790; vittatus Fabricius,1792* 37 52 60 61
- 604. Attaepphilus rydhi Ruzicka,1997** (Leiodidae) Synonym(s): *rydhi Ruzicka,1997* 07
- 605. Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833* 01 07 08 09 11 13 16 31 33 34 62 65 80
- 606. Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons Argod,1895* 31 33 42 44 45 60
- 607. Attelabus suturalis Jekel,1860** (Attelabidae) Synonym(s): *suturalis Jekel,1860* 06 31 33 42
- 608. Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus Voss,1934* 01 07 10 11 14 15 17 18 31 33 35 37 41 43 45 46 54 59 60 64
- 609. Auletobius pubescens (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens Kiesenwetter,1852; cisticola Fairmaire,1859; subplumbeus Chevrolat,1860* 20 35
- 610. Aulonogyrus concinnus (Klug,1834)** (Gyrinidae) Synonym(s): *concinnus Klug,1834* 01 09 20 26 30 68
- 611. Aulonogyrus striatus (Fabricius,1792)** (Gyrinidae) Synonym(s): *striatus Fabricius,1792* 01 07 48
- 612. Bangasternus fausti (Reitter,1890)** (Curculionidae) Synonym(s): *fausti Reitter,1890* 73
- 613. Bangasternus orientalis (Capiomont,1873)** (Curculionidae) Synonym(s): *orientalis Capiomont,1873* 09 11 13 21 23 27 33 35 38 47 61 72
- 614. Bangasternus planifrons (Brullé,1832)** (Curculionidae) Synonym(s): *planifrons Brullé,1832* 06 07 13 21 32 35 45 62
- 615. Batophila fallax Weise,1888** (Chrysomelidae) Synonym(s): *fallax Weise,1888* 08 14 25 26 28 34 52 53 55
- 616. Batophila olexai Kral,1964** (Chrysomelidae) Synonym(s): *olexai Kral,1964* 28
- 617. Belopus (Centorus) procerus Mulsant,1854** (Tenebrionidae) Synonym(s): *procerus Mulsant,1854*
- 618. Belopus (Centorus) turcicus (Kaszab,1959)** (Tenebrionidae) Synonym(s): *turcicus Kaszab,1959* 19
- 619. Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum Sturm,1825*
- 620. Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile Gyllenhal,1810*



- 621. Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum Duftschmid,1812*
- 622. Bembidion (Diplocampa) skoraszewskyi Korge,1971** (Carabidae) Synonym(s): *skoraszewskyi Korge,1971*
- 623. Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837*
- 624. Bembidion (Euperyphus) combustum Ménéttriés,1832** (Carabidae) Synonym(s): *combustum Ménéttriés,1832*
- 625. Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): *fluviatile Dejean,1831*
- 626. Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): *parallelipenne Chaudoir,1850*
- 627. Bembidion (Metallina) bodenheimeri Netolitzky,1935** (Carabidae) Synonym(s): *bodenheimeri Netolitzky,1935*
- 628. Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784*
- 629. Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828*
- 630. Bembidion (Microserrullula) apicale Ménéttriés,1832** (Carabidae) Synonym(s): *apicale Ménéttriés,1832*
- 631. Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844*
- 632. Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850*
- 633. Bembidion (Neja) sporadicum Sahlberg,1903** (Carabidae) Synonym(s): *sporadicum Sahlberg,1903*
- 634. Bembidion (Neja) torosum Marggi & Huber,1999** (Carabidae) Synonym(s): *torosum Marggi & Huber,1999*
- 635. Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844*
- 636. Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum Netolitzky,1918*
- 637. Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845*
- 638. Bembidion (Nepha) pinkeri Netolitzky,1935** (Carabidae) Synonym(s): *pinkeri Netolitzky,1935*
- 639. Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne J.Müller,1918*
- 640. Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula J.Müller,1918*
- 641. Bembidion (Nepha) staneki Maran,1932** (Carabidae) Synonym(s): *staneki Maran,1932*
- 642. Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum Chaudoir,1846*
- 643. Bembidion (Nepha) turcicum Gemminger & Harold,1868** (Carabidae) Synonym(s): *versicolor Jacquelin du Val,1852 nec LeConte,1848; turcicum Gemminger & Harold,1868 nec Ganglb.,1891*
- 644. Bembidion (Nepha) vseteckai Maran,1936** (Carabidae) Synonym(s): *vseteckai Maran,1936* **01**
- 645. Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802*
- 646. Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831*
- 647. Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806*
- 648. Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795*
- 649. Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854*
- 650. Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae) Synonym(s): *cordicolle Jacquelin du Val,1852; veldkampii Kirschenhofer,1994* **07 17 33 35 42 48**
- 651. Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum Panzer,1799*

- 652. Bembidion (Ocydromus) ispartanum** Netolitzky, 1930 (Carabidae) Synonym(s): *ispartanum* Netolitzky, 1930 **32**
- 653. Bembidion (Ocydromus) nemrutdagi** Toledano & Rébl, 2006 (Carabidae) Synonym(s): *nemrutdagi* Toledano & Rébl, 2006 *Bembidion (Ocydromus) nemrutdagi* Toledano & Rébl, 2006, Koleopt. Rdsch. 76: 11-12. Holotype ♂: Turkey: Adiyaman Prov., Karadut, Nemrut Dağı Milli Parkı 1000m 14.5.1997 leg. J. Basta (CR). **02**
- 654. Bembidion (Ocydromus) siculum** Dejean, 1831 (Carabidae) Synonym(s): *siculum* Dejean, 1831 **35**
- 655. Bembidion (Ocyturanus) argaeicola** Ganglbauer, 1905 (Carabidae) Synonym(s): *argaeicola* Ganglbauer, 1905
- 656. Bembidion (Ocyturanus) balcanicum** Apfelbeck, 1899 (Carabidae) Synonym(s): *balcanicum* Apfelbeck, 1899
- 657. Bembidion (Ocyturanus) culminicola** Piochard, 1876 (Carabidae) Synonym(s): *culminicola* Piochard, 1876
- 658. Bembidion (Ocyturanus) heinzi** Korge, 1971 (Carabidae) Synonym(s): *heinzi* Korge, 1971
- 659. Bembidion (Ocyturanus) parsorum** Natolitzky, 1934 (Carabidae) Synonym(s): *parsorum* Natolitzky, 1934
- 660. Bembidion (Ocyturanus) praeustum** Dejean, 1831 (Carabidae) Synonym(s): *praeustum* Dejean, 1831
- 661. Bembidion (Ocyturanus) signatipenne** Jacquelin du Val, 1852 (Carabidae) Synonym(s): *signatipenne* Jacquelin du Val, 1852
- 662. Bembidion (Ocyturanus) tauricum** J. Müller, 1918 (Carabidae) Synonym(s): *tauricum* J. Müller, 1918
- 663. Bembidion (Ocyturanus) viduum** Netolitzky, 1910 (Carabidae) Synonym(s): *viduum* Netolitzky, 1910
- 664. Bembidion (Odontium) striatum** (Fabricius, 1792) (Carabidae) Synonym(s): *striatum* Fabricius, 1792
- 665. Bembidion (Omoperyphus) caricum** Sahlberg, 1908 (Carabidae) Synonym(s): *caricum* Sahlberg, 1908
- 666. Bembidion (Omoperyphus) semibraccatum** Netolitzky, 1911 (Carabidae) Synonym(s): *semibraccatum* Netolitzky, 1911
- 667. Bembidion (Peryphanes) castaneipenne** Jacquelin du Val, 1852 (Carabidae) Synonym(s): *castaneipenne* Jacquelin du Val, 1852
- 668. Bembidion (Peryphanes) dalmatinum** Dejean, 1831 (Carabidae) Synonym(s): *dalmatinum* Dejean, 1831
- 669. Bembidion (Peryphanes) grandipenne** Schaum, 1862 (Carabidae) Synonym(s): *grandipenne* Schaum, 1862
- 670. Bembidion (Peryphanes) kulzeri** Netolitzky, 1935 (Carabidae) Synonym(s): *kulzeri* Netolitzky, 1935
- 671. Bembidion (Peryphanes) lacrimans** Netolitzky, 1935 (Carabidae) Synonym(s): *lacrimans* Netolitzky, 1935
- 672. Bembidion (Peryphanes) stephensii** Crotch, 1866 (Carabidae) Synonym(s): *stephensii* Crotch, 1866
- 673. Bembidion (Peryphanes) weiratherianum** Netolitzky, 1932 (Carabidae) Synonym(s): *weiratherianum* Netolitzky, 1932 **33**
- 674. Bembidion (Peryphiolus) monticola** Sturm, 1825 (Carabidae) Synonym(s): *monticola* Sturm, 1825
- 675. Bembidion (Peryphus) abbreviatum** Solsky, 1874 (Carabidae) Synonym(s): *abbreviatum* Solsky, 1874
- 676. Bembidion (Peryphus) distinguendum** Jacquelin du Val, 1852 (Carabidae) Synonym(s): *distinguendum* Jacquelin du Val, 1852
- 677. Bembidion (Peryphus) femoratum** Sturm, 1825 (Carabidae) Synonym(s): *femoratum* Sturm, 1825
- 678. Bembidion (Peryphus) persicum** Ménétériés, 1832 (Carabidae) Synonym(s): *persicum* Ménétériés, 1832
- 679. Bembidion (Peryphus) tetracolum** Say, 1823 (Carabidae) Synonym(s): *tetracolum* Say, 1823
- 680. Bembidion (Philochthus) lunulatum** Geoffroy, 1785 (Carabidae) Synonym(s): *lunulatum* Geoffroy, 1785



- 681. Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum J.Sahlberg,1908*
- 682. Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum Huber & Marggi,1997*
- 683. Bembidion (Principidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820*
- 684. Bembidion (s.str.) humerale Sturm,1825** (Carabidae) Synonym(s): *humerale Sturm,1825*
- 685. Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821*
- 686. Bembidion (Talanes) subfasciatum Chaudoir,1850** (Carabidae) Synonym(s): *subfasciatum Chaudoir,1850*
- 687. Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999*
- 688. Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761*
- 689. Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777*
- 690. Bembidion concoeruleum Netolitzky,1943** (Carabidae) Synonym(s): *concoeruleum Netolitzky,1943*
- 691. Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812*
- 692. Berosus (Enoplurus) bispinus Reiche & Saulcy,1856** (Hydrophilidae) Synonym(s): *bispinus Reiche & Saulcy,1856* **01 03 31 38**
- 693. Berosus (Enoplurus) frontifoveatus Kuwert,1888** (Hydrophilidae) Synonym(s): *frontifoveatus Kuwert,1888* **10 16 23 32 33**
- 694. Berosus (Enoplurus) fulvus Kuwert,1888** (Hydrophilidae) Synonym(s): *fulvus Kuwert,1888* **15**
- 695. Berosus (Enoplurus) jaechi Schödl,1991** (Hydrophilidae) Synonym(s): *jaechi Schödl,1991* **01 35**
- 696. Berosus (Enoplurus) spinosus (Steven,1808)** (Hydrophilidae) Synonym(s): *spinosus Steven,1808* **01 03 06 09 22 23 31 33 36 44 65**
- 697. Berosus (s.str.) affinis Brullé,1835** (Hydrophilidae) Synonym(s): *affinis Brullé,1835; hispanicus Kuster,1847* **01 07 15 16 17 31 33 34 35 37 39 41 42 45 48 52 54 55**
- 698. Berosus (s.str.) byzantinus Ganglbauer,1904** (Hydrophilidae) Synonym(s): *byzantinus Ganglbauer,1904* **09 35**
- 699. Berosus (s.str.) dispar Reiche & Saulcy,1856** (Hydrophilidae) Synonym(s): *dispar Reiche & Saulcy,1856* **01**
- 700. Berosus (s.str.) luridus (Linnaeus,1761)** (Hydrophilidae) Synonym(s): *luridus Linnaeus,1761* **30 36 37 52**
- 701. Berosus (s.str.) signaticollis (Charpentier,1825)** (Hydrophilidae) Synonym(s): *signaticollis Charpentier,1825* **05 07 09 35 36 37 52**
- 702. Betarmon bisbimaculatus (Fabricius,1803)** (Elaterridae) Synonym(s): *bisbimaculatus Fabricius,1803*
- 703. Bidessus anatolicus Wewalka,1972** (Dytiscidae) Synonym(s): *anatolicus Wewalka,1972* **01 07**
- 704. Bidessus calabricus Guignot,1957** (Dytiscidae) Synonym(s): *calabricus Guignot,1957* **06 07 17 34 35 41 48**
- 705. Bidessus delicatulus (Schaum,1844)** (Dytiscidae) Synonym(s): *delicatulus Schaum,1844* **06 35 48**
- 706. Bidessus nasutus Sharp,1887** (Dytiscidae) Synonym(s): *nasutus Sharp,1887* **32 42**
- 707. Bidessus unistriatus (Goeze,1777)** (Dytiscidae) Synonym(s): *unistriatus Goeze,1777*
- 708. Blaps abbreviata Ménétriés,1836** (Tenebrionidae) Synonym(s): *abbreviata Ménétriés,1836* **35**
- 709. Blaps adalae Soldati & Soldati,1999** (Tenebrionidae) Synonym(s): *adalae Soldati & Soldati,1999*
- 710. Blaps ecaudata Seidlitz,1893** (Tenebrionidae) Synonym(s): *ecaudata Seidlitz,1893*
- 711. Blaps femoralis Fischer,1844** (Tenebrionidae) Synonym(s): *femoralis Fischer,1844*
- 712. Blaps gigas (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *gigas Linnaeus,1767* **35**

- 713. Blaps graeca Solier,1848** (Tenebrionidae) Synonym(s): *graeca Solier,1848*
- 714. Blaps jeanneli Ferrer & Soldati,1999** (Tenebrionidae) Synonym(s): *jeanneli Ferrer & Soldati,1999* **32 35 42**
- 715. Blaps koenigi Seidlitz,1893** (Tenebrionidae) Synonym(s): *koenigi Seidlitz,1893*
- 716. Blaps lata Seidlitz,1893** (Tenebrionidae) Synonym(s): *miliaria Allard,1882 nec Fisch.; lata Seidlitz,1893; miliaria Allard,1882* **07**
- 717. Blaps lethifera Marsham,1802** (Tenebrionidae) Synonym(s): *lethifera Marsham,1802* **07 09 20 35 42 45**
- 718. Blaps lindbergi Kaszab,1959** (Tenebrionidae) Synonym(s): *lindbergi Kaszab,1959*
- 719. Blaps mortisaga (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *mortisaga Linnaeus,1758*
- 720. Blaps mucronata Latreille,1804** (Tenebrionidae) Synonym(s): *mucronata Latreille,1804*
- 721. Blaps ocreata Allard,1880** (Tenebrionidae) Synonym(s): *ocreata Allard,1880* **01 07 09 17 35 42 50 51**
- 722. Blaps pterostapha Ménéttriés,1832** (Tenebrionidae) Synonym(s): *pterostapha Ménéttriés,1832* **36 50**
- 723. Blaps rotundata Solier,1848** (Tenebrionidae) Synonym(s): *rotundata Solier,1848; sodalis Reiche & Saulcy,1857; laticollis Allard,1880 (praeocc.)* **51**
- 724. Blaps splichali Gebien,1913** (Tenebrionidae) Synonym(s): *splichali Gebien,1913* **31 33**
- 725. Blaps taeniolata Ménéttriés,1832** (Tenebrionidae) Synonym(s): *taeniolata Ménéttriés,1832*
- 726. Blaps tenuicollis Solier,1848** (Tenebrionidae) Synonym(s): *tenuicollis Solier,1848*
- 727. Blaps tibialis Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *tibialis Reiche & Saulcy,1857* **04 06 07 09 15 21 22 26 33 34 35 38 39 42 45 46 50 51 58 65 80**
- 728. Blaps tibiella Seidlitz,1893** (Tenebrionidae) Synonym(s): *tibiella Seidlitz,1893*
- 729. Blepisanis vittipennis (Reich,1877)** (Cerambycidae) Synonym(s): *vittipennis Reich,1877* **02**
- 730. Blitopertha (Asiopertha) arenicola Mulsant,1870** (Scarabaeidae) Synonym(s): *arenicola Mulsant,1870* **53**
- 731. Blitopertha (Asiopertha) fulvicornis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *fulvicornis Burmeister,1855*
- 732. Blitopertha (Asiopertha) ganglbaueri (Reitter,1885)** (Scarabaeidae) Synonym(s): *ganglbaueri Reitter,1885*
- 733. Blitopertha (Asiopertha) nazarena (Marseul,1878)** (Scarabaeidae) Synonym(s): *nazarena Marseul,1878*
- 734. Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis Burmeister,1855; abdita Petrovitz,1959; majuscola Medvedev* **01 07 27 31 33 37 38 43 46 57 80**
- 735. Blitopertha (Trichopertha) hirtella (Brullé,1832)** (Scarabaeidae) Synonym(s): *hirtella Brullé,1832* **05**
- 736. Bolitophagus reticulatus (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *reticulatus Linnaeus,1767* **14 74**
- 737. Bothynoderes carinatus (Zoubkoff,1829)** (Curculionidae) Synonym(s): *carinatus Zoubkoff,1829* **06 15 31**
- 738. Bothynoderes carinicollis Gyllenhal,1834** (Curculionidae) Synonym(s): *carinicollis Gyllenhal,1834* **15**
- 739. Bothynoderes punctiventris (Germar,1794)** (Curculionidae) Synonym(s): *punctiventris Germar,1794* **15 16 76 35 64**
- 740. Boveycantharis akschehirensis Wittmer,1969** (Cantharidae) Synonym(s): *akschehirensis Wittmer,1969* **42**
- 741. Boveycantharis hetitica Wittmer,1969** (Cantharidae) Synonym(s): *hetitica Wittmer,1969* **80**
- 742. Boveycantharis holzschuhi Svihla,1999** (Cantharidae) Synonym(s): *holzschuhi Svihla,1999* **73**
- 743. Boveycantharis mersinensis Svihla,1999** (Cantharidae) Synonym(s): *mersinensis Svihla,1999* **33**
- 744. Boveycantharis phoeniciensis Wittmer,1969** (Cantharidae) Synonym(s): *phoeniciensis Wittmer,1969* **31**



- 745. Boveycantharis rufimana (Ménétriés,1832)** (Cantharidae) Synonym(s): *rufimana* Ménétriés,1832 **08 25 29 53 60**
- 746. Boveycantharis rufimanoides Wittmer,1969** (Cantharidae) Synonym(s): *rufimanoides* Wittmer,1969 **06**
- 747. Boveycantharis tatvanensis Wittmer,1997** (Cantharidae) Synonym(s): *tatvanensis* Wittmer,1997 **13**
- 748. Boveycantharis tauricola Svihla,1999** (Cantharidae) Synonym(s): *tauricola* Svihla,1999 **07**
- 749. Boveycantharis tokatensis (Pic,1898)** (Cantharidae) Synonym(s): *tokatensis* Pic,1898 **14 16 32 60**
- 750. Brachinus (Aploa) nobilis (Dejean,1831)** (Carabidae) Synonym(s): *nobilis* Dejean,1831
- 751. Brachinus (Brachynidius) ankarensis Jedlicka,1962** (Carabidae) Synonym(s): *ankarensis* Jedlicka,1962 **06**
- 752. Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventrís* Jeannel,1962 nec Mtsch.,1864
- 753. Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904
- 754. Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812
- 755. Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834
- 756. Brachinus (Brachynidius) sclopeta (Fabricius,1792)** (Carabidae) Synonym(s): *sclopeta* Fabricius,1792
- 757. Brachinus (Cnecostolus) bayardi Dejean,1831** (Carabidae) Synonym(s): *bayardi* Dejean,1831
- 758. Brachinus (Cnecostolus) bipustulatus (Quensel,1806)** (Carabidae) Synonym(s): *bipustulatus* Quensel,1806
- 759. Brachinus (Cnecostolus) cruciatus (Quensel,1806)** (Carabidae) Synonym(s): *cruciatus* Quensel,1806
- 760. Brachinus (Cnecostolus) exhalans (Rossi,1792)** (Carabidae) Synonym(s): *exhalans* Rossi,1792
- 761. Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus* Fischer von Waldheim,1828
- 762. Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus* Jablonkoff & Khnzorian,1973 nec Reiche,868; *alexandri* F.Battoni,1984
- 763. Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis* Reiche & Saulcy,1855
- 764. Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758
- 765. Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828
- 766. Brachinus (s.str.) ganglbaueri Apfelbeck,1904** (Carabidae) Synonym(s): *ganglbaueri* Apfelbeck,1904
- 767. Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842
- 768. Brachinus (subg.) bagdatensis Pic,1902** (Carabidae) Synonym(s): *bagdatensis* Pic,1902; *richteri* Jedlicka,1961
- 769. Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis* Dejean,1826
- 770. Brachyesthes chrysomelina Costa,1875** (Tenebrionidae) Synonym(s): *chrysomelina* Costa,1875
- 771. Brachygonus frater Wurst,1995** (Elateridae) Synonym(s): *frater* Wurst,1995
- 772. Brachygonus graciosus Platia & Schimmel,1991** (Elateridae) Synonym(s): *graciosus* Platia & Schimmel,1991
- 773. Brachygonus hadullanus Wurst,1995** (Elateridae) Synonym(s): *hadullanus* Wurst,1995
- 774. Brachygonus megerlei (Lacordaire,1835)** (Elateridae) Synonym(s): *megerlei* Lacordaire,1835
- 775. Brachygonus ruficepsoides Platia & Gudenzi,2002** (Elateridae) Synonym(s): *ruficepsoides* Platia & Gudenzi,2002
- 776. Brumus octosignatus (Gebler,1830)** (Coccinellidae) Synonym(s): *octosignatus* Gebler,1830 **01 06 22 25 32 38 65**

777. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938*
778. **Bubas bubalus (Olivier,1811)** (Scarabaeidae) Synonym(s): *bubalus Olivier,1811; brunipterus Mulsant,1842; inermifrons Mulsant,1842; integricornis Mulsant,1842; simplicifrons Mulsant,1842* **63**
779. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi Hummel,1827* **06 25 35 76**
780. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794* **03 10 16 20 22 24 34 39 41 52 54 55 57 59 61**
781. **Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi Linnaeus,1758; auratus Fourcroy,1785* **39 41**
782. **Cabirutus cavimanus (Sahlberg,1907)** (Tenebrionidae) Synonym(s): *cavimanus Sahlberg,1907*
783. **Cabirutus cilicicus (Sahlberg,1907)** (Tenebrionidae) Synonym(s): *cilicicus Sahlberg,1907*
784. **Cabirutus cribricollis (Baudi,1875)** (Tenebrionidae) Synonym(s): *cribricollis Baudi,1875* **33 48**
785. **Cabirutus gracilis (Reitter,1904)** (Tenebrionidae) Synonym(s): *gracilis Reitter,1904* **13 31 35**
786. **Caccobius (Caccobius) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides Ménétriés,1832; anthracinus Faldermann,1835; nigellus Kiesenwetter,1858*
787. **Caccobius (Caccobius) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus Ménétriés,1838*
788. **Caccobius (Caccobius) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767*
789. **Caenoblaps kulzeri Schuster,1928** (Tenebrionidae) Synonym(s): *kulzeri Schuster,1928* **13**
790. **Caenoblaps nitida Schuster,1920** (Tenebrionidae) Synonym(s): *nitida Schuster,1920* **08**
791. **Calais parreysi (Steven,1830)** (Elateridae) Synonym(s): *parreysi Steven,1830* **07 10 33**
792. **Calamobius filum (Rossi,1790)** (Cerambycidae) Synonym(s): *filum Rossi,1790*
793. **Calandrea Sama & Rapuzzi,1999** (Cerambycidae) Synonym(s): *Calandrea Sama & Rapuzzi,1999*
794. **Calchaenesthes oblongomaculatus (Guérin,1844)** (Cerambycidae) Synonym(s): *oblongomaculatus Guérin,1844* **33**
795. **Callimoxys gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): *gracilis Brullé,1832*
796. **Callimus abdominalis (Olivier,1795)** (Cerambycidae) Synonym(s): *abdominalis Olivier,1795* **35?**
797. **Callimus akbesianus (Pic,1892)** (Cerambycidae) Synonym(s): *akbesianus Pic,1892* **31 33**
798. **Callimus angulatus (Schränk,1789)** (Cerambycidae) Synonym(s): *angulatus Schränk,1789*
799. **Callisthenes (s.str.) brevisculus (Mannerheim,1830)** (Carabidae) Synonym(s): *breviusculus Mannerheim,1830; araraticus Chaudoir,1846* **76**
800. **Callisthenes (s.str.) ewersmanni (Chaudoir,1850)** (Carabidae) Synonym(s): *ewersmanni Chaudoir,1850*
801. **Callisthenes (s.str.) peksi (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): *peksi Heinz & Pavesi,1994*
802. **Callisthenes (s.str.) persicus (Géhin,1885)** (Carabidae) Synonym(s): *persicus Géhin,1885; adehinotus Lassale,1992*
803. **Callisthenes (s.str.) pesarinii (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): *pesarinii Heinz & Pavesi,1994*
804. **Calosoma adehinotus Lassale,1992** (Carabidae) Synonym(s): *adehinotus Lassale,1992*
805. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784*
806. **Calosoma brevisculus Mannerheim,1830** (Carabidae) Synonym(s): *breviusculus Mannerheim,1830*
807. **Calosoma ewersmanni Chaudoir,1850** (Carabidae) Synonym(s): *ewersmanni Chaudoir,1850*



- 808. Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922
- 809. Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae* Fabricius,1775
- 810. Calosoma peksi Heinz & Pavesi,1995** (Carabidae) Synonym(s): *peksi* Heinz & Pavesi,1995
- 811. Calosoma persicus Gehin,1885** (Carabidae) Synonym(s): *persicus* Gehin,1885
- 812. Calosoma pesarinii Heinz & Pavesi,1995** (Carabidae) Synonym(s): *pesarinii* Heinz & Pavesi,1995
- 813. Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 **06 61 65**
- 814. Calvia quatuordecimguttata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quatuordecimguttata* Linnaeus,1758 **22**
- 815. Calydus escherichi Reitter,1898** (Meloidae) Synonym(s): *escherichi* Reitter,1898
- 816. Calyptopsis capnisiformis Reitter,1903** (Tenebrionidae) Synonym(s): *capnisiformis* Reitter,1903 **06 26 38 50**
- 817. Calyptopsis capnisioides Reitter,1896** (Tenebrionidae) Synonym(s): *capnisioides* Reitter,1896
- 818. Calyptopsis deplanata Faust,1875** (Tenebrionidae) Synonym(s): *deplanata* Faust,1875
- 819. Calyptopsis escherichi Reitter,1896** (Tenebrionidae) Synonym(s): *escherichi* Reitter,1896
- 820. Calyptopsis pandaroides Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides* Reitter,1896
- 821. Calyptopsis solieri Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *solieri* Reiche & Saulcy,1857
- 822. Calyptopsis capnisiformis Reitter,1903** (Tenebrionidae) Synonym(s): *capnisiformis* Reitter,1903 **33 50**
- 823. Calyptopsis emarginata Reitter,1889** (Tenebrionidae) Synonym(s): *emarginata* Reitter,1889 **30**
- 824. Caminara olivieri (Dejean,1831)** (Carabidae) Synonym(s): *olivieri* Dejean,1831
- 825. Campalita auropunctatum (Herbst,1782)** (Carabidae) Synonym(s): *auropunctatum* Herbst,1782
- 826. Cantharis annularis Ménétriés,1836** (Cantharidae) Synonym(s): *annularis* Ménétriés,1836 **01 06 24 32 33 38 42 51 66**
- 827. Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 **01 33 38 51 64**
- 828. Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 **01 06 07 14 33 38 42 51 58 66 70**
- 829. Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 **01 06 07 08 17 19 24 25 32 33 41 51 66 68 70**
- 830. Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis* Kiesenwetter,1852 **33**
- 831. Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra* De Geer,1774 **07 08 25 41 58 66**
- 832. Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781 **07 15 18 19 20 35 42 60**
- 833. Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 **32 33 51**
- 834. Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807 **14 18 29 43 61 78**
- 835. Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *#symrnensis* Silkin,2008 **06 07 14 18 32 33 35 51 60 70**
- 836. Cantharis ziganadagensis Wittmer,1971** (Cantharidae) Synonym(s): *ziganadagensis* Wittmer,1971 **61**
- 837. Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925
- 838. Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefeburei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 **50**
- 839. Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 **01 02 05 07 08 09 11 16 17 20 21 25 26 27 30 31 33 34 35 48 55**
- 840. Capnodis excisa Ménétriés,1849** (Buprestidae) Synonym(s): *excisa* Ménétriés,1849 **76**

- 841. *Capnodis henningii* (Faldermann,1835)** (Buprestidae) Synonym(s): *henningii* Faldermann,1835
- 842. *Capnodis marquardti* Reitter,1913** (Buprestidae) Synonym(s): *marquardti* Reitter,1913  
12 65
- 843. *Capnodis miliaris* (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 01 06 07 08 09 10 11 16 21 23 24 30 31 33 35 44 45 46 63 80
- 844. *Capnodis porosa* (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 01 02 06 07 08 10 11 17 20 25 27 29 30 31 33 34 35 42 45 46 48 50 70
- 845. *Capnodis semisuturalis* Marseul,1865** (Buprestidae) Synonym(s): *semisuturalis* Marseul,1865; *perrini* Thery,1936
- 846. *Capnodis tenebricosa* (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945 01 03 04 06 07 10 11 13 16 17 18 22 23 25 27 30  
31 33 34 35 42 46 48
- 847. *Capnodis tenebrionis* (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 01 02 03 06 07 08 09 14 16 17 20 21 22 23 24 27  
31 32 33 34 35 44 45 46 48 55 58 66 70 80
- 848. *Carabus (Archicarabus) gotschii* Chaudoir,1846** (Carabidae) Synonym(s): *gotschii* Chaudoir,1846
- 849. *Carabus (Archicarabus) victor* Fischer von Waldheim,1836** (Carabidae) Synonym(s): *victor* Fischer von Waldheim,1836
- 850. *Carabus (Archicarabus) wiedemanni* Ménétriés,1836** (Carabidae) Synonym(s): *wiedemanni* Ménétriés,1836; *bythinus* Lapouge,1908; *winklerianus* Breuning,1933 14 16 37 81
- 851. *Carabus (Cechenochilus) boeberi* Adams,1817** (Carabidae) Synonym(s): *boeberi* Adams,1817
- 852. *Carabus (Cechenochilus) lazor* Belousov & Zamotajlov,1999** (Carabidae) Synonym(s): *lazor* Belousov & Zamotajlov,1999
- 853. *Carabus (Heterocarabus) marietti* De Cristoforis & Jan,1837** (Carabidae) Synonym(s): *marietti* De Cristoforis & Jan,1837; *atiusengueni* Schweiger,1962; *petrovitzi* Mandl,1964; *pseudomariettii* Schweiger,1962; *chretienianus* Auvray,1992 54
- 854. *Carabus (Ischnocarabus) cychropalpus* Peyron,1858** (Carabidae) Synonym(s): *cychropalpus* Peyron,1858; *cychropalpulus* Mandl,1955
- 855. *Carabus (Ischnocarabus) tenuitarsis* Kraatz,1877** (Carabidae) Synonym(s): *tenuitarsis* Kraatz,1877 06 18
- 856. *Carabus (Lamprostus) calleyi* Fischer von Waldheim,1823** (Carabidae) Synonym(s): *calleyi* Fischer von Waldheim,1823 65
- 857. *Carabus (Lamprostus) erenleriensis* Schweiger,1966** (Carabidae) Synonym(s): *erenleriensis* Schweiger,1966; *kaynasliensis* Machard,1975 14 67
- 858. *Carabus (Lamprostus) hemprichi* Dejean,1826** (Carabidae) Synonym(s): *hemprichi* Dejean,1826
- 859. *Carabus (Lamprostus) rabaroni* Breuning,1964** (Carabidae) Synonym(s): *rabaroni* Breuning,1964 28
- 860. *Carabus (Lamprostus) robustus* Deyrolle,1869** (Carabidae) Synonym(s): *robustus* Deyrolle,1869
- 861. *Carabus (Lamprostus) spinolai* Cristoforis & Jan,1837** (Carabidae) Synonym(s): *spinolai* Cristoforis & Jan,1837 55 57
- 862. *Carabus (Lamprostus) torosus* Frivaldsky,1835** (Carabidae) Synonym(s): *torosus* Frivaldsky,1835 18
- 863. *Carabus (Limnocarabus) clatratus* Linnaeus,1761** (Carabidae) Synonym(s): *clatratus* Linnaeus,1761
- 864. *Carabus (Lipaster) gorgus* Reitter,1898** (Carabidae) Synonym(s): *gorgus* Reitter,1898
- 865. *Carabus (Lipaster) stjernvalli* Mannerheim,1830** (Carabidae) Synonym(s): *stjernvalli* Mannerheim,1830 75
- 866. *Carabus (Mimocarabus) maurus* Adams,1817** (Carabidae) Synonym(s): *maurus* Adams,1817



- 867. Carabus (Mimocarabus) pumilio Küster,1846** (Carabidae) Synonym(s): *pumilio* Küster,1846; *araratensis* Kraatz,1896 **76**
- 868. Carabus (Morphocarabus) scabriusculus Olivier,1795** (Carabidae) Synonym(s): *scabriusculus* Olivier,1795
- 869. Carabus (Oreocarabus) cribratus Quensel,1806** (Carabidae) Synonym(s): *cribratus* Quensel,1806 **62**
- 870. Carabus (Oreocarabus) porrectangulus Géhin,1885** (Carabidae) Synonym(s): *porrectangulus* Géhin,1885; ? *farineli* Machard,1975
- 871. Carabus (Oxycarabus) saphyrinus De Cristofis & Jan,1837** (Carabidae) Synonym(s): *saphyrinus* De Cristofis & Jan,1837 **14 18 54**
- 872. Carabus (Pachycarabus) roseri Faldermann,1835** (Carabidae) Synonym(s): *roseri* Faldermann,1835
- 873. Carabus (Pachystus) ganymed Heinz,1975** (Carabidae) Synonym(s): *ganymed* Heinz,1975
- 874. Carabus (Pachystus) graecus Dejean,1826** (Carabidae) Synonym(s): *graecus* Dejean,1826
- 875. Carabus (Pachystus) irmasanus Heinz & Korge,1967** (Carabidae) Synonym(s): *felix* Heinz & Korge,1967 nec Semen. & Znojko,1931; *irmasanus* Heinz & Korge,1967
- 876. Carabus (Pachystus) pisidicus Peyron,1854** (Carabidae) Synonym(s): *pisidicus* Peyron,1854
- 877. Carabus (Procerus) caucasicus Adams,1817** (Carabidae) Synonym(s): *caucasicus* Adams,1817 **25 69**
- 878. Carabus (Procerus) scabrosus Olivier,1795** (Carabidae) Synonym(s): *scabrosus* Olivier,1795 **61**
- 879. Carabus (Procerus) sommeri Mannerheim,1844** (Carabidae) Synonym(s): *sommeri* Mannerheim,1844; *breviusculus* Kraatz,1876; *uludagensis* Schweiger,1964; *basoghui* Schweiger,1964 **05 14 16 17 62**
- 880. Carabus (Procerus) syriacus Kollar,1843** (Carabidae) Synonym(s): *syriacus* Kollar,1843; *daphnensis* Korell,1985
- 881. Carabus (Procerus) transversalis Csiki,1927** (Carabidae) Synonym(s): *transversalis* Csiki,1927; *laticollis* Kraatz,1876 **31 51**
- 882. Carabus (Procrustes) anatolicus Chaudoir,1857** (Carabidae) Synonym(s): *anatolicus* Chaudoir,1857; *cypricus* Roeschke,1915 **07 32 33**
- 883. Carabus (Procrustes) chevrolati Cristoforis & Jan,1837** (Carabidae) Synonym(s): *chevrolati* Cristoforis & Jan,1837; *assimilis* Cristoforis & Jan,1837; *persimilis* Csiki,1927 **13 18 65**
- 884. Carabus (Procrustes) clypeatus Adams,1817** (Carabidae) Synonym(s): *clypeatus* Adams,1817 **08**
- 885. Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus* Linnaeus,1758 **16 31**
- 886. Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus* Klug,1832 **63**
- 887. Carabus (Procrustes) mulsantianus Morawitz,1886** (Carabidae) Synonym(s): *mulsantianus* Morawitz,1886 **31**
- 888. Carabus (Procrustes) payapha White,1845** (Carabidae) Synonym(s): *payapha* White,1845; *pseudoacuticollis* Catlos & Moravec,1999 **07 33**
- 889. Carabus (Procrustes) piochardi Géhin,1883** (Carabidae) Synonym(s): *piochardi* Géhin,1883
- 890. Carabus (Procrustes) punctatus Castelnau,1835** (Carabidae) Synonym(s): *punctatus* Castelnau,1835; *antakyae* Korell,1985 **31**
- 891. Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus* Linnaeus,1758
- 892. Carabus (Sphodristocarabus) biroi Csiki,1927** (Carabidae) Synonym(s): *biroi* Csiki,1927
- 893. Carabus (Sphodristocarabus) coruhnehriensis Cavazzuti,1990** (Carabidae) Synonym(s): *coruhnehriensis* Cavazzuti,1990 **08**
- 894. Carabus (Sphodristocarabus) enigmaticus Heinz,1980** (Carabidae) Synonym(s): *enigmaticus* Heinz,1980
- 895. Carabus (Sphodristocarabus) georgia Cavazzuti,1984** (Carabidae) Synonym(s): *georgia* Cavazzuti,1984

- 896. Carabus (Sphodristocarabus) giachinoi Cavazzuti,1991** (Carabidae) Synonym(s): *giachinoi Cavazzuti,1991*
- 897. Carabus (Sphodristocarabus) gilnickii Deyrolle,1869** (Carabidae) Synonym(s): *gilnickii Deyrolle,1869*
- 898. Carabus (Sphodristocarabus) heinzi Breuning,1964** (Carabidae) Synonym(s): *heinzi Breuning,1964*
- 899. Carabus (Sphodristocarabus) kurdicus Heinz,1975** (Carabidae) Synonym(s): *kurdicus Heinz,1975*
- 900. Carabus (Sphodristocarabus) macrogonus Chaudoir,1847** (Carabidae) Synonym(s): *macrogonus Chaudoir,1847*
- 901. Carabus (Sphodristocarabus) pavesii Cavazzuti,1992** (Carabidae) Synonym(s): *pavesii Cavazzuti,1992*
- 902. Carabus (Sphodristocarabus) scovitzi Faldermann,1835** (Carabidae) Synonym(s): *scovitzi Faldermann,1835*
- 903. Carabus (Sphodristocarabus) tokatensis Roeschke,1898** (Carabidae) Synonym(s): *tokatensis Roeschke,1898* **60**
- 904. Carabus (Sphodristocarabus) varians Fischer von Waldheim,1827** (Carabidae) Synonym(s): *variens Fischer von Waldheim,1827*
- 905. Carabus (Tomocarabus) convexus Fabricius,1775** (Carabidae) Synonym(s): *convexus Fabricius,1775* **14 42 61**
- 906. Carabus (Tomocarabus) decolor Fischer von Waldheim,1823** (Carabidae) Synonym(s): *decolor Fischer von Waldheim,1823*
- 907. Carabus (Tomocarabus) rumelicus Chaudoir,1867** (Carabidae) Synonym(s): *rumelicus Chaudoir,1867* **33 58**
- 908. Carabus (Tomocarabus) scabripennis Chaudoir,1867** (Carabidae) Synonym(s): *scabripennis Chaudoir,1867* **07**
- 909. Carabus (Tomocarabus) simardianus Deuve,1990** (Carabidae) Synonym(s): *simardianus Deuve,1990*
- 910. Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761*
- 911. Carabus legrandi Deuve,1991** (Carabidae) Synonym(s): *legrandi Deuve,1991*
- 912. Carabus marietti Cristoforis & Jan,1837** (Carabidae) Synonym(s): *marietti Cristoforis & Jan,1837*
- 913. Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817*
- 914. Carabus merdeniki Cavazzuti & Korell,1992** (Carabidae) Synonym(s): *merdeniki Cavazzuti & Korell,1992*
- 915. Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus Palliardi,1825*
- 916. Carabus omphreodes Reitter,1898** (Carabidae) Synonym(s): *omphreodes Reitter,1898*
- 917. Carabus pisidicus Peyron,1854** (Carabidae) Synonym(s): *pisidicus Peyron,1854*
- 918. Carabus pseudodepressus Machard,1988** (Carabidae) Synonym(s): *pseudodepressus Machard,1988*
- 919. Carabus pumilio Kuster,1846** (Carabidae) Synonym(s): *pumilio Kuster,1846*
- 920. Carabus puschkini Adams,1817** (Carabidae) Synonym(s): *puschkini Adams,1817*
- 921. Carabus roseri Faldermann,1835** (Carabidae) Synonym(s): *roseri Faldermann,1835*
- 922. Carabus saphyrinus Cristoforis & Jan,1837** (Carabidae) Synonym(s): *saphyrinus Cristoforis & Jan,1837*
- 923. Cardiophorus (s.str.) acuminatus Platia & Gundezi,2002** (Elateridae) Synonym(s): *acuminatus Platia & Gundezi,2002*
- 924. Cardiophorus (s.str.) aemulus Platia & Gundezi,2002** (Elateridae) Synonym(s): *aemulus Platia & Gundezi,2002* **01**
- 925. Cardiophorus (s.str.) agilis Platia & Gundezi,2002** (Elateridae) Synonym(s): *agilis Platia & Gundezi,2002* **35**
- 926. Cardiophorus (s.str.) akbesianus (Pic,1899)** (Elateridae) Synonym(s): *akbesianus Pic,1899* **31**
- 927. Cardiophorus (s.str.) alepensis Pic,1914** (Elateridae) Synonym(s): *alepensis Pic,1914*
- 928. Cardiophorus (s.str.) analis Schwarz,1892** (Elateridae) Synonym(s): *analis Schwarz,1892* **33**
- 929. Cardiophorus (s.str.) anticus Erichson,1840** (Elateridae) Synonym(s): *anticus Erichson,1840* **33**



- 930. Cardiophorus (s.str.) apterus Platia & Gundezi,2002** (Elateridae) Synonym(s): *apterus Platia & Gundezi,2002* **07**
- 931. Cardiophorus (s.str.) araxicola Jablokoff & Khnzorian,1970** (Elateridae) Synonym(s): *araxicola Jablokoff & Khnzorian,1970* **04**
- 932. Cardiophorus (s.str.) bellus Platia & Gundezi,2000** (Elateridae) Synonym(s): *bellus Platia & Gundezi,2000* **47**
- 933. Cardiophorus (s.str.) carnosus Platia & Gundezi,2002** (Elateridae) Synonym(s): *carnosus Platia & Gundezi,2002*
- 934. Cardiophorus (s.str.) cyanipennis Mulsant & Wachanru,1852** (Elateridae) Synonym(s): *cyanipennis Mulsant & Wachanru,1852* **01 31 35**
- 935. Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae) Synonym(s): *discicollis Herbst,1806*
- 936. Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae) Synonym(s): *dolini Mardjanian,1985*
- 937. Cardiophorus (s.str.) ebeninus (Germar,1824)** (Elateridae) Synonym(s): *ebeninus Germar,1824*
- 938. Cardiophorus (s.str.) eliasi Pic,1904** (Elateridae) Synonym(s): *eliasi Pic,1904*
- 939. Cardiophorus (s.str.) fossulatus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *fossulatus Platia & Gudenzi,2002*
- 940. Cardiophorus (s.str.) frequens Platia & Gudenzi,2002** (Elateridae) Synonym(s): *frequens Platia & Gudenzi,2002* **11**
- 941. Cardiophorus (s.str.) gramineus (Scopoli,1763)** (Elateridae) Synonym(s): *gramineus Scopoli,1763*
- 942. Cardiophorus (s.str.) hayekae Platia & Gudenzi,2002** (Elateridae) Synonym(s): *hayekae Platia & Gudenzi,2002* **48**
- 943. Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei Frivaldsky,1837*
- 944. Cardiophorus (s.str.) imitator Platia & Gudenzi,2002** (Elateridae) Synonym(s): *imitator Platia & Gudenzi,2002* **45**
- 945. Cardiophorus (s.str.) impressiventris Schwarz,1900** (Elateridae) Synonym(s): *impressiventris Schwarz,1900; boyadjiani Pic,1908* **33 48**
- 946. Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae) Synonym(s): *insignis Descrochers,1875* **01**
- 947. Cardiophorus (s.str.) kindermanni Candeze,1860** (Elateridae) Synonym(s): *kindermanni Candeze,1860* **33**
- 948. Cardiophorus (s.str.) kinzelbachi Chassain,1979** (Elateridae) Synonym(s): *kinzelbachi Chassain,1979*
- 949. Cardiophorus (s.str.) laevis Platia & Gudenzi,2002** (Elateridae) Synonym(s): *laevis Platia & Gudenzi,2002* **02**
- 950. Cardiophorus (s.str.) lundbergi Platia & Gudenzi,2000** (Elateridae) Synonym(s): *lundbergi Platia & Gudenzi,2000* **07**
- 951. Cardiophorus (s.str.) maculicollis Reiche & Saulcy,1856** (Elateridae) Synonym(s): *maculicollis Reiche & Saulcy,1856* **31**
- 952. Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): *megathorax Faldermann,1835; antennalis Desbrochers,1875* **11 19**
- 953. Cardiophorus (s.str.) mertliki (Platia & Gundezi,1999)** (Elateridae) Synonym(s): *mertliki Platia & Gundezi,1999*
- 954. Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis Candeze,1860*
- 955. Cardiophorus (s.str.) neuberti Platia & Gudenzi,2002** (Elateridae) Synonym(s): *neuberti Platia & Gudenzi,2002* **07**
- 956. Cardiophorus (s.str.) nigerrimus Erichson,1840** (Elateridae) Synonym(s): *nigerrimus Erichson,1840*
- 957. Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae) Synonym(s): *nigratissimus Buysson,1891* **01 05 06 07 09 19 26 33 45 69**
- 958. Cardiophorus (s.str.) parvulus Platia & Gudenzi,2000** (Elateridae) Synonym(s): *parvulus Platia & Gudenzi,2000*
- 959. Cardiophorus (s.str.) pavesii Platia & Gudenzi,2000** (Elateridae) Synonym(s): *pavesii Platia & Gudenzi,2000* **51**

- 960. *Cardiophorus* (s.str.) *picus* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *picus* Platia & Gudenzi,2002 **33**
- 961. *Cardiophorus* (s.str.) *picticollis* (Kraatz,1882)** (Elateridae) Synonym(s): *picticollis* Kraatz,1882
- 962. *Cardiophorus* (s.str.) *plurimus* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *plurimus* Platia & Gudenzi,2002 **47**
- 963. *Cardiophorus* (s.str.) *procerus* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *procerus* Platia & Gudenzi,2002 **63**
- 964. *Cardiophorus* (s.str.) *proprius* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *proprius* Platia & Gudenzi,2002
- 965. *Cardiophorus* (s.str.) *ressli* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *ressli* Platia & Gudenzi,2002
- 966. *Cardiophorus* (s.str.) *rotundicollis* Frivaldsky,1845** (Elateridae) Synonym(s): *rotundicollis* Frivaldsky,1845; *turgescens* Buysson,1891
- 967. *Cardiophorus* (s.str.) *ruficollis* (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficollis* Linnaeus,1758
- 968. *Cardiophorus* (s.str.) *ruficruris* (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficruris* Linnaeus,1758; *tibialis* Erichson,1840
- 969. *Cardiophorus* (s.str.) *sacratus* Erichson,1840** (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913 **01 09 50 60**
- 970. *Cardiophorus* (s.str.) *samai* Platia & Gudenzi,2000** (Elateridae) Synonym(s): *samai* Platia & Gudenzi,2000 **33**
- 971. *Cardiophorus* (s.str.) *schuberti* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *schuberti* Platia & Gudenzi,2002
- 972. *Cardiophorus* (s.str.) *schurmanni* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,2002
- 973. *Cardiophorus* (s.str.) *somcheticus* Schwarz,1896** (Elateridae) Synonym(s): *somcheticus* Schwarz,1896
- 974. *Cardiophorus* (s.str.) *strussineri* Buysson,1913** (Elateridae) Synonym(s): *strussineri* Buysson,1913
- 975. *Cardiophorus* (s.str.) *syriacus* (Linnaeus,1758)** (Elateridae) Synonym(s): *syriacus* Linnaeus,1758 **33**
- 976. *Cardiophorus* (s.str.) *tenellus* Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856
- 977. *Cardiophorus* (s.str.) *turgidus* Erichson,1840** (Elateridae) Synonym(s): *turgidus* Erichson,1840
- 978. *Cardiophorus* (s.str.) *uncinatus* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *uncinatus* Platia & Gudenzi,2002
- 979. *Cardiophorus* (s.str.) *varius* Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): *varius* Cate, Platia & Schimmel,2002
- 980. *Cardiophorus* (s.str.) *vestigialis* Erichson,1840** (Elateridae) Synonym(s): *vestigialis* Erichson,1840; *atramentarius* Erichson,1840; *erichsoni* Buysson,1901; *maritimus* Dolin,1971; *nijazi* Dolin & Agajew,1983 **06 33 36**
- 981. *Cardiophorus* (s.str.) *winkleri* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *winkleri* Platia & Gudenzi,2002
- 982. *Cardiophorus* (s.str.) *witzgalli* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *witzgalli* Platia & Gudenzi,2002
- 983. *Cardiophorus* (s.str.) *zeisingi* Platia,2004** (Elateridae) Synonym(s): *zeisingi* Platia,2004
- 984. *Cardoria* *scutellata* (Fabricius,1792)** (Cerambycidae) Synonym(s): *scutellata* Fabricius,1792
- 985. *Carinatodorcadion* *aethiops* (Scopoli,1763)** (Cerambycidae) Synonym(s): *aethiops* Scopoli,1763; *morio* Fabricius,1787; *majoripenne* Pic,1926; *tomentosulum* Breuning,1946; *kudlai* Heyrovsky,1951 **22 26**
- 986. *Carinatodorcadion* *boluense* Breuning,1962** (Cerambycidae) Synonym(s): *boluense* Breuning,1962; *nigrobasisipenne* Breuning,1962 **14**
- 987. *Carinatodorcadion* *carinatum* (Pallas,1771)** (Cerambycidae) Synonym(s): *carinatum* Pallas,1771; *pigra* Schönherr,1817; *cinereopubescens* Breuning,1946 **05**
- 988. *Carinatodorcadion* *ingeae* (Peks,1993)** (Cerambycidae) Synonym(s): *ingeae* Peks,1993 **22**



- 989. Carlandrea syriaca (Pic,1891)** (Cerambycidae) Synonym(s): *syriaca* Pic,1891 **33**
- 990. Cassida atrata Fabricius,1787** (Chrysomelidae) Synonym(s): *atrata* Fabricius,1787 **06**  
**14 16 22 26 33**
- 991. Cassida bella Faldermann,1837** (Chrysomelidae) Synonym(s): *bella* Faldermann,1837  
**08 33 35 54**
- 992. Cassida brevis Weise,1834** (Chrysomelidae) Synonym(s): *brevis* Weise,1834 **02 03 05**  
**33 49 56**
- 993. Cassida hablitziae Motschoulsky,1838** (Chrysomelidae) Synonym(s): *hablitziae* Motschoulsky,1838 **34 61**
- 994. Cassida margaritacea Schaller,1783** (Chrysomelidae) Synonym(s): *margaritacea* Schaller,1783 **01 08 14 21 38 42 61**
- 995. Cassida palaestina Reiche,1858** (Chrysomelidae) Synonym(s): *palaestina* Reiche,1858  
**01 16 21 27 31 33 35 80**
- 996. Cassida pannonica Suffrian,1844** (Chrysomelidae) Synonym(s): *pannonica* Suffrian,1844  
**06 07 10 11 16 30 33 35 42 48 49 51 62 80**
- 997. Cassida prasina Illiger,1798** (Chrysomelidae) Synonym(s): *prasina* Illiger,1798 **07 09**  
**10 11 14 20 27 28 31 33 35 38 39 42 45 46 54 60 62 67**
- 998. Cassida rubiginosa Müller,1776** (Chrysomelidae) Synonym(s): *rubiginosa* Müller,1776  
**01 03 06 10 14 16 19 22 26 28 32 33 35 37 39 42 43 45 54 55 58 59 80**
- 999. Cassida sanguinolenta Müller,1776** (Chrysomelidae) Synonym(s): *sanguinolenta* Müller,1776 **11 35 43 49 57**
- 1000. Cassida saucia Weise,1889** (Chrysomelidae) Synonym(s): *saucia* Weise,1889 **05 06**  
**10 19 27 38 57**
- 1001. Cassida seraphina Ménétériés,1836** (Chrysomelidae) Synonym(s): *seraphina* Ménétériés,1836 **05 06 07 10 11 14 15 16 18 19 25 26 34 35 37 43 55 58 60 64**
- 1002. Cassida vibex Linnaeus,1767** (Chrysomelidae) Synonym(s): *vibex* Linnaeus,1767 **33**  
**55**
- 1003. Cassida viridis Linnaeus,1758** (Chrysomelidae) Synonym(s): *viridis* Linnaeus,1758  
**06 10 18 21 25 35 37 38 40 42 49 60 61 62 63 80**
- 1004. Cataphronetis reitteri Seidlitz,1893** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1893  
**07**
- 1005. Catomus (s.str.) consentaneus (Küster,1851)** (Tenebrionidae) Synonym(s): *consentaneus* Küster,1851 **33**
- 1006. Catomus (s.str.) frivaldszkyi (Seidlitz,1893)** (Tenebrionidae) Synonym(s): *frivaldszkyi* Seidlitz,1893
- 1007. Catomus (Stenomacridius) anatolicus Kaszab,1961** (Tenebrionidae) Synonym(s): *anatolicus* Kaszab,1961
- 1008. Catopomorphus (s.str.) cappadocianus Ruzicka,1994** (Leiodidae) Synonym(s): *cappadocianus* Ruzicka,1994 *Catopomorphus (s.str.) cappadocianus* Ruzicka,1994, *Fragm. ent. Roma* 26 (1): 133-137, figs. Holotype ♀: Turcia centr. Cappadocia, Nevsehir env., Göreme 26-28.viii.1988 leg. J.Ruzicka (NMPC). **50**
- 1009. Cebrio nigricollis Laporte,1838** (Cebrionidae) Synonym(s): *nigricollis* Laporte,1838
- 1010. Cephalostenus demaisonii Reitter,1903** (Tenebrionidae) Synonym(s): *demaisonii* Reitter,1903 **07 13**
- 1011. Cephalostenus elegans Brullé,1832** (Tenebrionidae) Synonym(s): *elegans* Brullé,1832; *dejeani* Solier,1838 **07 35 45 48 60**
- 1012. Cephalostenus orbicollis Ménétériés,1836** (Tenebrionidae) Synonym(s): *orbicollis* Ménétériés,1836; *elegans* Solier,1838; *dejeani* Reiche & Saulcy,1857 nec Sol.,1838 **07 09 17 35**
- 1013. Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae) Synonym(s): *turcica* Schaum,1859 **10 16 22 34 35**
- 1014. Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata* Dejean,1822 **06 09 10 17 19 22 35 40 48 66**
- 1015. Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola* Faldermann,1836 **36**
- 1016. Cephalota (Taenidia) eiselti (Mandl,1967)** (Carabidae) Synonym(s): *eiselti* Mandl,1967  
**06 18 38 58 68**
- 1017. Ceratanisus funebris (Reitter,1898)** (Tenebrionidae) Synonym(s): *funebris* Reitter,1898

- 1018. Ceratanisus tristis (Faldermann,1837)** (Tenebrionidae) **Synonym(s):** *tristis*  
*Faldermann,1837* **06 60**
- 1019. Cercyon haemorrhoidalis (Fabricius,1775)** (Hydrophilidae) **Synonym(s):**  
*haemorrhoidalis Fabricius,1775*
- 1020. Cercyon marinus Thomson,1853** (Hydrophilidae) **Synonym(s):** *marinus Thomson,1853*
- 1021. Cercyon putricola Wollaston,1867** (Hydrophilidae) **Synonym(s):** *putricola*  
*Wollaston,1867*
- 1022. Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae) **Synonym(s):**  
*adamovichiana Piller & Mitterpacher,1783* **10 22 25 42**
- 1023. Cerocoma albopilosa Dvorak,1993** (Meloidae) **Synonym(s):** *albopilosa Dvorak,1993*  
**42**
- 1024. Cerocoma bodemeyeri Reitter,1913** (Meloidae) **Synonym(s):** *bodemeyeri Reitter,1913*  
**26**
- 1025. Cerocoma dahli Kraatz,1863** (Meloidae) **Synonym(s):** *dahli Kraatz,1863* **01 02 19 21**  
**23 24 25 29 33 36 38 51 60 63 69 80**
- 1026. Cerocoma ephesica Reitter,1885** (Meloidae) **Synonym(s):** *ephesica Reitter,1885* **03**  
**07 14 24 25 42**
- 1027. Cerocoma festiva Faldermann,1837** (Meloidae) **Synonym(s):** *festiva Faldermann,1837*  
**25 49 62**
- 1028. Cerocoma gloriosa Mulsant,1857** (Meloidae) **Synonym(s):** *gloriosa Mulsant,1857* **33**  
**48 80**
- 1029. Cerocoma kunzei Frivaldsky,1835** (Meloidae) **Synonym(s):** *kunzei Frivaldsky,1835*  
**07 23 24 25**
- 1030. Cerocoma macedonica Maran,1944** (Meloidae) **Synonym(s):** *macedonica Maran,1944*  
**17 35**
- 1031. Cerocoma malatyensis Kaszab,1941** (Meloidae) **Synonym(s):** *malatyensis Kaszab,1941*  
**44 56 62**
- 1032. Cerocoma marginiventris Reitter,1889** (Meloidae) **Synonym(s):** *marginiventris*  
*Reitter,1889* **76**
- 1033. Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) **Synonym(s):** *muehlfeldi Gyllenhal,1817*  
**05 06 12 23 25 29 39 45 46 60 62**
- 1034. Cerocoma schaefferi (Linnaeus,1758)** (Meloidae) **Synonym(s):** *schaefferi Linnaeus,1758*  
**06 25**
- 1035. Cerocoma schreberi Fabricius,1781** (Meloidae) **Synonym(s):** *schreberi Fabricius,1781*  
**07 16 39 46 54 59**
- 1036. Cerocoma scovitzii Faldermann,1837** (Meloidae) **Synonym(s):** *scovitzii Faldermann,1837*  
**12 23 24 27 42 44 62**
- 1037. Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) **Synonym(s):** *syriaca Abeille de*  
*Perrin,1880* **21 24 41 56 77**
- 1038. Cerocoma turcica Pardo Alcaide,1977** (Meloidae) **Synonym(s):** *turcica Pardo*  
*Alcaide,1977* **76**
- 1039. Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) **Synonym(s):** *ebulinum*  
*Linnaeus,1767; ruficollis Fabricius,1787*
- 1040. Cetonia (s.str.) asiatica Gory & Percheron,1833** (Scarabaeidae) **Synonym(s):**  
*asiatica Gory & Percheron,1833; oertzeni Reitter,1885*
- 1041. Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) **Synonym(s):** *aurata*  
*Linnaeus,1761; smaragdus De Geer,1774; aenea Fuessly,1778; chlorochrysa Schrank,1776; viridicoruscus*  
*Voet,1779; maculata Scriba,1790; variabilis Preyss.,1790; piligera Mulsant & Rey,1842; praeclara Mulsant &*  
*Rey,1842; clermonti Bourgin,1948* **01 05 12 14 27 48 57 60 65 67 70**
- 1042. Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) **Synonym(s):** *delangrei*  
*Boucard,1893; syriaca Boucard,1893; chrysosoma Reitter,1896* **31**
- 1043. Cetonia (s.str.) kemali Delpont,1995** (Scarabaeidae) **Synonym(s):** *kemali Delpont,1995*  
*Cetonia (s.str.) kemali Delpont,1995, Lambillionea 95 (3): 340-344.* **07**
- 1044. Ceutorhynchus aenescens Schultze,1895** (Curculionidae) **Synonym(s):** *aenescens*  
*Schultze,1895* **06**
- 1045. Ceutorhynchus anatolicus Schultze,1900** (Curculionidae) **Synonym(s):** *anatolicus*  
*Schultze,1900* **40**



- 1046. Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis*  
Paykull,1792 **06**
- 1047. Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus*  
Gyllenhal,1837 **06 07 15**
- 1048. Ceutorhynchus difficilis Schultze,1898** (Curculionidae) Synonym(s): *difficilis*  
Schultze,1898 **06 26**
- 1049. Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi*  
Fabricius,1787 **01 06 58**
- 1050. Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887  
**50**
- 1051. Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax*  
Boheman,1845 **06 15 38 40**
- 1052. Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus*  
Schultze,1902 **06**
- 1053. Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus*  
Gyllenhal,1837 **18 32**
- 1054. Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii*  
Hoffmann,1957 **38**
- 1055. Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s):  
*pallidactylus* Marsham,1802 **07 33**
- 1056. Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis*  
Gyllenhal,1837 **01 07 15 33**
- 1057. Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus*  
Gyllenhal,1837 **40**
- 1058. Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae*  
Gyllenhal,1837 **58**
- 1059. Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae*  
Gyllenhal,1837 **06 38 42 50 58**
- 1060. Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus*  
Brisoth,1869 **06 42**
- 1061. Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus*  
Brisoth,1869 **06 40**
- 1062. Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis*  
Paykull,1800 **15**
- 1063. Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus*  
Schultze,1903 **06 40**
- 1064. Chaetarthria seminulum (Herbst,1797)** (Hydrophilidae) Synonym(s): *seminulum*  
Herbst,1797 **10 17 24 25**
- 1065. Chaetocnema arenacea (Allard,1860)** (Chrysomelidae) Synonym(s): *arenacea*  
Allard,1860 **01 06 22 25 29 50 51 58 66**
- 1066. Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *aridula*  
Gyllenhal,1827 **06 22 25 34 45 58 66**
- 1067. Chaetocnema breviuscula (Faldermann,1884)** (Chrysomelidae) Synonym(s):  
*breviuscula* Faldermann,1884 **01 25 26 34 58 60**
- 1068. Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae) Synonym(s):  
*chlorophana* Duftschmid,1825 **01 25 34 39 42 59 60**
- 1069. Chaetocnema concinna (Marsham,1802)** (Chrysomelidae) Synonym(s): *concinna*  
Marsham,1802 **05 06 25 26 41 55 69**
- 1070. Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae) Synonym(s):  
*conducta* Motschoulsky,1838 **01 06 25 26 39 58**
- 1071. Chaetocnema confusa (Boheman,1851)** (Chrysomelidae) Synonym(s): *confusa*  
Boheman,1851 **06 25 38 51 69**
- 1072. Chaetocnema coyei (Allard,1863)** (Chrysomelidae) Synonym(s): *coyei* Allard,1863  
**01 02 06 25 26 38 39 40 42 55 58 60 66**
- 1073. Chaetocnema hortensis (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *hortensis*  
Geoffroy,1785 **01 06 25 35 38 42 58 60 69**

- 1074. *Chaetocnema laevicollis* (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis* Thomson,1866 **78**
- 1075. *Chaetocnema major* (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): *major* Jaquelin du Val,1852 **01 06 22 25 26 76**
- 1076. *Chaetocnema mannerheimi* (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *mannerheimi* Gyllenhal,1827 **06 22 26**
- 1077. *Chaetocnema montenegrina* Heikertinger,1912** (Chrysomelidae) Synonym(s): *montenegrina* Heikertinger,1912 **01 06 07 25 42**
- 1078. *Chaetocnema obesa* (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859 **06 19 22 24 25 26 39 42 51 58 60**
- 1079. *Chaetocnema orientalis* (Bauduer,1874)** (Chrysomelidae) Synonym(s): *orientalis* Bauduer,1874 **01 33 34 39**
- 1080. *Chaetocnema procerula* (Rosenhauer,1856)** (Chrysomelidae) Synonym(s): *procerula* Rosenhauer,1856 **06 10 25 38 40 39 58 66 68**
- 1081. *Chaetocnema sahlbergi* (Gyllenhal,1859)** (Chrysomelidae) Synonym(s): *sahlbergi* Gyllenhal,1859 **06 25**
- 1082. *Chaetocnema scheffleri* (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864 **06 25 35 42**
- 1083. *Chaetocnema semicoerulea* (Koch,1803)** (Chrysomelidae) Synonym(s): *semicoerulea* Koch,1803 **05 06 18**
- 1084. *Chaetocnema tibialis* (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis* Illiger,1807 **06 16 24 25 26 35 36 41 42 55 60 68**
- 1085. *Chaetocnema turhalus* Iyriboz,1934 (?)** (Chrysomelidae) Synonym(s): *turhalus* Iyriboz,1934 **54 60**
- 1086. *Chalcophorella stigmatica* (Schoenherr,1817)** (Buprestidae) Synonym(s): *stigmatica* Schoenherr,1817 **02 21 35**
- 1087. *Cheilotoma beldei* Kasap,1984** (Chrysomelidae) Synonym(s): *beldei* Kasap,1984
- 1088. *Cheilotoma voriseki* Medvedev & Kantner,2003** (Chrysomelidae) Synonym(s): *voriseki* Medvedev & Kantner,2003 **02**
- 1089. *Cheirodes (Anemia) sardous* Gén  ,1839** (Tenebrionidae) Synonym(s): *sardous* Gén  ,1839 **07**
- 1090. *Cheironitis hungaricus* (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842
- 1091. *Chilocorus bipustulatus* (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipustulatus* Linnaeus,1758
- 1092. *Chilocorus renipustulatus* (Scriba,1790)** (Coccinellidae) Synonym(s): *renipustulatus* Scriba,1790
- 1093. *Chitona cretica* Fairmaire,1863** (Oedemeridae) Synonym(s): *cretica* Fairmaire,1863; *acuminata* Reitter,1890; *balkanica* Pic,1913
- 1094. *Chitona fucata* (Faldermann,1837)** (Oedemeridae) Synonym(s): *fucata* Faldermann,1837 **76**
- 1095. *Chitona incana* (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *incana* W.Schmidt,1846 **45**
- 1096. *Chlorophorus aegyptiacus* (Fabricius,1775)** (Cerambycidae) Synonym(s): *aegyptiacus* Fabricius,1775; *nigripes* Brull  ,1832
- 1097. *Chlorophorus dinae* Rapuzzi & Sama,1999** (Cerambycidae) Synonym(s): *dinae* Rapuzzi & Sama,1999
- 1098. *Chlorophorus dominici* Sama,1996** (Cerambycidae) Synonym(s): *dominici* Sama,1996 **60**
- 1099. *Chlorophorus figuratus* (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763
- 1100. *Chlorophorus gratiosus* Marseul,1868** (Cerambycidae) Synonym(s): *gratiosus* Marseul,1868 **33**
- 1101. *Chlorophorus nivipictus* Kraatz,1879** (Cerambycidae) Synonym(s): *nivipictus* Kraatz,1879 **13 33**
- 1102. *Chlorophorus sartor* (O.F.M  ller,1766)** (Cerambycidae) Synonym(s): *sartor* O.F.M  ller,1766



- 1103. Chlorophorus trifasciatus (Fabricius,1781)** (Cerambycidae) Synonym(s): *trifasciatus* Fabricius,1781 **31**
- 1104. Chlorophorus varius (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *varius* O.F.Müller,1766
- 1105. Chonostropheus tristis (Fabricius,1794)** (Attelabidae) Synonym(s): *tristis* Fabricius,1794; *seminiger* Reitter,1880 **14**
- 1106. Choragus sheppardi Kirby,1818** (Anthribidae) Synonym(s): *sheppardi* Kirby,1818; *bostrichoides* Müller,1821; *niger* Stephens,1830; *pygmaeus* Robert,1832; *galeazzii* Villa,1833; *caucasicus* Motschoulsky,1873; *nitidipennis* Gerhard,1901
- 1107. Choragus vittatus Reitter,1885** (Anthribidae) Synonym(s): *vittatus* Reitter,1885
- 1108. Chovela (s.str.) fencli Ruzicka,1993** (Leiodidae) Synonym(s): *fencli* Ruzicka,1993 **08**
- 1109. Chromoderus fasciatus (O.F.Müller,1776)** (Curculionidae) Synonym(s): *fasciatus* O.F.Müller,1776 **34 35 55 64**
- 1110. Chromovalgus peyroni (Mulsant & Wachanru,1852)** (Scarabaeidae) Synonym(s): *peyroni* Mulsant & Wachanru,1852 *Valgus peyroni* Mulsant & Wachanru,1852, Mém. Acad. Lyon 2: 7. Type: Asie minéure. **07 42 65 70 80**
- 1111. Chrysanthia chalcocroa Fairmaire,1892** (Oedemeridae) Synonym(s): *chalcocroa* Fairmaire,1892 **07 33**
- 1112. Chrysanthia distinctithorax Pic,1904** (Oedemeridae) Synonym(s): *distinctithorax* Pic,1904
- 1113. Chrysanthia flavipes Reitter,1889** (Oedemeridae) Synonym(s): *flavipes* Reitter,1889 **01 07 17 31 33 80**
- 1114. Chrysanthia varipes Kiesenwetter,1861** (Oedemeridae) Synonym(s): *varipes* Kiesenwetter,1861 **17 18 28 33 53**
- 1115. Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménétériés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyi* Richter,1944 **08 22 25 34 35 48**
- 1116. Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 **08**
- 1117. Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 **07 25 34 35**
- 1118. Cicindela asiatica Audouin & Brullé,1839** (Carabidae) Synonym(s): *asiatica* Audouin & Brullé,1839 **01 12 13 23 30 31 46 49 56 62 63 65**
- 1119. Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris* Linnaeus,1758 **05 06 07 11 14 15 16 17 19 26 29 32 34 35 37 41 42 45 48 52 60 64**
- 1120. Cicindela desertorum Dejean,1825** (Carabidae) Synonym(s): *desertorum* Dejean,1825 **08 28 29 52 53 61 75 76**
- 1121. Cicindela herbacea Klug,1832** (Carabidae) Synonym(s): *herbacea* Klug,1832 **01 05 07 09 27 31 32 33 46 70**
- 1122. Cicindela sylvatica Linnaeus,1758** (Carabidae) Synonym(s): *sylvatica* Linnaeus,1758 **16 34 58**
- 1123. Cicindela turkestanicoides W.Horn,1938** (Carabidae) Synonym(s): *turkestanicoides* W.Horn,1938 **12 13 24 30 44 49 62 65**
- 1124. Cidnopus crassipes (Schwarz,1900)** (Elateridae) Synonym(s): *crassipes* Schwarz,1900 **10**
- 1125. Cidnopus pilosus (Leske,1785)** (Elateridae) Synonym(s): *pilosus* Leske,1785 **14**
- 1126. Cidnopus schurmanni Platia & Gudenzi,1998** (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,1998
- 1127. Cidnopus turcicus Platia,2004** (Elateridae) Synonym(s): *turcicus* Platia,2004
- 1128. Cionus caucasicus Reitter,1888** (Curculionidae) Synonym(s): *caucasicus* Reitter,1888 **14 25 28 29 37 53 61 75**
- 1129. Cionus distinctus Desbrochers,1869** (Curculionidae) Synonym(s): *distinctus* Desbrochers,1869

- 1130. Cionus donckieri Pic,1898** (Curculionidae) Synonym(s): *donckieri Pic,1898* **24 32 33 35 37 42 51 60**
- 1131. Cionus hortulanus (Geoffroy,1785)** (Curculionidae) Synonym(s): *hortulanus Geoffroy,1785*
- 1132. Cionus merkli Stierlich,1867** (Curculionidae) Synonym(s): *merkli Stierlich,1867*
- 1133. Cionus olens (Fabricius,1792)** (Curculionidae) Synonym(s): *olens Fabricius,1792*
- 1134. Cionus olivieri Rosenschöld,1838** (Curculionidae) Synonym(s): *olivieri Rosenschöld,1838* **65**
- 1135. Cionus ponticus Bialooki,2006** (Curculionidae) Synonym(s): *ponticus Bialooki,2006* **14**
- 1136. Cionus pulverosus Gyllenhal,1838** (Curculionidae) Synonym(s): *pulverosus Gyllenhal,1838*
- 1137. Cionus schultzei Reitter,1904** (Curculionidae) Synonym(s): *schultzei Reitter,1904*
- 1138. Cionus thapsus (Fabricius,1792)** (Curculionidae) Synonym(s): *thapsus Fabricius,1792*
- 1139. Cionus tuberculosus (Scopoli,1763)** (Curculionidae) Synonym(s): *tuberculosus Scopoli,1763*
- 1140. Cionus unguatus Germar,1821** (Curculionidae) Synonym(s): *unguatus Germar,1821*
- 1141. Cionus wanati Bialooki,2006** (Curculionidae) Synonym(s): *wanati Bialooki,2006* **33**
- 1142. Cionus wittei Kiesenwetter,1851** (Curculionidae) Synonym(s): *wittei Kiesenwetter,1851*
- 1143. Cleonis piger (Scopoli,1763)** (Curculionidae) Synonym(s): *piger Scopoli,1763* **06 08 25 35**
- 1144. Clerus mutillaeformis Reitter,1895** (Cleridae) Synonym(s): *mutillaeformis Reitter,1895* **31**
- 1145. Clerus mutillaroides Reitter,1893** (Cleridae) Synonym(s): *mutillaroides Reitter,1893* **01 33**
- 1146. Clitobius ovatus (Erichson,1843)** (Tenebrionidae) Synonym(s): *ovatus Erichson,1843*
- 1147. Clytra aliena Weise,1897** (Chrysomelidae) Synonym(s): *aliena Weise,1897* **Clytra aliena Weise,1897, Stettin ent. Ztg. 58: 64. Type: Kleinasien: Angora. 06**
- 1148. Clytra appendicina Lacordaire,1848** (Chrysomelidae) Synonym(s): *appendicina Lacordaire,1848*
- 1149. Clytra atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis Pallas,1773; deficiens Weise,1900* **06 20 22 26 35 42 45 60**
- 1150. Clytra binominata Monros,1953** (Chrysomelidae) Synonym(s): *binominata Monros,1953* **35 45**
- 1151. Clytra bodemeyeri Weise,1900** (Chrysomelidae) Synonym(s): *bodemeyeri Weise,1900* **11 31 33 42 48 51**
- 1152. Clytra cingulata Weise,1898** (Chrysomelidae) Synonym(s): *cingulata Weise,1898*
- 1153. Clytra laeviuscula (Ratzeburg,1837)** (Chrysomelidae) Synonym(s): *fasciata Ratzeburg,1837 nec Fabr.,1801; laeviuscula Ratzeburg,1837* **06 20 35 38**
- 1154. Clytra nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta Lacordaire,1848*
- 1155. Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata Olivier,1808; elata Weise,1881; persica Pic,1920* **06 09 20 28 33 35 42 45 48 51 60 64**
- 1156. Clytra ovata (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *ovata Lacordaire,1848*
- 1157. Clytra quadripunctata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *quadripunctata Linnaeus,1758*
- 1158. Clytra valeriana Ménéttriés,1832** (Chrysomelidae) Synonym(s): *valeriana Ménéttriés,1832; tetrastigma Schmidt,1841; #valerianae Aydın & Kismah,1990* **06 09 35 42 45 58 64**
- 1159. Clytus arietis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arietis Linnaeus,1758*
- 1160. Clytus arietis lederi Ganglbauer,1881** (Cerambycidae) Synonym(s): *lederi Ganglbauer,1881*
- 1161. Clytus ciliciensis Chevrolat,1863** (Cerambycidae) Synonym(s): *ciliciensis Chevrolat,1863* **33**
- 1162. Clytus gulekanus Pic,1904** (Cerambycidae) Synonym(s): *gulekanus Pic,1904* **33**
- 1163. Clytus kumalariensis Johanides,2001** (Cerambycidae) Synonym(s): *kumalariensis Johanides,2001* **03**
- 1164. Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): *rhamni Germar,1817*



- 1165. Clytus schneideri Kiesenwetter, 1879** (Cerambycidae) Synonym(s): *schneideri* Kiesenwetter, 1879
- 1166. Clytus taurusiensis (Pic, 1903)** (Cerambycidae) Synonym(s): *taurusiensis* Pic, 1903 **33**
- 1167. Cnemeplatia atropos Costa, 1847** (Tenebrionidae) Synonym(s): *atropos* Costa, 1847 **07**
- 1168. Coccinella (Neococcinella) undecimpunctata (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *undecimpunctata* Linnaeus, 1758 **16 25 27 35**
- 1169. Coccinella (s.str.) distincta Falderman** (Coccinellidae) Synonym(s): *distincta* Falderman; #distinctu Özbek & Çetin, 1991 **25 65**
- 1170. Coccinella (s.str.) septempunctata Linnaeus, 1758** (Coccinellidae) Synonym(s): *septempunctata* Linnaeus, 1758; *brucki* Mulsant, 1866 **13 21 22 25 34 35 65**
- 1171. Coccinula quatuordecimpustulata (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *quatuordecimpustulata* Linnaeus, 1758 **24 25**
- 1172. Coccinula sinuatomarginata (Faldermann, 1837)** (Coccinellidae) Synonym(s): *sinuatomarginata* Faldermann, 1837 **06 25 30**
- 1173. Coelostoma orbiculare (Fabricius, 1775)** (Hydrophilidae) Synonym(s): *orbiculare* Fabricius, 1775 **25**
- 1174. Coelostoma transcasicum Reitter, 1906** (Hydrophilidae) Synonym(s): *transcasicum* Reitter, 1906 **12**
- 1175. Coenorrhinus aeneovirens (Marsham, 1802)** (Attelabidae) Synonym(s): *minutus* Herbst, 1797; *aeneovirens* Marsham, 1802; *punctatus* Olivier, 1807; *obscurus* Gyllenhal, 1833 **11 33 43**
- 1176. Coenorrhinus aequatus (Linnaeus, 1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus, 1767; *purpureus* Goeze, 1777; *ruber* Geoffroy, 1785; *bicolor* Rossi, 1790; *rufipes* Sturm, 1826; *ruber* Fairmaire, 1859; *paykulli* Schilsky, 1903 **02 03 06 07 09 10 11 14 16 18 20 22 23 24 26 29 31 32 33 35 38 39 41 42 43 44 45 46 47 48 51 53 54 56 58 59 60 63 64 66 67 70 73 80**
- 1177. Coenorrhinus cribripennis Desbrochers, 1869** (Attelabidae) Synonym(s): *cribripennis* Desbrochers, 1869 **07 09 10 16 17 18 32 33 35 44 45 46 48 80**
- 1178. Coenorrhinus cribrum (Desbrochers, 1875)** (Attelabidae) Synonym(s): *cribrum* Desbrochers, 1875; *italicus* Voss, 1929 **07 11 14 15 32 33 35 42 43 45 48 60 64**
- 1179. Coenorrhinus germanicus (Herbst, 1797)** (Attelabidae) Synonym(s): *germanicus* Herbst, 1797; *rugipennis* Stephens, 1831; *minutus* C.G. Thomson, 1865 nec Herbst.; *fauconetti* Pic, 1926 **14 31 33 35 54**
- 1180. Coenorrhinus pauxillus (Germar, 1824)** (Attelabidae) Synonym(s): *pauxillus* Germar, 1824; *persicus* Gyllenhal, 1839; *pauculus* Voss, 1933 **06 08 52 54**
- 1181. Colpotus byzantinicus (Waltl, 1838)** (Tenebrionidae) Synonym(s): *byzantinicus* Waltl, 1838 **33 49**
- 1182. Colpotus dentatus Grimm & Schawaller, 2000** (Tenebrionidae) Synonym(s): *dentatus* Grimm & Schawaller, 2000 **09**
- 1183. Colpotus lassallei Ferrer & Soldati, 1999** (Tenebrionidae) Synonym(s): *lassallei* Ferrer & Soldati, 1999 **07 27**
- 1184. Colpotus punctipleuris Reitter, 1904** (Tenebrionidae) Synonym(s): *punctipleuris* Reitter, 1904 **42**
- 1185. Colpotus reitteri Zürcher, 1911** (Tenebrionidae) Synonym(s): *reitteri* Zürcher, 1911 **07**
- 1186. Colpotus sulcatus Ménétériés, 1838** (Tenebrionidae) Synonym(s): *sulcatus* Ménétériés, 1838 **48**
- 1187. Colpotus vogti Koch, 1944** (Tenebrionidae) Synonym(s): *vogti* Koch, 1944 **32 35**
- 1188. Colymbetes fuscus (Linnaeus, 1758)** (Dytiscidae) Synonym(s): *fuscus* Linnaeus, 1758 **03 09 15 25 35 42 50 68**
- 1189. Coniatus repandus (Fabricius, 1792)** (Curculionidae) Synonym(s): *repandus* Fabricius, 1792 **06 08 09 23 24 29 30 35 44 49 56**
- 1190. Coniatus tamarisci (Fabricius, 1787)** (Curculionidae) Synonym(s): *tamarisci* Fabricius, 1787 **35**
- 1191. Coniocleonus nigrosuturatus (Goeze, 1777)** (Curculionidae) Synonym(s): *nigrosuturatus* Goeze, 1777 **01 06 09 21 35 46**
- 1192. Conorhynchus nigrivittis (Pallas, 1781)** (Curculionidae) Synonym(s): *nigrivittis* Pallas, 1781 **05 10 14 35**
- 1193. Copris felschei Reitter, 1893** (Scarabaeidae) Synonym(s): *felschei* Reitter, 1893 **31**

- 1194. *Copris hispanus* (Linnaeus,1764)** (Scarabaeidae) **Synonym(s):** *hispanus* Linnaeus,1764; *cavolini* Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842; *persianus* Miksic,1958 **21**
- 1195. *Coptocephala gebleri* Gebler,1841** (Chrysomelidae) **Synonym(s):** *quadrimaculatus* Fabricius,1792 nec Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905 **05**
- 1196. *Coptocephala rubicunda* (Laicharting,1781)** (Chrysomelidae) **Synonym(s):** *rubicunda* Laicharting,1781; *tetradyma* Küster,1845; *massiliensis* Pic,1914; *dalmatina* Pic,1918; *vittata* Petri,1926; *rossica* Medvedev,1977
- 1197. *Coptocephala simillima* Lodewyckx,1995** (Chrysomelidae) **Synonym(s):** *simillima* Lodewyckx,1995
- 1198. *Coptosia bithynensis* Pic,1900** (Cerambycidae) **Synonym(s):** *bithynensis* Pic,1900 **02**
- 1199. *Coptosia ganglbaueri* (Pic,1951)** (Cerambycidae) **Synonym(s):** *ganglbaueri* Pic,1951 **02 65**
- 1200. *Coraebus elatus* (Fabricius,1787)** (Buprestidae) **Synonym(s):** *elatus* Fabricius,1787
- 1201. *Coraebus rubi* (Linnaeus,1767)** (Buprestidae) **Synonym(s):** *rubi* Linnaeus,1767
- 1202. *Cordicantharis iliaca* (Marseul,1864)** (Cantharidae) **Synonym(s):** *iliaca* Marseul,1864 **07 32 41**
- 1203. *Cordicantharis similis* Svihla,1999** (Cantharidae) **Synonym(s):** *similis* Svihla,1999 **12**
- 1204. *Cossyphus tauricus* Steven,1882** (Tenebrionidae) **Synonym(s):** *tauricus* Steven,1882 **35 45**
- 1205. *Crepidodera aurata* (Marsham,1802)** (Chrysomelidae) **Synonym(s):** *aurata* Marsham,1802; *pulchella* Stephens,1834; *versicolor* Kutschera,1860; *unicolor* Wetshoff,1881; *subunicolor* Pic,1918 **05 06 07 10 11 18 19 22 24 25 26 29 38 40 41 42 50 58 60 61 66**
- 1206. *Crepidodera aurea* (Geoffroy,1785)** (Chrysomelidae) **Synonym(s):** *aurea* Geoffroy,1785; *cyanea* Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens* Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918 **06 25 26 31 34**
- 1207. *Crepidodera fulvicornis* (Fabricius,1792)** (Chrysomelidae) **Synonym(s):** *fulvicornis* Fabricius,1792; *smaragdina* Foundras,1860; *pivicornis* Weise,1886; *jucunda* Weise,1886; *lapponica* Heikertinger,1950 **25 55**
- 1208. *Crepidodera lamina* (Bedel,1901)** (Chrysomelidae) **Synonym(s):** *lamina* Bedel,1901; *sapphirina* Weise,1886; *aeruginosa* Weise,1886; *cuprea* Weise,1886 **06 60 69**
- 1209. *Crepidodera nitidula* (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** *nitidula* Linnaeus,1758
- 1210. *Crepidodera plutus* (Latreille,1804)** (Chrysomelidae) **Synonym(s):** *plutus* Latreille,1804; *chloris* Foundras,1860; *foundrasi* Weise,1886; *punctatithorax* Pic,1918; *melanocera* Everts,1919 **07 08 55**
- 1211. *Cryphaeus cornutus* Fischer von Waldheim,1823** (Tenebrionidae) **Synonym(s):** *cornutus* Fischer von Waldheim,1823 **33**
- 1212. *Crypticus* (Platycrypticus) *castaneus* Baudi,1876** (Tenebrionidae) **Synonym(s):** *castaneus* Baudi,1876 **35**
- 1213. *Crypticus* (s.str.) *gibbulus* (Quensel,1806)** (Tenebrionidae) **Synonym(s):** *gibbulus* Quensel,1806
- 1214. *Crypticus* (s.str.) *pentheri* Reitter,1906** (Tenebrionidae) **Synonym(s):** *pentheri* Reitter,1906
- 1215. *Crypticus* (s.str.) *pettersoni* Ferrer & Soldati,1999** (Tenebrionidae) **Synonym(s):** *pettersoni* Ferrer & Soldati,1999 **09 20**
- 1216. *Crypticus* (s.str.) *quisquilius* (Linnaeus,1761)** (Tenebrionidae) **Synonym(s):** *quisquilius* Linnaeus,1761 **16**
- 1217. *Crypticus* (s.str.) *tauri* Pic,1907** (Tenebrionidae) **Synonym(s):** *tauri* Pic,1907
- 1218. *Cryptobium chaudoiri* Hochhuth,1851** (Staphylinidae) **Synonym(s):** *chaudoiri* Hochhuth,1851; *adanense* Rambousek,1906 **01**
- 1219. *Cryptobium fracticorne* (Paykull,1800)** (Staphylinidae) **Synonym(s):** *fracticorne* Paykull,1800; *jaquelinei* Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884
- 1220. *Cryptocephalus amasiensis* Weise,1894** (Chrysomelidae) **Synonym(s):** *amasiensis* Weise,1894 **05**
- 1221. *Cryptocephalus angorensis* Pic,1908** (Chrysomelidae) **Synonym(s):** *angorensis* Pic,1908 **06**



- 1222. *Cryptocephalus araxidis* Weise, 1898** (Chrysomelidae) Synonym(s): *araxidis* Weise, 1898 **76**
- 1223. *Cryptocephalus aureolus* Suffrian, 1847** (Chrysomelidae) Synonym(s): *aureolus* Suffrian, 1847; *illyricus* Franz, 1949 **11 14 37 45**
- 1224. *Cryptocephalus ayvazi* Gök & Sassi, 2002** (Chrysomelidae) Synonym(s): *ayvazi* Gök & Sassi, 2002
- 1225. *Cryptocephalus bicolor* Eschscholtz, 1818** (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz, 1818; *concinus* Suffrian, 1853
- 1226. *Cryptocephalus biguttatus* (Scopoli, 1763)** (Chrysomelidae) Synonym(s): *biguttatus* Scopoli, 1763 **14**
- 1227. *Cryptocephalus biledjekensis* Pic, 1909** (Chrysomelidae) Synonym(s): *biledjekensis* Pic, 1909 **06 11 29 32 35 42 56**
- 1228. *Cryptocephalus bipunctatus* (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus, 1758; *dispar* Paykull, 1799 **05 06 08 14 16 19 24 25 32 33 35 36 39 42 43 45 58 60 66 67**
- 1229. *Cryptocephalus concolor* Suffrian, 1847** (Chrysomelidae) Synonym(s): *concolor* Suffrian, 1847 **05 06 07 08 11 13 14 16 19 24 25 28 29 32 33 35 36 37 42 57 58 61 62 66**
- 1230. *Cryptocephalus connexus* Olivier, 1808** (Chrysomelidae) Synonym(s): *connexus* Olivier, 1808 **02 06 08 11 14 16 25 28 29 31 32 35 37 38 41 45 52 54 55 56 58 59 61 66 67**
- 1231. *Cryptocephalus curda* Jacobson, 1897** (Chrysomelidae) Synonym(s): *curda* Jacobson, 1897
- 1232. *Cryptocephalus elegantulus* Gravenhorst, 1807** (Chrysomelidae) Synonym(s): *elegantulus* Gravenhorst, 1807... **28**
- 1233. *Cryptocephalus flavipes* Fabricius, 1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius, 1781 **05 06 08 09 14 16 17 19 26 27 32 33 34 36 37 44 52 55 57 58 60 61 62 66**
- 1234. *Cryptocephalus fulvus* (Goeze, 1777)** (Chrysomelidae) Synonym(s): *fulvus* Goeze, 1777 **06 07 29 32 33 35 45 48**
- 1235. *Cryptocephalus hypochoeridis* (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus, 1758; *similis* Stephens, 1834; *rugulipennis* Suffrian, 1853 **08 53**
- 1236. *Cryptocephalus imperialis* Laicharting, 1781** (Chrysomelidae) Synonym(s): *imperialis* Laicharting, 1781 **05 25 32 42 64**
- 1237. *Cryptocephalus janthinus* Germar, 1824** (Chrysomelidae) Synonym(s): *janthinus* Germar, 1824 **17 26 33 39**
- 1238. *Cryptocephalus labiatus* (Linnaeus, 1761)** (Chrysomelidae) Synonym(s): *labiatus* Linnaeus, 1761; *exilis* Stephens, 1834; *diagrammus* Suffrian, 1848; *ocularis* Heyden, 1863 **25**
- 1239. *Cryptocephalus moehringi* Weise, 1884** (Chrysomelidae) Synonym(s): *moehringi* Weise, 1884 **05 06 11 14 16 18 19 26 32**
- 1240. *Cryptocephalus moraei* (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus, 1758 **01 03 06 08 11 13 14 16 21 24 25 28 30 32 33 35 36 37 39 42 48 53 54 55 58 61 62 67**
- 1241. *Cryptocephalus ocellatus* Drapiez, 1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez, 1819 **02 05 06 08 10 11 14 16 17 19 21 24 25 26 29 30 32 33 34 36 37 38 43 47 50 51 52 53 55 58**
- 1242. *Cryptocephalus octacasmus* Bedel, 1891** (Chrysomelidae) Synonym(s): *octacasmus* Bedel, 1891 **01 06 11 14 16 18 21 25 26 29 32 38 39 41 45 47 49 50 51 54 55 58 59 60 62 67 69**
- 1243. *Cryptocephalus octomaculatus* Rossi, 1790** (Chrysomelidae) Synonym(s): *octomaculatus* Rossi, 1790 **42**
- 1244. *Cryptocephalus paphlagonius* Sassi & Kismali, 2000** (Chrysomelidae) Synonym(s): *paphlagonius* Sassi & Kismali, 2000
- 1245. *Cryptocephalus parvulus* Müller, 1776** (Chrysomelidae) Synonym(s): *parvulus* Müller, 1776 **15 16 32 42 55**
- 1246. *Cryptocephalus populi* Suffrian, 1848** (Chrysomelidae) Synonym(s): *populi* Suffrian, 1848 **32**

- 1247. *Cryptocephalus prusias* Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853 **01 05 06 11 14 16 25 26 29 33 34 42 43 49 58**
- 1248. *Cryptocephalus pygmaeus* Fabricius,1792** (Chrysomelidae) Synonym(s): *pygmaeus* Fabricius,1792 **03 32 41**
- 1249. *Cryptocephalus sultani* Pic,1920** (Chrysomelidae) Synonym(s): *sultani* Pic,1920
- 1250. *Cryptocephalus trimaculatus* (Rossi,1790)** (Chrysomelidae) Synonym(s): *trimaculatus* Rossi,1790 **04**
- 1251. *Cryptocephalus tshorumae* Tomov,1984** (Chrysomelidae) Synonym(s): *tshorumae* Tomov,1984 **19**
- 1252. *Cryptocephalus turcicus* Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847 **06 07 11 15 16 18 26 32 42 58 61**
- 1253. *Cryptocephalus variceps* Weise,1884** (Chrysomelidae) Synonym(s): *variceps* Weise,1884 **41**
- 1254. *Cryptolaemus montrouzieri* Mulsant,1853** (Coccinellidae) Synonym(s): *montrouzieri* Mulsant,1853
- 1255. *Cryptotrogus niveus* (Hampe,1852)** (Scarabaeidae) Synonym(s): *niveus* Hampe,1852 **25?**
- 1256. *Ctenicera pectinicornis* (Linnaeus,1758)** (Elateridae) Synonym(s): *pectinicornis* Linnaeus,1758 **28**
- 1257. *Ctenopus* sp.** (Meloidae) Synonym(s):
- 1258. *Curculio crux* Fabricius,1776** (Curculionidae) Synonym(s): *crux* Fabricius,1776 **11 19**
- 1259. *Curculio elephas* Gyllenhal,1836** (Curculionidae) Synonym(s): *elephas* Gyllenhal,1836 **17 35**
- 1260. *Curculio excellans* Khnzorian,1953** (Curculionidae) Synonym(s): *excellans* Khnzorian,1953 **47**
- 1261. *Curculio glandium* Marsham,1802** (Curculionidae) Synonym(s): *glandium* Marsham,1802 **06 08 10 11 16 19 35 44 45 58 60**
- 1262. *Curculio nucum* Linnaeus,1758** (Curculionidae) Synonym(s): *nucum* Linnaeus,1758 **10 11 35 44 45 52 55 61 69**
- 1263. *Curculio pellitus* Boheman,1843** (Curculionidae) Synonym(s): *pellitus* Boheman,1843 **01 07 10 16 19 35 45**
- 1264. *Curculio pyrrhoceras* Marsham,1802** (Curculionidae) Synonym(s): *pyrrhoceras* Marsham,1802 **07 11 32**
- 1265. *Curculio salicivorus* Paykull,1792** (Curculionidae) Synonym(s): *salicivorus* Paykull,1792 **07 10 11 16 19 25 35 36 60 64 66 68**
- 1266. *Curculio venosus* (Gravenhorst,1807)** (Curculionidae) Synonym(s): *venosus* Gravenhorst,1807 **11 12 28**
- 1267. *Cybister* (s.str.) *tripunctatus* (Olivier,1795)** (Dytiscidae) Synonym(s): *tripunctatus* Olivier,1795; *lateralis* Fabricius,1798; *gotschii* Hochhuth,1846; *asiaticus* Sharp,1882; *similis* Regimbart,1899; *orientalis* Gschwendtner,1931 **01 09 33 35**
- 1268. *Cybister* (Scaphinectes) *lateralimarginalis* (De Geer,1774)** (Dytiscidae) Synonym(s): *lateralimarginalis* De Geer,1774 **01 15 20 26 33 35 42 65**
- 1269. *Cylindera* (Cicindina) *arenaria* (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria* Fuessli,1775 **18 19 20 25 29 38 43 50 52 60 61**
- 1270. *Cylindera* (Cicindina) *pygmaea* (Dejean,1825)** (Carabidae) Synonym(s): *pygmaea* Dejean,1825 **01 27 33 47 57 60 63**
- 1271. *Cylindera* (Cicindina) *sublacerata* (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata* Solsky,1874 **04 76**
- 1272. *Cylindera* (Cicindina) *trisignata* (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822 **01 07 34 48 52 55**
- 1273. *Cylindera* (s.str.) *germanica* (Linnaeus,1758)** (Carabidae) Synonym(s): *germanica* Linnaeus,1758 **08 15 18 25 35 53 61**
- 1274. *Cylindronotus* (Helopelius) *aeneipennis* (Allard,1876)** (Tenebrionidae) Synonym(s): *aeneipennis* Allard,1876 **07 32**
- 1275. *Cylindronotus* (Odocnemis) *anatolicus* Pic,1899** (Tenebrionidae) Synonym(s): *anatolicus* Pic,1899



- 1276. *Cylindronotus (Odocnemis) caudatus* Allard,1876** (Tenebrionidae) Synonym(s): *caudatus* Allard,1876
- 1277. *Cylindronotus (Odocnemis) dasypus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *dasypus* Seidlitz,1893 **05 11 16 18 43**
- 1278. *Cylindronotus (Odocnemis) exararatus* (Germar,1817)** (Tenebrionidae) Synonym(s): *exararatus* Germar,1817 **22**
- 1279. *Cylindronotus (Odocnemis) incultus* Allard,1877** (Tenebrionidae) Synonym(s): *incultus* Allard,1877
- 1280. *Cylindronotus (Odocnemis) korbi* Reitter,1901** (Tenebrionidae) Synonym(s): *korbi* Reitter,1901 **07 14 43 70**
- 1281. *Cylindronotus (Odocnemis) nitidus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *nitidus* Seidlitz,1893 **70**
- 1282. *Cylindronotus (Odocnemis) opertus* Reitter,1922** (Tenebrionidae) Synonym(s): *opertus* Reitter,1922
- 1283. *Cylindronotus (Odocnemis) protinus* Reitter,1900** (Tenebrionidae) Synonym(s): *protinus* Reitter,1900
- 1284. *Cylindronotus (Odocnemis) seriegranatus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *seriegranatus* Seidlitz,1893 **07**
- 1285. *Cylindronotus (Odocnemis) tuberculiger* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *tuberculiger* Reiche & Saulcy,1857 **14 43**
- 1286. *Cylindronotus (Omaleis) amasiae* Seidlitz,1896** (Tenebrionidae) Synonym(s): *amasiae* Seidlitz,1896 **05**
- 1287. *Cylindronotus (Omaleis) crenatostriatus* Allard,1877** (Tenebrionidae) Synonym(s): *crenatostriatus* Allard,1877
- 1288. *Cylindronotus (Omaleis) fundator* Reitter,1908** (Tenebrionidae) Synonym(s): *fundator* Reitter,1908
- 1289. *Cylindronotus (Omaleis) kurdistanus* Reitter,1901** (Tenebrionidae) Synonym(s): *kurdistanus* Reitter,1901
- 1290. *Cylindronotus (Omaleis) scutellatus* Reitter,1901** (Tenebrionidae) Synonym(s): *scutellatus* Reitter,1901
- 1291. *Cylindronotus (s.str.) funestoides* Reitter,1900** (Tenebrionidae) Synonym(s): *funestoides* Reitter,1900 **11**
- 1292. *Cylindronotus (s.str.) hoberlandti* Kaszab,1960** (Tenebrionidae) Synonym(s): *hoberlandti* Kaszab,1960
- 1293. *Cylindronotus (Stenomax) aeneus* (Scopoli,1763)** (Tenebrionidae) Synonym(s): *aeneus* Scopoli,1763
- 1294. *Cynegetis impunctata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): *impunctata* Linnaeus,1758 **25**
- 1295. *Cynegetis syriaca* (Mader)** (Coccinellidae) Synonym(s): *syriaca* Mader ; *rapillyi* **31**
- 1296. *Cyphogenia (Lechriomus) lucifuga* (Adams,1817)** (Tenebrionidae) Synonym(s): *lucifuga* Adams,1817
- 1297. *Cyphon abeillei* Bourgeois,1884** (Scirtidae) Synonym(s): *abeillei* Bourgeois,1884
- 1298. *Cyphon arietizans* Nyholm,1970** (Scirtidae) Synonym(s): *arietizans* Nyholm,1970 **01 08 12 24 25 36 37 55 58 60 62**
- 1299. *Cyphon buceros* Nyholm,1949** (Scirtidae) Synonym(s): *buceros* Nyholm,1949 **08 61**
- 1300. *Cyphon dinolabis* Nyholm,1970** (Scirtidae) Synonym(s): *dinolabis* Nyholm,1970 **48**
- 1301. *Cyphon euoplus* Nyholm,1970** (Scirtidae) Synonym(s): *euoplus* Nyholm,1970 **08 28 53 61 65**
- 1302. *Cyphon laevipennis* Tournier,1868** (Scirtidae) Synonym(s): *laevipennis* Tournier,1868 **07 33 35 65 67 78**
- 1303. *Cyphon longispinus* Nyholm,1968** (Scirtidae) Synonym(s): *longispinus* Nyholm,1968 **06 14 37 55 57**
- 1304. *Cyphon longiusculus* Nyholm,1970** (Scirtidae) Synonym(s): *longiusculus* Nyholm,1970 **06 14 16 28 34 37 52 53 55 61**
- 1305. *Cyphon ochraceus* Stephens,1830** (Scirtidae) Synonym(s): *ochraceus* Stephens,1830 **07 33 34**
- 1306. *Cyphon osellai* Klausnitzer,1989** (Scirtidae) Synonym(s): *osellai* Klausnitzer,1989 **35 45**
- 1307. *Cyphon padi* (Linnaeus,1758)** (Scirtidae) Synonym(s): *padi* Linnaeus,1758 **14**

- 1308. Cyphon palustris Thomson, 1855** (Scirtidae) **Synonym(s):** *palustris* Thomson, 1855 **01**  
**07 12 14 17 20 21 24 30 33 34 35 36 48 49 62 65 67**
- 1309. Cyphon ponticus Nyholm, 1976** (Scirtidae) **Synonym(s):** *ponticus* Nyholm, 1976 **08 53**
- 1310. Cyphon pubescens Fabricius, 1792** (Scirtidae) **Synonym(s):** *pubescens* Fabricius, 1792  
**14**
- 1311. Cyphon scurrula Nyholm, 1970** (Scirtidae) **Synonym(s):** *scurrula* Nyholm, 1970 **16 34**
- 1312. Cyphon wittmeri Nyholm, 1970** (Scirtidae) **Synonym(s):** *wittmeri* Nyholm, 1970 **02**
- 1313. Dailognatha caraboides Solier, 1835** (Tenebrionidae) **Synonym(s):** *caraboides*  
*Solier, 1835; audouini Solier, 1835; caucasica Desbrochers, 1881* **04 07 35 45 50 55 70**
- 1314. Dailognatha carceli Solier, 1835** (Tenebrionidae) **Synonym(s):** *carceli* Solier, 1835 **35**
- 1315. Dailognatha crenata Reiche & Saulcy, 1857** (Tenebrionidae) **Synonym(s):** *crenata*  
*Reiche & Saulcy, 1857*
- 1316. Dailognatha impressicollis Solier, 1835** (Tenebrionidae) **Synonym(s):** *impressicollis*  
*Solier, 1835* **01 16 51**
- 1317. Dailognatha minuscula Desbrochers, 1881** (Tenebrionidae) **Synonym(s):** *minuscula*  
*Desbrochers, 1881*
- 1318. Dailognatha planata Miller, 1861** (Tenebrionidae) **Synonym(s):** *planata* Miller, 1861
- 1319. Dailognatha pumila Baudi, 1874** (Tenebrionidae) **Synonym(s):** *pumila* Baudi, 1874;  
*humeralis Desbrochers, 1881* **07 38 70**
- 1320. Dailognatha quadricollis Brullé, 1832** (Tenebrionidae) **Synonym(s):** *quadricollis*  
*Brullé, 1832* **07 20 26 35 38**
- 1321. Dailognatha rugipleuris Reitter, 1896** (Tenebrionidae) **Synonym(s):** *rugipleuris*  
*Reitter, 1896* **07 15 32**
- 1322. Dallognatha crenata Reiche & Saulcy, 1857** (Tenebrionidae) **Synonym(s):** *crenata*  
*Reiche & Saulcy, 1857* **33**
- 1323. Dallognatha pumila Baudi, 1874** (Tenebrionidae) **Synonym(s):** *pumila* Baudi, 1874 **28**  
**38**
- 1324. Dallognatha quadricollis Brullé, 1832** (Tenebrionidae) **Synonym(s):** *quadricollis*  
*Brullé, 1832* **01 02 04 07 09 13 17 26 27 29 30 31 33 35 42 45 46 48 50 51 62 70 71**
- 1325. Dallognatha rugipleuris Reitter, 1896** (Tenebrionidae) **Synonym(s):** *rugipleuris*  
*Reitter, 1896* **07 35 48**
- 1326. Dalopius marginatus (Linnaeus, 1758)** (Elateridae) **Synonym(s):** *marginatus*  
*Linnaeus, 1758*
- 1327. Dalopius radiculosus Gurjeva, 1964** (Elateridae) **Synonym(s):** *radiculosus* Gurjeva, 1964
- 1328. Danasoma fasciata (Linnaeus, 1758)** (Elateridae) **Synonym(s):** *fasciata* Linnaeus, 1758
- 1329. Dendarus (Pandarinus) alleonis Seidlitz, 1893** (Tenebrionidae) **Synonym(s):**  
*alleonis* Seidlitz, 1893 **34**
- 1330. Dendarus (Pandarinus) armeniacus Baudi, 1876** (Tenebrionidae) **Synonym(s):**  
*armeniacus* Baudi, 1876 **07 08 33 73**
- 1331. Dendarus (Pandarinus) caelatus Brullé, 1832** (Tenebrionidae) **Synonym(s):** *caelatus*  
*Brullé, 1832* **51**
- 1332. Dendarus (Pandarinus) crenulatus (Ménétriés, 1832)** (Tenebrionidae)  
**Synonym(s):** *crenulatus* Ménétriés, 1832; *dardanus* Faldermann, 1837; *cribratus* Waltl, 1838 **01 06 19**  
**21 34 42 46 51 57 60**
- 1333. Dendarus (Pandarinus) dalmatinus Germar, 1824** (Tenebrionidae) **Synonym(s):**  
*dalmatinus* Germar, 1824 **07**
- 1334. Dendarus (Pandarinus) foveolatus Seidlitz, 1893** (Tenebrionidae) **Synonym(s):**  
*foveolatus* Seidlitz, 1893 **07 19 21 33 43 46**
- 1335. Dendarus (Pandarinus) messenius Brullé, 1832** (Tenebrionidae) **Synonym(s):**  
*messenius* Brullé, 1832; *gravidus* Brullé, 1832; *tentyrioides* Brullé, 1832; *ottomanus* Mulsant, 1854 **07 17 35**  
**45 48 64**
- 1336. Dendarus (Pandarinus) moesiacus Mulsant & Rey, 1854** (Tenebrionidae)  
**Synonym(s):** *moesiacus* Mulsant & Rey, 1854 **07 33 35 42 45**
- 1337. Dendarus (Pandarinus) punctatus Audinet-Serville, 1825** (Tenebrionidae)  
**Synonym(s):** *punctatus* Audinet-Serville, 1825 **25 31 38 40 42 46**
- 1338. Dendarus (Pandarinus) scrobiculatus Seidlitz, 1893** (Tenebrionidae) **Synonym(s):**  
*scrobiculatus* Seidlitz, 1893 **50**



- 1339. Dendarus (Pandarinus) tenellus Mulsant & Rey, 1854** (Tenebrionidae)  
Synonym(s): *tenellus* Mulsant & Rey, 1854 **02 07 21 32 33 42 46 51 68 73**
- 1340. Dendarus (Pandarinus) tibialis Seidlitz, 1893** (Tenebrionidae) Synonym(s): *tibialis* Seidlitz, 1893
- 1341. Dendarus (Pandarinus) torpidus Mulsant, 1854** (Tenebrionidae) Synonym(s): *torpidus* Mulsant, 1854
- 1342. Dendarus (Pandarinus) sinuatus Mulsant, 1854** (Tenebrionidae) Synonym(s): *sinuatus* Mulsant, 1854
- 1343. Dendarus (Pandarinus) stygius Waltl, 1838** (Tenebrionidae) Synonym(s): *stygius* Waltl, 1838 **35**
- 1344. Dendroxena quadrimaculata (Scopoli, 1772)** (Silphidae) Synonym(s): *quadrimaculata* Scopoli, 1772 **62**
- 1345. Denops albofasciatus (Charpentier, 1825)** (Cleridae) Synonym(s): *albofasciatus* Charpentier, 1825
- 1346. Denticollis linearis (Linnaeus, 1758)** (Elateridae) Synonym(s): *linearis* Linnaeus, 1758
- 1347. Denticollis parallellicollis Aubé, 1850** (Elateridae) Synonym(s): *parallellicollis* Aubé, 1850 **21 41 61**
- 1348. Denticollis rubens Piller & Mitterpacher, 1783** (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher, 1783 **08**
- 1349. Deporaus betulae (Linnaeus, 1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus, 1758; *populi* Scopoli, 1763; *fagi* Scopoli, 1763; *femoratus* Olivier, 1789; *populneus* Gmelin, 1790; *femoralis* Latreille, 1804 **07 14 16 33 46**
- 1350. Derocrepis anatolica Heikertinger, 1922** (Chrysomelidae) Synonym(s): *anatolica* Heikertinger, 1922 **07 42**
- 1351. Derocrepis delangrei Pic, 1903** (Chrysomelidae) Synonym(s): *delangrei* Pic, 1903 **31**
- 1352. Derocrepis laterufa Pic, 1909** (Chrysomelidae) Synonym(s): *laterufa* Pic, 1909; *obscuricolor* Pic, 1911
- 1353. Derocrepis rufipes (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *rufipes* Linnaeus, 1758; *ruficornis* Fabricius, 1792; *obscura* Weise, 1886; *latithorax* Pic, 1911 **16**
- 1354. Derocrepis serbica (Kutschera, 1860)** (Chrysomelidae) Synonym(s): *serbica* Kutschera, 1860; *strangulata* Allard, 1860; *bicolor* Weise, 1886 **16 34 60**
- 1355. Derocrepis whiteheadi Warchalowski, 1998** (Chrysomelidae) Synonym(s): *whiteheadi* Warchalowski, 1998 *Derocrepis whiteheadi* Warchalowski, 1998, Genus 9 (3): 361-365, figs. Holotype ♂: Türkiye: Lycien [Antalya Prov., 70km E Fethiye]: das Bergmassiv Eren Dag, 2500m 20 v 1997 leg. P.F.Whitehead (BMNH). **48**
- 1356. Deronectes doriae Sharp, 1882** (Dytiscidae) Synonym(s): *doriae* Sharp, 1882 **06 08 11 16 25 29 36 48**
- 1357. Deronectes evelynae Fery & Hosseinie, 1998** (Dytiscidae) Synonym(s): *evelynae* Fery & Hosseinie, 1998 **02 27**
- 1358. Deronectes hakkariensis Wewalka, 1989** (Dytiscidae) Synonym(s): *hakkariensis* Wewalka, 1989 **25 73**
- 1359. Deronectes jaechi Wewalka, 1989** (Dytiscidae) Synonym(s): *jaechi* Wewalka, 1989 **73**
- 1360. Deronectes kinzelbachi Fery & Hosseinie, 1998** (Dytiscidae) Synonym(s): *kinzelbachi* Fery & Hosseinie, 1998 **31**
- 1361. Deronectes longipes Sharp, 1882** (Dytiscidae) Synonym(s): *longipes* Sharp, 1882 **21 27 47 73**
- 1362. Deronectes parvicollis (Schaum, 1864)** (Dytiscidae) Synonym(s): *parvicollis* Schaum, 1864 **01 03 11 25 29 30 32 42 50 51 65 66**
- 1363. Deronectes sahlbergi Zimmermann, 1932** (Dytiscidae) Synonym(s): *sahlbergi* Zimmermann, 1932 **07 11 35 48**
- 1364. Deronectes syriacus Wewalka, 1971** (Dytiscidae) Synonym(s): *syriacus* Wewalka, 1971 **21 27 31 47 63**
- 1365. Deronectes toledo Fery, Köksal & Hosseinie, 2001** (Dytiscidae) Synonym(s): *toledo* Fery, Köksal & Hosseinie, 2001 **25**
- 1366. Deronectes wittmeri Wewalka, 1971** (Dytiscidae) Synonym(s): *wittmeri* Wewalka, 1971 **07**
- 1367. Diaclina fagi (Panzer, 1799)** (Tenebrionidae) Synonym(s): *fagi* Panzer, 1799 **07**

- 1368. Diaperis boleti (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *boleti* Linnaeus,1758  
07 35
- 1369. Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893;  
*transcaucasica* Khnzorian,1968 01 25 69
- 1370. Dibolia cryptocephala (Koch,1803)** (Chrysomelidae) Synonym(s): *cryptocephala*  
Koch,1803 25 36
- 1371. Dibolia cynoglossi (Koch,1803)** (Chrysomelidae) Synonym(s): *cynoglossi* Koch,1803;  
*paludina* Foudras,1860; *marrubii* Hering,1924 02 25
- 1372. Dibolia depressiuscula (Letzner,1847)** (Chrysomelidae) Synonym(s): *depressiuscula*  
Letzner,1847; *laevicollis* Foudras,1860 06 08 25 42 50
- 1373. Dibolia femoralis Redtenbacher,1849** (Chrysomelidae) Synonym(s): *femoralis*  
Redtenbacher,1849; *aurichalcea* Förster,1849; *erythrogaster* Allard,1861; *theresae* Pic,1909 02
- 1374. Dibolia kralii Mohr,1981** (Chrysomelidae) Synonym(s): *kralii* Mohr,1981 25 69
- 1375. Dibolia numidica Doguet,1971** (Chrysomelidae) Synonym(s): *numidica* Doguet,1971
- 1376. Dibolia occultans (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans* Koch,1803;  
*menthae* Hering,1924 01 08 25 40 58
- 1377. Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866 10
- 1378. Dibolia rufofemorata Reitter,1896** (Chrysomelidae) Synonym(s): *rufofemorata*  
Reitter,1896 25 31 42
- 1379. Dibolia rugulosa Redtenbacher,1849** (Chrysomelidae) Synonym(s): *rugulosa*  
Redtenbacher,1849 25
- 1380. Dibolia schillingii (Letzner,1847)** (Chrysomelidae) Synonym(s): *schillingii* Letzner,1847;  
*punctillata* Foudras,1860; *ciliciensis* Heikertinger,1911 01 25 33 42
- 1381. Dibolia timida (Illiger,1807)** (Chrysomelidae) Synonym(s): *timida* Illiger,1807; *eryngii*  
Bach,1859; *oranensis* Pic,1909
- 1382. Dibolia tricolor Reitter,1899** (Chrysomelidae) Synonym(s): *tricolor* Reitter,1899 25
- 1383. Dibolia zangezurica Khnzorian,1968** (Chrysomelidae) Synonym(s): *zangezurica*  
Khnzorian,1968
- 1384. Dichillus (Dichillinus) cylindricus Baudi,1874** (Tenebrionidae) Synonym(s):  
*cylindricus* Baudi,1874
- 1385. Dichillus (Dichillinus) duricornis Reitter,1886** (Tenebrionidae) Synonym(s):  
*duricornis* Reitter,1886 33
- 1386. Dichillus (Dichillocerus) araxidis Reitter,1916** (Tenebrionidae) Synonym(s):  
*araxidis* Reitter,1916
- 1387. Dichillus (Dichillocerus) crassicornis Allard,1869** (Tenebrionidae) Synonym(s):  
*crassicornis* Allard,1869
- 1388. Dichillus (Dichillocerus) pertusus Kiesenwetter,1861** (Tenebrionidae)  
Synonym(s): *pertusus* Kiesenwetter,1861
- 1389. Dichillus (s.str.) carinatus Küster,1848** (Tenebrionidae) Synonym(s): *carinatus*  
Küster,1848 07
- 1390. Dichillus (s.str.) iranicus Kaszab,1963** (Tenebrionidae) Synonym(s): *iranicus*  
Kaszab,1963
- 1391. Dichillus (s.str.) subsetulosus Reitter,1886** (Tenebrionidae) Synonym(s):  
*subsetulosus* Reitter,1886 07 35
- 1392. Dichomma dardanum (Steven,1829)** (Tenebrionidae) Synonym(s): *dardanum*  
Steven,1829 10 17 35
- 1393. Dicronychus adanensis (Pic,1908)** (Elateridae) Synonym(s): *adanensis* Pic,1908 01
- 1394. Dicronychus apteriformis Platia & Gudenzi,2004** (Elateridae) Synonym(s):  
*apteriformis* Platia & Gudenzi,2004 35
- 1395. Dicronychus bicolor Platia & Gudenzi,2004** (Elateridae) Synonym(s): *bicolor* Platia  
& Gudenzi,2004 02 33
- 1396. Dicronychus bozdagghensis Platia & Gudenzi,2004** (Elateridae) Synonym(s):  
*bozdagghensis* Platia & Gudenzi,2004 35
- 1397. Dicronychus cinereus (Herbst,1784)** (Elateridae) Synonym(s): *cinereus* Herbst,1784  
33
- 1398. Dicronychus decorus (Faldermann,1835)** (Elateridae) Synonym(s): *decorus*  
Faldermann,1835 25 36 58





- 1432. Dorcadion (s.str.) serotinum Thomson,1865** (Cerambycidae) Synonym(s): *serotinum Thomson,1865* **Dorcadion serotinum Thomson,1865, Mém. Soc. R. Sci. Liege 19: 549. Type: Smyrna. 35**
- 1433. Dorcus parallelopipedus (Linnaeus,1758)** (Lucanidae) Synonym(s): *parallelopipedus Linnaeus,1758* **08 14 28 55**
- 1434. Dorcus vavrai Nonfried,1905** (Lucanidae) Synonym(s): *vavrai Nonfried,1905; ? peyroni Petrovitz,1980*
- 1435. Drasterius bimaculatus (Rossi,1790)** (Elateridae) Synonym(s): *bimaculatus Rossi,1790; #levantinus Roubal,1924* **01 05 08 14 16 25 27 32 33 35 37 55**
- 1436. Dytiscus circumflexus Fabricius,1781** (Dytiscidae) Synonym(s): *circumflexus Fabricius,1781* **01 09 10 32 36 43 76**
- 1437. Dytiscus dimidiatus Bergsträßer,1778** (Dytiscidae) Synonym(s): *dimidiatus Bergsträßer,1778* **45 55**
- 1438. Dytiscus marginalis Linnaeus,1758** (Dytiscidae) Synonym(s): *marginalis Linnaeus,1758* **06 07 32 36 38 42 48 50 54 76**
- 1439. Dytiscus semisulcatus O.F.Müller,1776** (Dytiscidae) Synonym(s): *semisulcatus O.F.Müller,1776* **32 48**
- 1440. Ectamenogonus montandoni (Buysson,1888)** (Elateridae) Synonym(s): *montandoni Buysson,1888*
- 1441. Ectinus aterrimus (Linnaeus,1761)** (Elateridae) Synonym(s): *aterrimus Linnaeus,1761*
- 1442. Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus Linnaeus,1758* **33**
- 1443. Elater tauricus (Schwarz,1897)** (Elateridae) Synonym(s): *tauricus Schwarz,1897*
- 1444. Elathous buyssoni Reitter,1890** (Elateridae) Synonym(s): *buyssoni Reitter,1890*
- 1445. Elathous depressus Platia & Schimmel,1991** (Elateridae) Synonym(s): *depressus Platia & Schimmel,1991*
- 1446. Elathous lizlerwernerii Mertlik & Dusanek,2006** (Elateridae) Synonym(s): *lizlerwernerii Mertlik & Dusanek,2006*
- 1447. Elathous mertliki Platia & Schimmel,1992** (Elateridae) Synonym(s): *mertliki Platia & Schimmel,1992* **07**
- 1448. Elathous nigricans Platia & Schimmel,1991** (Elateridae) Synonym(s): *nigricans Platia & Schimmel,1991* **01**
- 1449. Elathous pavesii Platia & Schimmel,1992** (Elateridae) Synonym(s): *pavesii Platia & Schimmel,1992*
- 1450. Elathous rufobasalis Wurst,1994** (Elateridae) Synonym(s): *rufobasalis Wurst,1994* **32**
- 1451. Elathous schwarzi Reitter,1905** (Elateridae) Synonym(s): *schwarzi Reitter,1905* **01**
- 1452. Elathous smyrnensis Reitter,1905** (Elateridae) Synonym(s): *smyrnensis Reitter,1905* **35**
- 1453. Elathous turcicus Platia & Gudenzi,2005** (Elateridae) Synonym(s): *turcicus Platia & Gudenzi,2005*
- 1454. Eledona agaricola (Herbst,1784)** (Tenebrionidae) Synonym(s): *agaricola Herbst,1784* **34**
- 1455. Elodes akbesianus Pic,1898** (Scirtidae) Synonym(s): *akbesianus Pic,1898* **31**
- 1456. Elodes eberti Klausnitzer,1970** (Scirtidae) Synonym(s): *eberti Klausnitzer,1970* **08**
- 1457. Elodes flavoangularis Klausnitzer,1990** (Scirtidae) Synonym(s): *flavoangularis Klausnitzer,1990* **12 13 25 65**
- 1458. Elodes luteata Klausnitzer,1979** (Scirtidae) Synonym(s): *luteata Klausnitzer,1979* **34**
- 1459. Elodes megalopus Klausnitzer,2002** (Scirtidae) Synonym(s): *megalopus Klausnitzer,2002* **52 53 55 61**
- 1460. Elodes microps Klausnitzer,2002** (Scirtidae) Synonym(s): *microps Klausnitzer,2002* **52 58**
- 1461. Elodes minuta (Linnaeus,1767)** (Scirtidae) Synonym(s): *minuta Linnaeus,1767* **14 37**
- 1462. Elodes persimilis Klausnitzer,2002** (Scirtidae) Synonym(s): *persimilis Klausnitzer,2002* **28**
- 1463. Elodes pseudominuta Klausnitzer,1971** (Scirtidae) Synonym(s): *pseudominuta Klausnitzer,1971* **06 25**



- 1464. Elodes sieberi** Klausnitzer,1973 (Scirtidae) Synonym(s): *sieberi* Klausnitzer,1973 **07**  
**10 15 16 17 35 45 48**
- 1465. Elodes venustula** Klausnitzer,2002 (Scirtidae) Synonym(s): *venustula* Klausnitzer,2002  
**53**
- 1466. Endomia concolor** (Desbrochers,1875) (Anthicidae) Synonym(s): *concolor*  
Desbrochers,1875 **45**
- 1467. Enicopus hirtus** (Linnaeus,1767) (Dasytidae) Synonym(s): *pilosus* auct. nec Scop.,1763;  
*hirtus* Linnaeus,1767; *ater* Fabricius,1787 **03 26 32 46 58 66 70**
- 1468. Enochrus (Lumetus) ater** (Kuwert,1888) (Hydrophilidae) Synonym(s): *ater*  
Kuwert,1888
- 1469. Enochrus (Lumetus) bicolor** (Fabricius,1792) (Hydrophilidae) Synonym(s): *bicolor*  
Fabricius,1792 **06 07 24 36 65**
- 1470. Enochrus (Lumetus) fuscipennis** (Thomson,1884) (Hydrophilidae) Synonym(s):  
*fuscipennis* Thomson,1884 **08 24 25**
- 1471. Enochrus (Lumetus) salmonis** (Sahlberg,1900) (Hydrophilidae) Synonym(s):  
*salmonis* Sahlberg,1900
- 1472. Enochrus (Lumetus) segmentinotatus** (Kuwert,1888) (Hydrophilidae)  
Synonym(s): *segmentinotatus* Kuwert,1888 **01 09 17 30 33 35 42 48**
- 1473. Enochrus (Methydus) nigrinus** (Sharp,1872) (Hydrophilidae) Synonym(s): *nigrinus*  
Sharp,1872
- 1474. Enochrus (s.str.) melanocephalus** (Olivier,1792) (Hydrophilidae) Synonym(s):  
*melanocephalus* Olivier,1792 **24**
- 1475. Entomogonus (Delonurops) duchoni** Reitter,1903 (Tenebrionidae) Synonym(s):  
*duchoni* Reitter,1903 **13**
- 1476. Entomogonus (Delonurops) egregius** Seidlitz,1893 (Tenebrionidae) Synonym(s):  
*egregius* Seidlitz,1893 **27 46**
- 1477. Entomogonus (Delonurops) obtusus** Seidlitz,1893 (Tenebrionidae) Synonym(s):  
*obtusus* Seidlitz,1893 **31**
- 1478. Entomogonus (Delonurops) peyroni** (Reiche,1861) (Tenebrionidae) Synonym(s):  
*peyroni* Reiche,1861 **12 33**
- 1479. Entomogonus (Delonurops) saphyrinus** Allard,1876 (Tenebrionidae) Synonym(s):  
*saphyrinus* Allard,1876 **06 38 42 68**
- 1480. Entomogonus (Eutelogonus) davidis** (Fairmaire,1884) (Tenebrionidae)  
Synonym(s): *davidis* Fairmaire,1884 **09 33**
- 1481. Entomogonus (Eutelogonus) nylanderi** Ferrer & Soldati,1999 (Tenebrionidae)  
Synonym(s): *nylanderi* Ferrer & Soldati,1999 **07**
- 1482. Entomogonus (s.str.) angulicollis** Mulsant & Wacherau,1852 (Tenebrionidae)  
Synonym(s): *angulicollis* Mulsant & Wacherau,1852 **05 06 33 80**
- 1483. Epicauta erythrocephala** (Pallas,1771) (Meloidae) Synonym(s): *erythrocephala*  
Pallas,1771 **22 24**
- 1484. Epitrix abeillei** (Bauduer,1874) (Chrysomelidae) Synonym(s): *abeillei* Bauduer,1874  
**01**
- 1485. Epitrix atropae** Foudras,1860 (Chrysomelidae) Synonym(s): *atropae* Foudras,1860  
**25 48**
- 1486. Epitrix caucasica** (Heitertinger,1950) (Chrysomelidae) Synonym(s): *caucasica*  
Heitertinger,1950 **24 25**
- 1487. Epitrix dieckmanni** (Mohr,1968) (Chrysomelidae) Synonym(s): *dieckmanni* Mohr,1968
- 1488. Epitrix hirtipennis** (Melsheimer,1847) (Chrysomelidae) Synonym(s): *hirtipennis*  
Melsheimer,1847 **35**
- 1489. Epitrix intermedia** Foudras,1860 (Chrysomelidae) Synonym(s): *intermedia*  
Foudras,1860 **24 25 28 55**
- 1490. Epitrix pubescens** (Koch,1803) (Chrysomelidae) Synonym(s): *pubescens* Koch,1803;  
*ferruginea* Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903 **10 11 25 26 34 39 60**
- 1491. Eretes griseus** (Fabricius,1781) (Dytiscidae) Synonym(s): *griseus* Fabricius,1781;  
*succintus* Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935 **07**
- 1492. Erodius fabricii** Solier,1834 (Tenebrionidae) Synonym(s): *fabricii* Solier,1834

- 1493. *Erodium orientale* Brullé,1832** (Tenebrionidae) **Synonym(s):** *orientale* Brullé,1832  
**01 07 33 48**
- 1494. *Etorofus Matsushita*,1933** (Cerambycidae) **Synonym(s):** *Etorofus Matsushita*,1933
- 1495. *Etorofus pubescens* (Fabricius,1787)** (Cerambycidae) **Synonym(s):** *pubescens*  
Fabricius,1787
- 1496. *Euboeus mimonti* (Boieldieu,1865)** (Tenebrionidae) **Synonym(s):** *mimonti*  
Boieldieu,1865 **03 07 32 35 43 45 48**
- 1497. *Eurythyrea austriaca* (Linnaeus,1767)** (Buprestidae) **Synonym(s):** *austriaca*  
Linnaeus,1767 **12**
- 1498. *Eustenopus villosus* (Boheman,1843)** (Curculionidae) **Synonym(s):** *villosus*  
Boheman,1843 **38**
- 1499. *Eutagenia smyrnensis* Solier,1838** (Tenebrionidae) **Synonym(s):** *smyrnensis* Solier,1838  
**07 35 38 45**
- 1500. *Euzonitis bifasciata* Swarts,1808** (Meloidae) **Synonym(s):** *bifasciata* Swarts,1808
- 1501. *Euzonitis fluvipennis* (Fabricius,1792)** (Meloidae) **Synonym(s):** *fluvipennis*  
Fabricius,1792 **75**
- 1502. *Euzonitis quadrimaculata* (Pallas,1782)** (Meloidae) **Synonym(s):** *quadrimaculata*  
Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808 **05 06 25 32 33 36 53**
- 1503. *Euzonitis rubida* (Ménétriés,1832)** (Meloidae) **Synonym(s):** *rubida* Ménétriés,1832  
**07 25 33 51**
- 1504. *Euzonitis sexmaculata* (Olivier,1789)** (Meloidae) **Synonym(s):** *sexmaculata* Olivier,1789  
**05 55 66**
- 1505. *Euzonitis terminata* (Abeille de Perrin,1880)** (Meloidae) **Synonym(s):** *terminata*  
Abeille de Perrin,1880; *auricoma* Escherich,1891
- 1506. *Exochomus nigromaculatus* (Goeze,1777)** (Coccinellidae) **Synonym(s):**  
*nigromaculatus* Goeze,1777 **01 02 06 16 17 23 24 35 76**
- 1507. *Exochomus quadripustulatus* (Linnaeus,1758)** (Coccinellidae) **Synonym(s):**  
*quadripustulatus* Linnaeus,1758 **06 08 10 22 25 35 48 53**
- 1508. *Fallacia elegans* (Faldermann,1837)** (Cerambycidae) **Synonym(s):** *elegans*  
Faldermann,1837
- 1509. *Fallacia Mulsant & Rey*,1863** (Cerambycidae) **Synonym(s):** *Fallacia Mulsant & Rey*,1863
- 1510. *Flabellotilloidea palaestina* (Pic,1900)** (Cleridae) **Synonym(s):** *palaestina* Pic,1900
- 1511. *Formicomus ionicus* LaFerté & Sénectere,1847** (Anthicidae) **Synonym(s):** *ionicus*  
LaFerté & Sénectere,1847 **35 45**
- 1512. *Geotrupes spiniger* (Marsham,1802)** (Geotrupidae) **Synonym(s):** *spiniger* Marsham,1802  
**07 43 46**
- 1513. *Geotrupes stercorarius* (Linnaeus,1758)** (Geotrupidae) **Synonym(s):** *stercorarius*  
Linnaeus,1758 **43 48**
- 1514. *Glaphyrus festivus* Ménétriés,1836** (Glaphyridae) **Synonym(s):** *festivus* Ménétriés,1836;  
*rufipennis* Gory,1844; *equestris* Champenois,1898
- 1515. *Glaphyrus micans* Faldermann,1835** (Glaphyridae) **Synonym(s):** *micans*  
Faldermann,1835; *persicus* Pic,1947; *purpureus* Pic,1947; *euphraticus* Mitter,1990
- 1516. *Glaphyrus varians* Ménétriés,1836** (Glaphyridae) **Synonym(s):** *variens* Ménétriés,1836;  
*globulicollis* Ménétriés,1836; *sequensi* Reitter,1903; *variabilis* Reitter,1903; *turcicus* Mitter,1990
- 1517. *Gnaptor prolixus* Fairmaire,1866** (Tenebrionidae) **Synonym(s):** *prolixus* Fairmaire,1866  
*Gnaptor prolixus* Fairmaire,1866, *Annls Soc. ent. Fr.* (4) 6: 264. **09 35 42 59**
- 1518. *Gnaptor spinimanus* (Pallas,1781)** (Tenebrionidae) **Synonym(s):** *spinimanus*  
Pallas,1781; *glabratus* Fabricius,1792; *laevigatus* Fabricius,1792; *graecus* Küster,1848
- 1519. *Gnathocerus cornutus* (Fabricius,1798)** (Tenebrionidae) **Synonym(s):** *cornutus*  
Fabricius,1798
- 1520. *Gnorimus armeniacus* Reitter,1887** (Scarabaeidae) **Synonym(s):** *armeniacus*  
Reitter,1887 **25**
- 1521. *Gnorimus variabilis* (Linnaeus,1758)** (Scarabaeidae) **Synonym(s):** *variabilis*  
Linnaeus,1758; *octopunctatus* Fabricius,1775
- 1522. *Gonocephalum costatum* Brullé,1832** (Tenebrionidae) **Synonym(s):** *costatum*  
Brullé,1832 **01 04 06 07 10 17 21 30 32 34 35 38 42 46 48 50 68**
- 1523. *Gonocephalum granulatum* (Fabricius,1791)** (Tenebrionidae) **Synonym(s):**  
*granulatum* Fabricius,1791 **03 04 07 19 20 26 30 35 36 38 40 42 43 45 51 62 65 68 69**



- 1524. Gonocephalum rusticum (Olivier,1811)** (Tenebrionidae) Synonym(s): *rusticum* Olivier,1811 **01 04 07 09 10 13 20 31 33 35 40 42 43 45 48 51**
- 1525. Gonocephalum setulosum (Faldermann,1837)** (Tenebrionidae) Synonym(s): *setulosum Faldermann,1837* **04 15 19 50**
- 1526. Graecopachys quadricollis (Brullé,1832)** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832 **07 20 21 35 45**
- 1527. Graphoderus cinereus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *cinereus* Linnaeus,1758 **03 76**
- 1528. Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835; nigratarsis Sahlberg,1882; hopffgarteni Schilsky,1892; pervasus Gozis,1914; narentinus Zimmermann,1915* **25**
- 1529. Graptodytes veterator (Zimmermann,1918)** (Dytiscidae) Synonym(s): *veterator* Zimmermann,1918 **03 06 10 12 16 25 35 42**
- 1530. Gunarus lapidicola Küster,1850** (Tenebrionidae) Synonym(s): *lapidicola Küster,1850*
- 1531. Gunarus nodicornis Reitter,1922** (Tenebrionidae) Synonym(s): *nodicornis Reitter,1922*
- 1532. Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934* **01 02 06 10 11 17 27 32 35 39 46 51 65 72**
- 1533. Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly,1785; *cantharus Illiger,1803* **01 02 06 07 10 11 13 14 16 19 27 30 31 32 33 37 38 40 41 45 57 67 72 80**
- 1534. Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* **01 06 07 09 10 11 17 18 31 33 35 37 38 39 40 44 46 47 57 67 80**
- 1535. Gyrinus caspius Ménétériés,1832** (Gyrinidae) Synonym(s): *caspius Ménétériés,1832* **01 03 07 15 22 31 68**
- 1536. Gyrinus dejeani Brullé,1832** (Gyrinidae) Synonym(s): *dejeani Brullé,1832* **01 07 31 35 48**
- 1537. Gyrinus distinctus Aubé,1836** (Gyrinidae) Synonym(s): *distinctus Aubé,1836* **01 07 16 20 32 35 68**
- 1538. Gyrinus suffriani Scriba,1855** (Gyrinidae) Synonym(s): *suffriani Scriba,1855* **48**
- 1539. Haliplus variegatus Sturm,1834** (Haliplidae) Synonym(s): *variegatus Sturm,1834* **01 11 14 32 54**
- 1540. Harmonia quadripunctata (Pontoppidan,1763)** (Coccinellidae) Synonym(s): *quadripunctata Pontoppidan,1763* **01 03 06 16 20 25 32 35**
- 1541. Harmonia quattuordecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quattuordecimpunctata Linnaeus,1758*
- 1542. Haterumelater fulvago (Marseul,1868)** (Elateridae) Synonym(s): *fulvago Marseul,1868; picinus Buysson,1891; julianum Penev,1987; preissi Schimmel,1995*
- 1543. Haterumelater languidus (Buysson,1891)** (Elateridae) Synonym(s): *languidus* Buysson,1891
- 1544. Hedyphanes elongatus Allard,1876** (Tenebrionidae) Synonym(s): *elongatus Allard,1876*
- 1545. Hedyphanes upioides (Faldermann,1837)** (Tenebrionidae) Synonym(s): *upioides* Faldermann,1837 **17**
- 1546. Helladia adelpha (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *adelpha* Ganglbauer,1884 **33**
- 1547. Helladia armeniaca Frivaldsky,1878** (Cerambycidae) Synonym(s): *armeniaca* Frivaldsky,1878 **13**
- 1548. Helladia diademata (Faldermann,1837)** (Cerambycidae) Synonym(s): *diademata* Faldermann,1837 **30**
- 1549. Helladia humeralis (Waltl,1828)** (Cerambycidae) Synonym(s): *humeralis Waltl,1828* **02 35**
- 1550. Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii Adams,1817* **02**
- 1551. Helladia plasoni Ganglbauer,1884** (Cerambycidae) Synonym(s): *plasoni Ganglbauer,1884* **12 49**
- 1552. Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata* Steven,1817 **14**

- 1553. *Helladia pretiosa* (Faldermann,1837)** (Cerambycidae) Synonym(s): *pretiosa*  
*Faldermann,1837* **47**
- 1554. *Helophorus* (*Orphelophorus*) *turca* İncekara,2008** (Helophoridae) Synonym(s):  
*turca* İncekara,2008 *Helophorus* (*Orphelophorus*) *turca* İncekara,2008, Ent. News 119 (4): 420-424,  
figs. **25**
- 1555. *Helophorus abeillei* Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei*  
*Guillebeau,1896* **25 30 65**
- 1556. *Helophorus alternans* Gené,1836** (Helophoridae) Synonym(s): *alternans* Gené,1836
- 1557. *Helophorus aquaticus* (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus*  
*Linnaeus,1758* **06 12 13 14 16 21 25 26 30 32 34 35 36 37 39 47 49 57 65 73**
- 1558. *Helophorus armeniacus* Ganglbauer,1901** (Helophoridae) Synonym(s): *armeniacus*  
*Ganglbauer,1901* **08**
- 1559. *Helophorus arvernensis* Mulsant,1846** (Helophoridae) Synonym(s): *arvernensis*  
*Mulsant,1846* **24**
- 1560. *Helophorus brevipalpis* Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis*  
*Bedel,1881* **06 07 08 16 21 34 35 39 46 48 51 55 57 65**
- 1561. *Helophorus brevipalpis* Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881  
**06 07 08 16 21 34 35 39 46 48 55 57 65**
- 1562. *Helophorus croaticus* Kuwert,1886** (Helophoridae) Synonym(s): *croaticus*  
*Kuwert,1886*
- 1563. *Helophorus daedalus* Orchymont,1932** (Helophoridae) Synonym(s): *daedalus*  
*Orchymont,1932* **21 25 35**
- 1564. *Helophorus difficilis* Angus,1988** (Helophoridae) Synonym(s): *difficilis* Angus,1988  
**31 80**
- 1565. *Helophorus discrepans* Rey,1885** (Helophoridae) Synonym(s): *discrepans* Rey,1885  
**08 14 30 65 75**
- 1566. *Helophorus dorsalis* (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis*  
*Marsham,1802* **34**
- 1567. *Helophorus erzurumicus* İncekara, Mart & Erman,2005** (Helophoridae)  
Synonym(s): *erzurumicus* İncekara, Mart & Erman,2005 **25**
- 1568. *Helophorus faustianus* Sharp,1916** (Helophoridae) Synonym(s): *faustianus* Sharp,1916  
**60**
- 1569. *Helophorus flavipes* Fabricius,1792** (Helophoridae) Synonym(s): *flavipes*  
*Fabricius,1792* **24 29**
- 1570. *Helophorus frater* Orchymont,1926** (Helophoridae) Synonym(s): *frater*  
*Orchymont,1926* **65**
- 1571. *Helophorus fulgidicollis* Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis*  
*Motschoulsky,1860* **25**
- 1572. *Helophorus glacialis* Villa,1883** (Helophoridae) Synonym(s): *glacialis* Villa,1883 **16**
- 1573. *Helophorus griseus* Herbst,1793** (Helophoridae) Synonym(s): *griseus* Herbst,1793  
**16 22 24 29 34 38**
- 1574. *Helophorus guttulus* Motschoulsky,1860** (Helophoridae) Synonym(s): *guttulus*  
*Motschoulsky,1860* **53**
- 1575. *Helophorus hiliaris* Sharp,1916** (Helophoridae) Synonym(s): *hiliaris* Sharp,1916 **12 21**  
**30 38 47 49 73**
- 1576. *Helophorus hirsutiventris* Angus,1984** (Helophoridae) Synonym(s): *hirsutiventris*  
*Angus,1984* **34 54 77**
- 1577. *Helophorus illustris* Sharp,1916** (Helophoridae) Synonym(s): *illustris* Sharp,1916 **33**  
**35**
- 1578. *Helophorus kirgisicus* Knisch,1914** (Helophoridae) Synonym(s): *kirgisicus* Knisch,1914  
**25**
- 1579. *Helophorus lapponicus* Thomson,1854** (Helophoridae) Synonym(s): *lapponicus*  
*Thomson,1854* **25 36 75**
- 1580. *Helophorus lewisi* Angus,1985** (Helophoridae) Synonym(s): *lewisi* Angus,1985 **21**  
**24 29 31 35 73**
- 1581. *Helophorus liguricus* Angus,1970** (Helophoridae) Synonym(s): *liguricus* Angus,1970  
**06 60**



- 1582. Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis*  
Wollaston,1864 **06 15 24**
- 1583. Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis*  
Wollaston,1864 **15**
- 1584. Helophorus maculatus Motschoulsky,1860** (Helophoridae) Synonym(s): *maculatus*  
Motschoulsky,1860 **65**
- 1585. Helophorus mervensis Semenov,1900** (Helophoridae) Synonym(s): *mervensis*  
Semenov,1900
- 1586. Helophorus micans Falderman,1835** (Helophoridae) Synonym(s): *micans*  
Falderman,1835 **06 10 15 21 25 31 35 65**
- 1587. Helophorus minutus Fabricius,1775** (Helophoridae) Synonym(s): *minutus*  
Fabricius,1775 **07 34**
- 1588. Helophorus montenegrinus Kuwert,1885** (Helophoridae) Synonym(s):  
*montenegrinus* Kuwert,1885 **06 14 16 34 37 39 57 61**
- 1589. Helophorus nanus Sturm,1836** (Helophoridae) Synonym(s): *nanus* Sturm,1836 **14**  
**24 29 30**
- 1590. Helophorus nubilus Fabricius,1776** (Helophoridae) Synonym(s): *nubilus* Fabricius,1776  
**06 12 13 31 32 33 34 39 48 54 77**
- 1591. Helophorus obscurus Mulsant,1844** (Helophoridae) Synonym(s): *obscurus* Mulsant,1844  
**14 16 34 39 57**
- 1592. Helophorus pallidipennis Mulsant & Wachanru,1852** (Helophoridae) Synonym(s):  
*pallidipennis* Mulsant & Wachanru,1852 **06 17 21 70 73**
- 1593. Helophorus paraminutus Angus,1986** (Helophoridae) Synonym(s): *paraminutus*  
Angus,1986 **07**
- 1594. Helophorus ponticus Angus,1988** (Helophoridae) Synonym(s): *ponticus* Angus,1988  
**08 16 24 25 36**
- 1595. Helophorus porculus Bedel,1881** (Helophoridae) Synonym(s): *porculus* Bedel,1881
- 1596. Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis* Kuwert,1887  
**25**
- 1597. Helophorus subarcuatus Rey,1885** (Helophoridae) Synonym(s): *subarcuatus* Rey,1885  
**25**
- 1598. Helophorus subcarinatus Angus,1985** (Helophoridae) Synonym(s): *subcarinatus*  
Angus,1985 **42**
- 1599. Helophorus syriacus Kuwert,1885** (Helophoridae) Synonym(s): *syriacus* Kuwert,1885  
**01 21 31 47**
- 1600. Helophorus terminassianae Angus,1984** (Helophoridae) Synonym(s): *terminassianae*  
Angus,1984 **25 35 42**
- 1601. Helophorus zagrosicus Angus,1988** (Helophoridae) Synonym(s): *zagrosicus*  
Angus,1988 **30**
- 1602. Helops (Mesohelops) cyanipes Allard,1877** (Tenebrionidae) Synonym(s): *cyanipes*  
Allard,1877 **27**
- 1603. Helops (s.str.) coeruleus (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *coeruleus*  
Linnaeus,1758
- 1604. Helops (s.str.) glabriventris Reitter,1885** (Tenebrionidae) Synonym(s): *glabriventris*  
Reitter,1885 **07 35**
- 1605. Helops (s.str.) rossii Germar,1817** (Tenebrionidae) Synonym(s): *rossii* Germar,1817  
**07**
- 1606. Hemicrepidius corvinus (Reitter,1905)** (Elateridae) Synonym(s): *corvinus* Reitter,1905  
**08**
- 1607. Hemicrepidius hirtus (Herbst,1784)** (Elateridae) Synonym(s): *hirtus* Herbst,1784  
**45**
- 1608. Hemicrepidius koenigi Schwarz,1897** (Elateridae) Synonym(s): *koenigi* Schwarz,1897
- 1609. Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger* Linnaeus,1758  
**59**
- 1610. Hemicrepidius nigritulus (Reitter,1890)** (Elateridae) Synonym(s): *nigritulus*  
Reitter,1890 **08**

- 1611. Hemicrepidius schneideri (Kiesenwetter,1877)** (Elateridae) Synonym(s): *schneideri* Kiesenwetter,1877 **08 75**
- 1612. Hemicrepidius vulpeculus (Reitter,1890)** (Elateridae) Synonym(s): *vulpeculus* Reitter,1890 **75**
- 1613. Hemidendroides daglariensis (Young,2004)** (Pyrochroidae) Synonym(s): *cyanipennis*; *daglariensis* Young,2004 **31 37**
- 1614. Henosepilachna argus (Geoffroy,1762)** (Coccinellidae) Synonym(s): *argus* Geoffroy,1762 **25**
- 1615. Hermaeophaga mercurialis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *mercurialis* Fabricius,1792 **52**
- 1616. Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849 **01 07 14**
- 1617. Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767
- 1618. Hippodamia (Adonia) variegata (Goeze,1777)** (Coccinellidae) Synonym(s): *variegata* Goeze,1777 **22 24 25 36 65**
- 1619. Hippodamia (s.str.) tredecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *tredecimpunctata* Linnaeus,1758 **24 36**
- 1620. Hippodamia (Semiadalia) undecimnotata (Schneider,1792)** (Coccinellidae) Synonym(s): *undecimnotata* Schneider,1792 **06 25 30 35 65**
- 1621. Hippuriphila modeeri (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *modeeri* Linnaeus,1761; *chrysopygis* Beck,1817; *mancula* Leconte,1861; *bimaculata* Weise,1886; *chalybaea* Weise,1886; *praescutellaris* Pic,1909; *laevicollis* Hellen,1933 **34**
- 1622. Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus* Rossi,1792 **01 35 45**
- 1623. Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): *quadrimaculatus* Linnaeus,1758; *gagates* Illiger,1807; *aethiops* Heer,1841 **35 49 65**
- 1624. Holochelus (Miltotrogus) escherichi Brenske,1897** (Scarabaeidae) Synonym(s): *escherichi* Brenske,1897 **18 29 42**
- 1625. Holochelus (Miltotrogus) fallax Marseul,1879** (Scarabaeidae) Synonym(s): *fallax* Marseul,1879 **60**
- 1626. Holochelus (Miltotrogus) mimicus (Reitter,1902)** (Scarabaeidae) Synonym(s): *mimicus* Reitter,1902
- 1627. Holochelus (s.str.) pilicollis (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *pilicollis* Gyllenhal,1817
- 1628. Homodela ismenia (Gory,1833)** (Carabidae) Synonym(s): *ismenia* Gory,1833 **01 05 06 07 11 12 13 20 31 32 33 35 37 38 40 42 44 46 48 49 55 60 67**
- 1629. Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890
- 1630. Hybometopia starcki Ganglbauer,1889** (Cerambycidae) Synonym(s): *starcki* Ganglbauer,1889 **08**
- 1631. Hycleus novemdecimpunctatus (Olivier,1811)** (Meloidae) Synonym(s): *novemdecimpunctatus* Olivier,1811 **22**
- 1632. Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771 **07 22**
- 1633. Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811 **04 06 11 13 17 24 25 26 36 42 44 45 49 65 76**
- 1634. Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculatus* Olivier,1811 **01 07 44**
- 1635. Hydaticus (Guignotites) ponticus Sharp,1882** (Dytiscidae) Synonym(s): *ponticus* Sharp,1882 **09 15**
- 1636. Hydaticus (s.str.) transversalis (Pontopoddian,1763)** (Dytiscidae) Synonym(s): *transversalis* Pontopoddian,1763 **01 20 43**
- 1637. Hydrobius arcticus Kuwert,1890** (Hydrophilidae) Synonym(s): *arcticus* Kuwert,1890 **12**
- 1638. Hydrobius rufipes (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *rufipes* Linnaeus,1758
- 1639. Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 **32 35 69**



- 1640. *Hydrochara dichorama* (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **01 05 06 12 19 24 25 28 29 49 52 53 55 60 61 69**
- 1641. *Hydrochara flavipes* (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 **01 06 55 68**
- 1642. *Hydrochara major* İncekara, Mart, Polat & Karaca,2009** (Hydrophilidae) Synonym(s): *major* İncekara, Mart, Polat & Karaca,2009 *Hydrochara major* İncekara, Mart, Polat & Karaca,2009, Turk. J. Zool. 33: 4-5. Holotype ♂: Turkey: Samsun, Ondokuzmayis Fish lake, leg. ncekara (ZMAÜ). **55**
- 1643. *Hydrochus brevis* (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis* Herbst,1793 **08 25**
- 1644. *Hydrochus elongatus* (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 **03**
- 1645. *Hydrochus flavipennis* Küster,1852** (Hydrochidae) Synonym(s): *flavipennis* Küster,1852; *foveostriatus* Fairmaire,1859; *obtusicollis* Fairmaire,1877; *filiformis* Kuwert,1887; *fuscipennis* Kuwert,1887; *testaceipennis* Kuwert,1887 **03 12 25 43**
- 1646. *Hydrochus ibericus* Valladares,1999** (Hydrochidae) Synonym(s): *ibericus* Valladares,1999 **12**
- 1647. *Hydrochus ignicollis* (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis* Motschoulsky,1860 **08**
- 1648. *Hydrochus megaphallus* Berge Henegouwen,1988** (Hydrochidae) Synonym(s): *megaphallus* Berge Henegouwen,1988 **34**
- 1649. *Hydrochus nodulifer* Reitter,1897** (Hydrochidae) Synonym(s): *nodulifer* Reitter,1897 **29 52 69**
- 1650. *Hydrocyphon australis* Linder,1864** (Scirtidae) Synonym(s): *australis* Linder,1864 **07**
- 1651. *Hydrocyphon deflexicollis* Müller,1821** (Scirtidae) Synonym(s): *deflexicollis* Müller,1821 **08 16 53**
- 1652. *Hydrocyphon finitimus* Nyholm,1977** (Scirtidae) Synonym(s): *finitimus* Nyholm,1977 **30 48 61 63**
- 1653. *Hydrocyphon* Redtenbacher,[1857]** (Scirtidae) Synonym(s): *Hydrocyphon* Redtenbacher,[1857]
- 1654. *Hydrocyphon rivulorum* Nyholm,1977** (Scirtidae) Synonym(s): *rivulorum* Nyholm,1977 **48**
- 1655. *Hydrocyphon segrex* Nyholm,1972** (Scirtidae) Synonym(s): *segrex* Nyholm,1972 **01 31 35 48 62**
- 1656. *Hydrocyphon vicinans* Nyholm,1972** (Scirtidae) Synonym(s): *vicinans* Nyholm,1972 **31**
- 1657. *Hydroglyphus geminus* (Fabricius,1792)** (Dytiscidae) Synonym(s): *geminus* Fabricius,1792 **01 06 07 08 09 10 14 16 22 26 29 35 37 38 42 45 50 53 61 79**
- 1658. *Hydroglyphus pubescens* Gyllenhal,1808** (Dytiscidae) Synonym(s): *pubescens* Gyllenhal,1808 **01 07 11 16 24 35 45 51 52 54 61**
- 1659. *Hydrophilus atterimus* Eschscholtz,1822** (Hydrophilidae) Synonym(s): *atterimus* Eschscholtz,1822 **25**
- 1660. *Hydrophilus piceus* (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *piceus* Linnaeus,1758 **25**
- 1661. *Hydroporus artvinensis* Fery & Erman,2009** (Dytiscidae) Synonym(s): *artvinensis* Fery & Erman,2009 **08**
- 1662. *Hydroporus bodemeyeri* Ganglbauer,1900** (Dytiscidae) Synonym(s): *bodemeyeri* Ganglbauer,1900 **01 06 11 14 32 35 48 54**
- 1663. *Hydroporus cagrankaya* Fery & Erman,2009** (Dytiscidae) Synonym(s): *cagrankaya* Fery & Erman,2009 **53**
- 1664. *Hydroporus discretus* Fairmaire & Brisout,1859** (Dytiscidae) Synonym(s): *discretus* Fairmaire & Brisout,1859 **08 25 53 76**
- 1665. *Hydroporus erzurumensis* Erman & Fery,2000** (Dytiscidae) Synonym(s): *erzurumensis* Erman & Fery,2000 **24 25**

- 1666. *Hydroporus kozlovskii* Zaitzev, 1927** (Dytiscidae) Synonym(s): *kozlovskii* Zaitzev, 1927  
07 08 12 24 29 30 36 49 53
- 1667. *Hydroporus lundbergi* Fery & Erman, 2009** (Dytiscidae) Synonym(s): *lundbergi* Fery & Erman, 2009 53
- 1668. *Hydroporus marginatus* (Duftschmid, 1805)** (Dytiscidae) Synonym(s): *marginatus* Duftschmid, 1805 06 36 42 48 58 61
- 1669. *Hydroporus nigellus* Mannerheim, 1853** (Dytiscidae) Synonym(s): *nigellus* Mannerheim, 1853 25 53
- 1670. *Hydroporus palustris* (Linnaeus, 1761)** (Dytiscidae) Synonym(s): *palustris* Linnaeus, 1761 08 53
- 1671. *Hydroporus planus* (Fabricius, 1781)** (Dytiscidae) Synonym(s): *planus* Fabricius, 1781  
01 07 08 10 16 20 24 25 28 29 33 34 36 42 53 61 69
- 1672. *Hydroporus pubescens* (Gyllenhal, 1808)** (Dytiscidae) Synonym(s): *pubescens* Gyllenhal, 1808 01 07 08 11 16 24 29 35 45 51 52 53 54 61 68
- 1673. *Hydroporus sivrikaya* Fery & Erman, 2009** (Dytiscidae) Synonym(s): *sivrikaya* Fery & Erman, 2009 53
- 1674. *Hydroporus thracicus* Guéorguiev, 1966** (Dytiscidae) Synonym(s): *thracicus* Guéorguiev, 1966 06 08 25 36 37 53
- 1675. *Hydroporus toledo* Fery & Erman, 2009** (Dytiscidae) Synonym(s): *toledo* Fery & Erman, 2009 53
- 1676. *Hydrovatus cuspidatus* (Kunze, 1818)** (Dytiscidae) Synonym(s): *cuspidatus* Kunze, 1818  
01 03
- 1677. *Hygrobia hermanni* (Fabricius, 1775)** (Hygrobiidae) Synonym(s): *hermanni* Fabricius, 1775 35
- 1678. *Hygrotus* (Coelambus) *ahmeti* Hajek, Fery & Erman, 2005** (Dytiscidae)  
Synonym(s): *ahmeti* Hajek, Fery & Erman, 2005 24 25
- 1679. *Hygrotus* (Coelambus) *armeniacus* (Zaitzev, 1927)** (Dytiscidae) Synonym(s):  
*armeniacus* Zaitzev, 1927 08 25 36
- 1680. *Hygrotus* (Coelambus) *confluens* (Fabricius, 1787)** (Dytiscidae) Synonym(s):  
*confluens* Fabricius, 1787 01 06 14 26 32 33 35 38 42 50
- 1681. *Hygrotus* (Coelambus) *enneagrammus* (Ahrens, 1833)** (Dytiscidae) Synonym(s):  
*enneagrammus* Ahrens, 1833
- 1682. *Hygrotus* (Coelambus) *impressopunctatus* (Schaller, 1783)** (Dytiscidae)  
Synonym(s): *impressopunctatus* Schaller, 1783
- 1683. *Hygrotus* (Coelambus) *lerna* (Schaum, 1857)** (Dytiscidae) Synonym(s): *lerna* Schaum, 1857 01 03 06 07 09 21 23 25 26 38 41 42 48 51 55 58 65 66
- 1684. *Hygrotus* (Coelambus) *marklini* (Gyllenhal, 1813)** (Dytiscidae) Synonym(s):  
*marklini* Gyllenhal, 1813
- 1685. *Hygrotus* (Coelambus) *pallidulus* (Aubé, 1850)** (Dytiscidae) Synonym(s): *pallidulus* Aubé, 1850
- 1686. *Hygrotus* (Coelambus) *parallellogrammus* (Ahrens, 1812)** (Dytiscidae)  
Synonym(s): *parallellogrammus* Ahrens, 1812
- 1687. *Hygrotus* (Coelambus) *saginat* (Schaum, 1857)** (Dytiscidae) Synonym(s):  
*saginat* Schaum, 1857
- 1688. *Hygrotus* (s.str.) *inaequalis* (Fabricius, 1777)** (Dytiscidae) Synonym(s): *inaequalis* Fabricius, 1777 08 14 25 32 42 45 50
- 1689. *Hymenalia brignolii* (Muche, 1974)** (Tenebrionidae) Synonym(s): *brignolii* Muche, 1974  
17
- 1690. *Hypera constans* (Boheman, 1834)** (Curculionidae) Synonym(s): *constans* Boheman, 1834 35
- 1691. *Hypera contaminata* (Herbst, 1795)** (Curculionidae) Synonym(s): *contaminata* Herbst, 1795 55
- 1692. *Hypera crinata* (Boheman, 1834)** (Curculionidae) Synonym(s): *crinata* Boheman, 1834  
35
- 1693. *Hypera cumanus* Petri, 1901** (Curculionidae) Synonym(s): *cumanus* Petri, 1901 08 49  
62



- 1694. *Hypera farinosa* Boheman,1842** (Curculionidae) Synonym(s): *farinosa* Boheman,1842  
04 06 20 23 38 65
- 1695. *Hypera fasciculata* (Herbst,1795)** (Curculionidae) Synonym(s): *fasciculata* Herbst,1795  
21 33
- 1696. *Hypera jucundus* Capiomont,1868** (Curculionidae) Synonym(s): *jucundus*  
Capiomont,1868 11 21 35 45 55 63 65 69 70
- 1697. *Hypera maculipennis* Fairmaire,1859** (Curculionidae) Synonym(s): *maculipennis*  
Fairmaire,1859 11
- 1698. *Hypera meles* (Fabricius,1792)** (Curculionidae) Synonym(s): *meles* Fabricius,1792  
08 13 16 17 24 25 29 30 32 35 36 38 43 45 55 65
- 1699. *Hypera orientalis* Capiomont,1867** (Curculionidae) Synonym(s): *orientalis*  
Capiomont,1867 35
- 1700. *Hypera pastinacae* (Rossi,1790)** (Curculionidae) Synonym(s): *pastinacae* Rossi,1790  
06 14 33 35 46 48
- 1701. *Hypera plantaginis* (De Geer,1775)** (Curculionidae) Synonym(s): *plantaginis* De Geer,1775  
35
- 1702. *Hypera punctata* (Fabricius,1775)** (Curculionidae) Synonym(s): *punctata* Fabricius,1775  
29 34
- 1703. *Hypera rumicis* (Linnaeus,1758)** (Curculionidae) Synonym(s): *rumicis* Linnaeus,1758  
55
- 1704. *Hypera striata* (Boheman,1834)** (Curculionidae) Synonym(s): *striata* Boheman,1834  
34 79
- 1705. *Hypera trilineata* (Marsham,1802)** (Curculionidae) Synonym(s): *trilineata*  
Marsham,1802 32
- 1706. *Hypera variabilis* (Herbst,1795)** (Curculionidae) Synonym(s): *variabilis* Herbst,1795  
03 04 05 06 08 09 10 11 13 17 19 21 24 25 27 30 32 35 36 38 41 43 44 47 48 49 52  
55 56 57 60 61 63 65 66 68 73 76
- 1707. *Hypera viciae* (Gyllenhal,1813)** (Curculionidae) Synonym(s): *viciae* Gyllenhal,1813  
65
- 1708. *Hyperaspis campestris* (Herbst,1783)** (Coccinellidae) Synonym(s): *campestris*  
Herbst,1783
- 1709. *Hyperaspis campestris* (Herbst,1783)** (Coccinellidae) Synonym(s): *campestris*  
Herbst,1783
- 1710. *Hyperaspis collaris* Fleischer,1900** (Coccinellidae) Synonym(s): *collaris* Fleischer,1900
- 1711. *Hyperaspis femorata* (Motschoulsky,1837)** (Coccinellidae) Synonym(s): *femorata*  
Motschoulsky,1837
- 1712. *Hyperaspis kansui* Uygun & Fürsch,1981** (Coccinellidae) Synonym(s): *kansui* Uygun &  
Fürsch,1981
- 1713. *Hyperaspis polita* Weise,1885** (Coccinellidae) Synonym(s): *polita* Weise,1885
- 1714. *Hyperaspis pseudopustulata* Mulsant,1853** (Coccinellidae) Synonym(s):  
*pseudopustulata* Mulsant,1853
- 1715. *Hyperaspis quadrimaculata* Redtenbacher,1843** (Coccinellidae) Synonym(s):  
*quadrimaculata* Redtenbacher,1843 01 06 07 09 10 20 27 35 47 48
- 1716. *Hyperaspis reppensis* (Herbst,1783)** (Coccinellidae) Synonym(s): *reppensis* Herbst,1783
- 1717. *Hyperaspis syriaca* (Weise,1885)** (Coccinellidae) Synonym(s): *syriaca* Weise,1885
- 1718. *Hyperaspis weisei* Jablonkoff & Khnorian,1971** (Coccinellidae) Synonym(s): *weisei*  
Jablonkoff & Khnorian,1971
- 1719. *Hyperaspis wellschmiedi* Fürsch,1987** (Coccinellidae) Synonym(s): *wellschmiedi*  
Fürsch,1987 07
- 1720. *Hypnoidus anatolicus* Platia & Gudenzi,2000** (Elateridae) Synonym(s): *anatolicus*  
Platia & Gudenzi,2000
- 1721. *Hypocaccus* (s.str.) *brasiliensis* (Paykull,1811)** (Histeridae) Synonym(s): *brasiliensis*  
Paykull,1811 33
- 1722. *Hypocassida subferruginea* (Schränk,1776)** (Chrysomelidae) Synonym(s):  
*subferruginea* Schränk,1776 01 05 06 07 09 10 11 13 14 15 16 17 18 19 20 22 24 25 26 31  
33 34 35 37 38 41 42 43 45 49 53 54 55 56 57 58 63 66 67 80
- 1723. *Hypoganus inunctus* (Panzer,1795)** (Elateridae) Synonym(s): *inunctus* Panzer,1795;  
*cinctus* Paykull,1800

- 1724. Hypoganus stepanovi Denisova,1948** (Elateridae) Synonym(s): *stepanovi Denisova,1948*
- 1725. Hypolixus nubilosus (Boheman,1836)** (Curculionidae) Synonym(s): *nubilosus Boheman,1836* **01 07 47 80**
- 1726. Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum Lucas,1854*
- 1727. Idastrandiella mucoreus (Waltl,1838)** (Tenebrionidae) Synonym(s): *mucoreus Waltl,1838* **35**
- 1728. Idolus adrastoides (Reitter,1888)** (Elateridae) Synonym(s): *adrastoides Reitter,1888* **61**
- 1729. Idotarmonides anaticus (Candeze,1881)** (Elateridae) Synonym(s): *anaticus Candeze,1881*
- 1730. Idotarmonides rydhi Platia & Schimmel,1992** (Elateridae) Synonym(s): *rydhi Platia & Schimmel,1992*
- 1731. Ilybius chalconatus (Panzer,1796)** (Dytiscidae) Synonym(s): *chalconatus Panzer,1796*
- 1732. Ilybius fuliginosus (Fabricius,1792)** (Dytiscidae) Synonym(s): *fuliginosus Fabricius,1792* **01 08 12 25 32 33 36 42 53**
- 1733. Ilybius hulae Wewalka,1984** (Dytiscidae) Synonym(s): *hulae Wewalka,1984*
- 1734. Ilybius jaechi (Fery & Nilsson,1993)** (Dytiscidae) Synonym(s): *jaechi Fery & Nilsson,1993* **09 59**
- 1735. Ilybius quadriguttatus (Lacordaire,1835)** (Dytiscidae) Synonym(s): *obscurus Marsham,1802; quadriguttatus Lacordaire,1835; sexdentatus Schiodte,1841*
- 1736. Ilybius satunini (Zaitzev,1913)** (Dytiscidae) Synonym(s): *satunini Zaitzev,1913* **08 25 36**
- 1737. Ilybius wewalkai (Fery & Nilsson,1993)** (Dytiscidae) Synonym(s): *wewalkai Fery & Nilsson,1993*
- 1738. Iphthimulus truquii (Marseul,1869)** (Tenebrionidae) Synonym(s): *truquii Marseul,1869* **07**
- 1739. Ischnodes kadleci Mertlik,2005** (Elateridae) Synonym(s): *kadleci Mertlik,2005*
- 1740. Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis Panzer,1793* **10 32 33 45 49 80**
- 1741. Ischnomera auripennis (Reitter,1903)** (Oedemeridae) Synonym(s): *auripennis Reitter,1903* **07**
- 1742. Ischnomera caerulea (Linnaeus,1758)** (Oedemeridae) Synonym(s): *caerulea Linnaeus,1758* **07 14 18 29 33 60**
- 1743. Ischnomera cinerascens (Pandellé,1867)** (Oedemeridae) Synonym(s): *cinerascens Pandellé,1867* **03 07 42 49 62**
- 1744. Ischnomera cyanea (Fabricius,1792)** (Oedemeridae) Synonym(s): *cyanea Fabricius,1792* **16 39**
- 1745. Ischnomera erdemliensis Svihla,1998** (Oedemeridae) Synonym(s): *erdemliensis Svihla,1998* **33**
- 1746. Ischnomera fulvicollis (Reitter,1897)** (Oedemeridae) Synonym(s): *fulvicollis Reitter,1897* **01 02 07 33 42 80**
- 1747. Ischnomera fuscipennis Svihla,1988** (Oedemeridae) Synonym(s): *fuscipennis Svihla,1988*
- 1748. Ischnomera haemorrhoidalis (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *haemorrhoidalis W.Schmidt,1846* **03 05 06 07 14 18 29 43 45 50 60**
- 1749. Ischnomera lutescens (Abeille de Perrin,1892)** (Oedemeridae) Synonym(s): *lutescens Abeille de Perrin,1892*
- 1750. Ischnomera maceki Svihla,1988** (Oedemeridae) Synonym(s): *maceki Svihla,1988* **44**
- 1751. Ischnomera partitipennis (Fairmaire,1892)** (Oedemeridae) Synonym(s): *partitipennis Fairmaire,1892* **02**
- 1752. Ischnomera sanguinicollis (Fabricius,1787)** (Oedemeridae) Synonym(s): *sanguinicollis Fabricius,1787* **39**
- 1753. Ischnomera similis (Svihla,1982)** (Oedemeridae) Synonym(s): *similis Svihla,1982*
- 1754. Ischnomera sveci (Svihla,2004)** (Oedemeridae) Synonym(s): *sveci Svihla,2004*
- 1755. Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum Gebler,1833* **04 18 35 38 76**
- 1756. Isidus letourneuxi Pic,1902** (Elateridae) Synonym(s): *letourneuxi Pic,1902*



- 1757. *Isidus moreli* Mulsant & Rey, 1874** (Elateridae) **Synonym(s):** *moreli* Mulsant & Rey, 1874
- 1758. *Islamocantharis* (s.str.) *johanidesi* Svihla, 2004** (Cantharidae) **Synonym(s):** *johanidesi* Svihla, 2004
- 1759. *Islamocantharis* (s.str.) *orientalis* Wittmer & Magis, 1978** (Cantharidae) **Synonym(s):** *orientalis* Wittmer & Magis, 1978
- 1760. *Islamocantharis* (*Uicantharis*) *cilicia* (Pic, 1904)** (Cantharidae) **Synonym(s):** *cilicia* Pic, 1904 **33**
- 1761. *Isotomus comptus* (Mannerheim, 1825)** (Cerambycidae) **Synonym(s):** *comptus* Mannerheim, 1825
- 1762. *Julodella globithorax* (Steven, 1830)** (Buprestidae) **Synonym(s):** *globithorax* Steven, 1830 **36**
- 1763. *Julodis abeillei* (Thery, 1893)** (Buprestidae) **Synonym(s):** *abeillei* Thery, 1893 **27**
- 1764. *Julodis andreae* (Olivier, 1790)** (Buprestidae) **Synonym(s):** *andreae* Olivier, 1790 **07**  
**13 31 49**
- 1765. *Julodis armeniaca* Marseul, 1865** (Buprestidae) **Synonym(s):** *armeniaca* Marseul, 1865 **33**
- 1766. *Julodis ehrenbergi* Laporte, 1835** (Buprestidae) **Synonym(s):** *ehrenbergi* Laporte, 1835 **21**
- 1767. *Julodis faldermanni* Mannerheim, 1837** (Buprestidae) **Synonym(s):** *faldermanni* Mannerheim, 1837 **76**
- 1768. *Julodis speculifera* Laporte & Gory, 1835** (Buprestidae) **Synonym(s):** *speculifera* Laporte & Gory, 1835
- 1769. *Labidostomis asiatica* Faldermann, 1837** (Chrysomelidae) **Synonym(s):** *asiatica* Faldermann, 1837 **05 09 10 11 23 25 33 35 38 45 48 61**
- 1770. *Labidostomis brevipennis* Faldermann, 1837** (Chrysomelidae) **Synonym(s):** *brevipennis* Faldermann, 1837
- 1771. *Labidostomis decipiens* Faldermann, 1837** (Chrysomelidae) **Synonym(s):** *decipiens* Faldermann, 1837; *lineola* Redtenbacher, 1843 **01 05 06 35 42 44 63**
- 1772. *Labidostomis diversifrons* Lefebvre, 1876** (Chrysomelidae) **Synonym(s):** *diversifrons* Lefebvre, 1876
- 1773. *Labidostomis hebraea* (Lacordaire, 1848)** (Chrysomelidae) **Synonym(s):** *hebraea* Lacordaire, 1848
- 1774. *Labidostomis humeralis* (Schneider, 1792)** (Chrysomelidae) **Synonym(s):** *humeralis* Schneider, 1792 **35**
- 1775. *Labidostomis karamanica* Weise, 1900** (Chrysomelidae) **Synonym(s):** *karamanica* Weise, 1900 **70**
- 1776. *Labidostomis korbi* Weise, 1901** (Chrysomelidae) **Synonym(s):** *korbi* Weise, 1901  
*Labidostomis korbi* Weise, 1901, Dt. ent. Z. 1901: 203. Type: Kleinasien: Ak-Chehir. **42**
- 1777. *Labidostomis maculipennis* Lefebvre, 1870** (Chrysomelidae) **Synonym(s):** *maculipennis* Lefebvre, 1870; *kindermanni* Kraatz, 1872 **05 06 35**
- 1778. *Labidostomis mesopotamica* Heyden, 1886** (Chrysomelidae) **Synonym(s):** *mesopotamica* Heyden, 1886; *escherichi* Weise, 1897; *frontalis* Weise, 1900; *iconiensis* Weise, 1900 **06 11 16**  
**20 26 33 35 41 42 44 48 51**
- 1779. *Labidostomis metallica* Lefebvre, 1872** (Chrysomelidae) **Synonym(s):** *metallica* Lefebvre, 1872
- 1780. *Labidostomis oertzeni* Weise, 1889** (Chrysomelidae) **Synonym(s):** *oertzeni* Weise, 1889 **05 25 35 39 45 47 48**
- 1781. *Labidostomis peregrina* Weise, 1900** (Chrysomelidae) **Synonym(s):** *peregrina* Weise, 1900
- 1782. *Labidostomis propinqua* Faldermann, 1837** (Chrysomelidae) **Synonym(s):** *propinqua* Faldermann, 1837; *binotata* Waltl, 1838; *steveni* Waltl, 1848; *arnoldii* Medvedev, 1962 **01 14 25 29 33**  
**34 35 41 54 55 61**
- 1783. *Labidostomis rufa* (Waltl, 1838)** (Chrysomelidae) **Synonym(s):** *rufa* Waltl, 1838 **03**  
**05 06 11 20 35**
- 1784. *Labidostomis subfasciata* Weise, 1885** (Chrysomelidae) **Synonym(s):** *subfasciata* Weise, 1885
- 1785. *Labidostomis sulcicollis* Lacordaire, 1848** (Chrysomelidae) **Synonym(s):** *sulcicollis* Lacordaire, 1848
- 1786. *Labidostomis testaceipes* Pic, 1904** (Chrysomelidae) **Synonym(s):** *testaceipes* Pic, 1904

- 1787. Laccobius (Compsolaccobius) decorus (Gyllenhal,1827)** (Hydrophilidae)  
Synonym(s): *decorus* Gyllenhal,1827
- 1788. Laccobius (Dimorpholaccobius) bipunctatus (Fabricius,1775)** (Hydrophilidae)  
Synonym(s): *bipunctatus* Fabricius,1775 **03 14 37**
- 1789. Laccobius (Dimorpholaccobius) chiesai Gentili,1982** (Hydrophilidae)  
Synonym(s): *chiesai* Gentili,1982 **06**
- 1790. Laccobius (Dimorpholaccobius) halophilus Gentili,1982** (Hydrophilidae)  
Synonym(s): *halophilus* Gentili,1982 **07 21 25 33 48**
- 1791. Laccobius (Dimorpholaccobius) hauserianus Knisch,1914** (Hydrophilidae)  
Synonym(s): *hauserianus* Knisch,1914 **33**
- 1792. Laccobius (Dimorpholaccobius) hindukuschi Chiesa,1966** (Hydrophilidae)  
Synonym(s): *hindukuschi* Chiesa,1966 **02 06 07 12 20 25 29 31 37 47 51 62 79**
- 1793. Laccobius (Dimorpholaccobius) hoberlandti Gentili,1982** (Hydrophilidae)  
Synonym(s): *hoberlandti* Gentili,1982 **25**
- 1794. Laccobius (Dimorpholaccobius) hopaensis Mart, İncekara & Erman,2003** (Hydrophilidae) Synonym(s): *hopaensis* Mart, İncekara & Erman,2003 **Laccobius (Dimorpholaccobius) hopaensis Mart, İncekara & Erman,2003, Aquatic Insects 25 (1): 77-79, figs. Holotype ♂: Turkey: Artvin Prov. 4km W Kemalpaşa (ZMAÜ). 08**
- 1795. Laccobius (Dimorpholaccobius) lycius Gentili & Whitehead,2000** (Hydrophilidae) Synonym(s): *lycius* Gentili & Whitehead,2000 **48**
- 1796. Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)  
Synonym(s): *obscuratus* Rottenberg,1874 **01 02 06 07 08 09 13 14 15 16 17 19 20 24 25 27 29 30 33 34 35 37 39 41 42 45 48 52 53 57 65 80**
- 1797. Laccobius (Dimorpholaccobius) sculptus Orchymont,1936** (Hydrophilidae)  
Synonym(s): *sculptus* Orchymont,1936 **21 63**
- 1798. Laccobius (Dimorpholaccobius) scutellaris Motschoulsky,1855** (Hydrophilidae)  
Synonym(s): *scutellaris* Motschoulsky,1855 **01 07 13 33 42 46 56 73**
- 1799. Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae)  
Synonym(s): *simulatrix* Orchymont,1932 **04 06 07 09 13 14 16 17 19 20 22 24 25 30 32 34 35 36 38 39 45 46 48 51 55 58 61 65 69 80**
- 1800. Laccobius (Dimorpholaccobius) sipylus Orchymont,1939** (Hydrophilidae)  
Synonym(s): *sipylus* Orchymont,1939 **07 08 10 17 19 20 21 31 33 38 60**
- 1801. Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae)  
Synonym(s): *striatulus* Fabricius,1801 **06 07 08 13 14 16 17 25 26 29 31 32 34 35 41 42 43 44 45 48 54 58 65 69**
- 1802. Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909** (Hydrophilidae)  
Synonym(s): *sulcatulus* Reitter,1909 **05 06 07 13 15 21 24 25 29 39 42 45 65 69 75**
- 1803. Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)  
Synonym(s): *syriacus* Guillebeau,1896 **01 06 07 08 09 13 15 19 20 21 22 24 25 27 30 31 32 33 35 36 37 38 42 46 47 48 52 53 55 57 61 63 65 69 80**
- 1804. Laccobius (Microlaccobius) alternus Motschoulsky,1855** (Hydrophilidae)  
Synonym(s): *alternus* Motschoulsky,1855
- 1805. Laccobius (Microlaccobius) exilis Gentili,1974** (Hydrophilidae) Synonym(s): *exilis* Gentili,1974 **07 20 33 47 51**
- 1806. Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)  
Synonym(s): *gracilis* Motschoulsky,1855 **01 02 07 09 10 12 13 14 15 16 17 19 20 22 24 25 27 28 30 31 32 33 34 35 36 37 38 45 47 48 49 51 52 53 57 58 61 65**
- 1807. Laccobius (Microlaccobius) orientalis Knisch,1924** (Hydrophilidae) Synonym(s): *orientalis* Knisch,1924
- 1808. Laccobius (Microlaccobius) quaesitus Gentili,1988** (Hydrophilidae) Synonym(s): *quaesitus* Gentili,1988 **01**
- 1809. Laccobius (s.str.) albipes Kuwert,1890** (Hydrophilidae) Synonym(s): *albipes* Kuwert,1890 **06 10 25**
- 1810. Laccobius (s.str.) minutus (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *minutus* Linnaeus,1758 **25 36**
- 1811. Laccophilus hyalinus (De Geer,1774)** (Dytiscidae) Synonym(s): *hyalinus* De Geer,1774 **01 03 07 08 09 14 15 32 35 40 42 45 54 68 79**



- 1812. *Laccophilus minutus* (Linnaeus,1758)** (Dytiscidae) Synonym(s): *minutus* Linnaeus,1758; *cimicoides* O.F.Müller,1776; *gilvus* O.F.Müller,1776; *variolosus* Herbst,1784; *melanophthalmos* Geoffroy,1785; *gibbus* Gmelin,1790; *virescens* Brahm,1791; *obscurus* Panzer,1795; *striatus* Depoli,1930 **01 03 06 07 08 09 10 14 15 16 20 29 32 35 38 42 45 53 57 58 61 68**
- 1813. *Laccophilus poecilus* Klug,1834** (Dytiscidae) Synonym(s): *poecilus* Klug,1834 **01 07 09 14 32 35 42 45 50 53**
- 1814. *Lachnaia sexpunctata* (Scopoli,1763)** (Chrysomelidae) Synonym(s): *sexpunctata* Scopoli,1763; *longipes* Fabricius,1775
- 1815. *Lacon candezei* Desbrochers,1875** (Elateridae) Synonym(s): *candezei* Desbrochers des Loges,1875
- 1816. *Lacon delagrangi* Buysson,1891** (Elateridae) Synonym(s): *delagrangi* Buysson,1891 **31 33**
- 1817. *Lacon gillerforsi* Platia & Schimmel,1994** (Elateridae) Synonym(s): *gillerforsi* Platia & Schimmel,1994 **07**
- 1818. *Lacon graecus* Candeze,1857** (Elateridae) Synonym(s): *graecus* Candeze,1857
- 1819. *Lacon ladae* Mertlik & Dusanek,2006** (Elateridae) Synonym(s): *ladae* Mertlik & Dusanek,2006
- 1820. *Lacon lepidopterus* (Panzer,1801)** (Elateridae) Synonym(s): *lepidopterus* Panzer,1801; *aurosquamosus* Jagemann,1939
- 1821. *Lacon punctatus* (Herbst,1779)** (Elateridae) Synonym(s): *punctatus* Herbst,1779 **33 34 70**
- 1822. *Lacon solai* Platia & Gudenzi,2000** (Elateridae) Synonym(s): *solai* Platia & Gudenzi,2000 **27**
- 1823. *Lacon unicolor* (Candeze,1874)** (Elateridae) Synonym(s): *unicolor* Candeze,1874 **47**
- 1824. *Laena angorensis* Reitter,1899** (Tenebrionidae) Synonym(s): *angorensis* Reitter,1899 **06**
- 1825. *Laena appfelbecki* Schuster,1915** (Tenebrionidae) Synonym(s): *appfelbecki* Schuster,1915 **15 16**
- 1826. *Laena byzantina* Apfelbeck,1901** (Tenebrionidae) Synonym(s): *byzantina* Apfelbeck,1901 **14**
- 1827. *Laena deplanata* Weise,1878** (Tenebrionidae) Synonym(s): *deplanata* Weise,1878
- 1828. *Laena ferruginea* Küster,1846** (Tenebrionidae) Synonym(s): *ferruginea* Küster,1846
- 1829. *Laena ganglbaueri* Reitter,1906** (Tenebrionidae) Synonym(s): *ganglbaueri* Reitter,1906 **34**
- 1830. *Laena graeca* Weise,1878** (Tenebrionidae) Synonym(s): *graeca* Weise,1878
- 1831. *Laena hopffgarteni* Weise,1878** (Tenebrionidae) Synonym(s): *hopffgarteni* Weise,1878 **45**
- 1832. *Laena kaufmanni* Reitter,1881** (Tenebrionidae) Synonym(s): *kaufmanni* Reitter,1881
- 1833. *Laena korbi* Heyden,1890** (Tenebrionidae) Synonym(s): *korbi* Heyden,1890
- 1834. *Laena kraatzi* Weise,1878** (Tenebrionidae) Synonym(s): *kraatzi* Weise,1878 **16**
- 1835. *Laena liliputana* Kaszab,1968** (Tenebrionidae) Synonym(s): *liliputana* Kaszab,1968
- 1836. *Laena lindbergi* Kaszab,1959** (Tenebrionidae) Synonym(s): *lindbergi* Kaszab,1959
- 1837. *Laena merkli* Weise,1883** (Tenebrionidae) Synonym(s): *merkli* Weise,1883
- 1838. *Laena obscuricornis* Reitter,1899** (Tenebrionidae) Synonym(s): *obscuricornis* Reitter,1899
- 1839. *Laena osmanlis* Reitter,1906** (Tenebrionidae) Synonym(s): *osmanlis* Reitter,1906 **07**
- 1840. *Laena parvidens* Reitter,1899** (Tenebrionidae) Synonym(s): *parvidens* Reitter,1899
- 1841. *Laena pulchella* (Fischer,1824)** (Tenebrionidae) Synonym(s): *pulchella* Fischer,1824 **35**
- 1842. *Laena striolata* Reitter,1899** (Tenebrionidae) Synonym(s): *striolata* Reitter,1899
- 1843. *Laena syriaca* Baudi,1876** (Tenebrionidae) Synonym(s): *syriaca* Baudi,1876 **07**
- 1844. *Laena theana* Reitter,1906** (Tenebrionidae) Synonym(s): *theana* Reitter,1906 **42**
- 1845. *Laena weisei* Reitter,1878** (Tenebrionidae) Synonym(s): *weisei* Reitter,1878
- 1846. *Lamia textor* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758
- 1847. *Lampropterus femoratus* (Germar,1824)** (Cerambycidae) Synonym(s): *femoratus* Germar,1824 **33 65**

- 1848. *Lampyris angustula* Fairmaire, 1895** (Lampyridae) Synonym(s): *angustula* Fairmaire, 1895; *iraqi* Geisthardt, 1999 *Lampyris angustula* Fairmaire, 1895, *Annls Soc. ent. Fr.* 64: 110. Type(s): [Turquie]: Akbes. **21 30 31 62 63**
- 1849. *Lampyris caspica* (Motschoulsky, 1854)** (Lampyridae) Synonym(s): *caspica* Motschoulsky, 1854
- 1850. *Lampyris nervosa* Olivier, 1883** (Lampyridae) Synonym(s): *nervosa* Olivier, 1883; *barbara* Olivier, 1884 **31**
- 1851. *Lampyris pseudozenkeri* Geisthardt, 1999** (Lampyridae) Synonym(s): *pseudozenkeri* Geisthardt, 1999
- 1852. *Lampyroidea dispar* (Fairmaire, 1857)** (Lampyridae) Synonym(s): *dispar* Fairmaire, 1857 *Luciola dispar* Fairmaire, 1857, *Annls Soc. ent. Fr.* (3) 5: 739. **34**
- 1853. *Lampyroidea graeca* (Laporte de Castelnau, 1833)** (Lampyridae) Synonym(s): *graeca* Laporte de Castelnau, 1833; *euboica* Pic, 1914 *Luciola graeca* Laporte de Castelnau, 1833, *Annls Soc. ent. Fr.* 2: 147. **34**
- 1854. *Lampyroidea maculicollis* (Mulsant & Wachanru, 1852)** (Lampyridae) Synonym(s): *maculicollis* Mulsant & Wachanru, 1852; *maculithorax* Gemminger, 1870
- 1855. *Lampyroidea syriaca* A. Costa, 1875** (Lampyridae) Synonym(s): *syriaca* A. Costa, 1875; *innotaticollis* Pic, 1914 *Lampyroidea syriaca* A. Costa, 1875, *Bull. Soc. ent. Fr.* (5) 5: 169. Type(s): Syria.
- 1856. *Lanelater judaicus* (Reiche & Saulcy, 1856)** (Elateridae) Synonym(s): *judaicus* Reiche & Saulcy, 1856 **63**
- 1857. *Lanelater persicus* (Candeze, 1874)** (Elateridae) Synonym(s): *persicus* Candeze, 1874 **02**
- 1858. *Larinus aeruginosus* Hochhuth, 1851** (Curculionidae) Synonym(s): *aeruginosus* Hochhuth, 1851 **63**
- 1859. *Larinus brenskei* Faust, 1900** (Curculionidae) Synonym(s): *brenskei* Faust, 1900 **21 22 31 35 56**
- 1860. *Larinus brevis* (Herbst, 1795)** (Curculionidae) Synonym(s): *brevis* Herbst, 1795 **35**
- 1861. *Larinus carinirostris* Gyllenhal, 1836** (Curculionidae) Synonym(s): *carinirostris* Gyllenhal, 1836 **35**
- 1862. *Larinus centaureae* (Olivier, 1807)** (Curculionidae) Synonym(s): *centaureae* Olivier, 1807 **27 30 35 44 73**
- 1863. *Larinus curtus* Hochhuth, 1851** (Curculionidae) Synonym(s): *curtus* Hochhuth, 1851 **01 09 12 35 58**
- 1864. *Larinus cynarae* (Fabricius, 1787)** (Curculionidae) Synonym(s): *cynarae* Fabricius, 1787 **35**
- 1865. *Larinus filiformis* Petri, 1907** (Curculionidae) Synonym(s): *filiformis* Petri, 1907 **13**
- 1866. *Larinus flavescens* Germar, 1824** (Curculionidae) Synonym(s): *flavescens* Germar, 1824 **35 76**
- 1867. *Larinus grisescens* Gyllenhal, 1836** (Curculionidae) Synonym(s): *grisescens* Gyllenhal, 1836 **35**
- 1868. *Larinus jaceae* (Fabricius, 1775)** (Curculionidae) Synonym(s): *jaceae* Fabricius, 1775 **06 25 27 29 32**
- 1869. *Larinus latus* (Herbst, 1784)** (Curculionidae) Synonym(s): *latus* Herbst, 1784 **02 05 13 21 25 31 32 35 46 38 47 56**
- 1870. *Larinus minutus* Gyllenhal, 1836** (Curculionidae) Synonym(s): *minutus* Gyllenhal, 1836 **04 07 02 13 17 21 30 32 35 44 46 56 63 65**
- 1871. *Larinus obtusus* Gyllenhal, 1836** (Curculionidae) Synonym(s): *obtus* Gyllenhal, 1836 **10 35**
- 1872. *Larinus onopordi* (Fabricius, 1787)** (Curculionidae) Synonym(s): *onopordi* Fabricius, 1787 **01 02 12 13 23 27 30 31 35 45 47 63**
- 1873. *Larinus orientalis* Capiomont, 1874** (Curculionidae) Synonym(s): *orientalis* Capiomont, 1874 **35 44 47**
- 1874. *Larinus ovaliformis* Capiomont, 1874** (Curculionidae) Synonym(s): *ovaliformis* Capiomont, 1874 **21**
- 1875. *Larinus planus* (Fabricius, 1792)** (Curculionidae) Synonym(s): *planus* Fabricius, 1792 **08 55**



- 1876. *Larinus rudicollis* Petri,1907** (Curculionidae) Synonym(s): *rudicollis* Petri,1907 **27 31**
- 1877. *Larinus rusticanus* Gyllenhal,1836** (Curculionidae) Synonym(s): *rusticanus* Gyllenhal,1836 **21 35**
- 1878. *Larinus sturnus* (Schaller,1878)** (Curculionidae) Synonym(s): *sturnus* Schaller,1878 **08 32 36 42**
- 1879. *Larinus syriacus* Gyllenhal,1836** (Curculionidae) Synonym(s): *syriacus* Gyllenhal,1836 **07 20 35 45**
- 1880. *Larinus turbinatus* Gyllenhal,1836** (Curculionidae) Synonym(s): *turbinatus* Gyllenhal,1836 **08 10 12 13 21 30 47 65 69 76**
- 1881. *Larinus ursus* (Fabricius,1792)** (Curculionidae) Synonym(s): *ursus* Fabricius,1792 **48**
- 1882. *Lasiorrhynchites cavifrons* (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons* Gyllenhal,1833 **11 31**
- 1883. *Lasiorrhynchites praeustus* (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermanni* Desbrochers,1845; *syriacus* Desbrochers,1868 **07 10 17 27 31 33 46 80**
- 1884. *Lasiorrhynchites sericeus* (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus* Herbst,1797; *ophthalmicus* Stephens,1831; *similis* Curtis,1837; *splendidulus* Kiesenwetter,1861 **11 31 33 43 46**
- 1885. *Latheticus oryzae* Waterhouse,1880** (Tenebrionidae) Synonym(s): *oryzae* Waterhouse,1880 **20**
- 1886. *Leichenium mucronatum* Küster,1849** (Tenebrionidae) Synonym(s): *mucronatum* Küster,1849 **07**
- 1887. *Leptodes* (s.str.) *lederi* Reitter** (Tenebrionidae) Synonym(s):
- 1888. *Leptodes* (s.str.) *semenowi* Reitter** (Tenebrionidae) Synonym(s):
- 1889. *Leptura quadrifasciata* Linnaeus,1758** (Cerambycidae) Synonym(s): *quadrifasciata* Linnaeus,1758
- 1890. *Limnoxenus niger* (Gmelin,1790)** (Hydrophilidae) Synonym(s): *niger* Gmelin,1790
- 1891. *Limobius borealis* (Paykull,1792)** (Curculionidae) Synonym(s): *borealis* Paykull,1792 **16 19 23**
- 1892. *Limoniscus elegans* (Buysson,1891)** (Elateridae) Synonym(s): *elegans* Buysson,1891 **58**
- 1893. *Limoniscus violaceus* (P.Müller,1843)** (Elateridae) Synonym(s): *violaceus* P.Müller,1843
- 1894. *Limonius araratensis* (Faldermann,1835)** (Elateridae) Synonym(s): *araratensis* Faldermann,1835 **76**
- 1895. *Limonius minutus* (Linnaeus,1758)** (Elateridae) Synonym(s): *minutus* Linnaeus,1758 **06 58**
- 1896. *Limonius poneli* Leseigneur & Mertlik,2007** (Elateridae) Synonym(s): *poneli* Leseigneur & Mertlik,2007
- 1897. *Lixus anguinus* (Linnaeus,1767)** (Curculionidae) Synonym(s): *anguinus* Linnaeus,1767 **07 46**
- 1898. *Lixus angustatus* (Fabricius,1775)** (Curculionidae) Synonym(s): *angustatus* Fabricius,1775 **05 09 10 12 16 17 21 22 30 35 38 48 55 56 73**
- 1899. *Lixus ascanii* (Linnaeus,1767)** (Curculionidae) Synonym(s): *ascanii* Linnaeus,1767 **21 36 38 41**
- 1900. *Lixus bardanae* (Fabricius,1787)** (Curculionidae) Synonym(s): *bardanae* Fabricius,1787 **35 65**
- 1901. *Lixus cardui* Olivier,1807** (Curculionidae) Synonym(s): *cardui* Olivier,1807 **05 07 09 10 11 12 13 16 19 21 25 30 32 35 36 37 43 44 47 51 65 68 76**
- 1902. *Lixus circumcinctus* Boheman,1836** (Curculionidae) Synonym(s): *circumcinctus* Boheman,1836 **47**
- 1903. *Lixus cylindrus* (Fabricius,1781)** (Curculionidae) Synonym(s): *cylindrus* Fabricius,1781 **01**
- 1904. *Lixus elegantulus* Boheman,1843** (Curculionidae) Synonym(s): *elegantulus* Boheman,1843 **04 06 07 11 21 23 25 27 30 35 36 38 43 44 47 50 65 76**
- 1905. *Lixus furcatus* Olivier,1807** (Curculionidae) Synonym(s): *furcatus* Olivier,1807 **21**

- 1906. *Lixus incanescens* Boheman, 1836** (Curculionidae) **Synonym(s):** *incanescens* Boheman, 1836 **04 47 76**
- 1907. *Lixus iridis* Olivier, 1807** (Curculionidae) **Synonym(s):** *iridis* Olivier, 1807 **06**
- 1908. *Lixus junci* Boheman, 1836** (Curculionidae) **Synonym(s):** *junci* Boheman, 1836 **09 10 21 35 48 80**
- 1909. *Lixus myagri* Olivier, 1807** (Curculionidae) **Synonym(s):** *myagri* Olivier, 1807 **55 67**
- 1910. *Lixus obesus* Petri, 1904** (Curculionidae) **Synonym(s):** *obesus* Petri, 1904 **13 21 36**
- 1911. *Lixus punctiventris* Boheman, 1836** (Curculionidae) **Synonym(s):** *punctiventris* Boheman, 1836 **20**
- 1912. *Lixus rubicundus* Zoubkoff, 1833** (Curculionidae) **Synonym(s):** *rubicundus* Zoubkoff, 1833 **07 08 09 11 25 35**
- 1913. *Lixus scabricollis* Boheman, 1843** (Curculionidae) **Synonym(s):** *scabricollis* Boheman, 1843 **25 54**
- 1914. *Lixus scolapax* Boheman, 1836** (Curculionidae) **Synonym(s):** *scolapax* Boheman, 1836 **21 27 35 36 47 48 55 56 63 65**
- 1915. *Lixus speciosus* Miller, 1861** (Curculionidae) **Synonym(s):** *speciosus* Miller, 1861 **01 35**
- 1916. *Lixus subtilis* Boheman, 1836** (Curculionidae) **Synonym(s):** *subtilis* Boheman, 1836 **04 06 08 10 21 24 35 36 37 38 45 68 72 76**
- 1917. *Lixus vilis* (Rossi, 1790)** (Curculionidae) **Synonym(s):** *vilis* Rossi, 1790 **06 10 16 35 43 47 48 68**
- 1918. *Lobodera (Penthomagus) iners* Ménétériés, 1832** (Tenebrionidae) **Synonym(s):** *iners* Ménétériés, 1832 **65**
- 1919. *Longitarsus absynthii* Kutschera, 1862** (Chrysomelidae) **Synonym(s):** *absynthii* Kutschera, 1862 **06 42**
- 1920. *Longitarsus aeneicollis* (Faldermann, 1837)** (Chrysomelidae) **Synonym(s):** *suturalis* Marsham, 1802 *nec* Fabr., 1775; *aeneicollis* Faldermann, 1837; *nigricollis* Foudras, 1860; *rubenticollis* Allard, 1860; *similis* Weise, 1893; *cribripennis* Abeille, 1909 **01 07 24 25 33 36 58 60 75 76**
- 1921. *Longitarsus albineus* (Foudras, 1860)** (Chrysomelidae) **Synonym(s):** *albineus* Foudras, 1860 **07 25 33 38 42 51**
- 1922. *Longitarsus alfieri* (Pic, 1923)** (Chrysomelidae) **Synonym(s):** *alfieri* Pic, 1923; *antinea* Peyerimhoff, 1929; *klapperichi* Mohr, 1962; *furthi* Gruev, 1982 **07 25**
- 1923. *Longitarsus anatolicus* Weise, 1900** (Chrysomelidae) **Synonym(s):** *anatolicus* Weise, 1900 **06 13 19 21 24 25 32 33 38 41 42 44 46 49 58 65 66 68 70**
- 1924. *Longitarsus anchusae* (Paykull, 1799)** (Chrysomelidae) **Synonym(s):** *anchusae* Paykull, 1799; *punctatissimus* Weise, 1888 **01 25 33 37 60 75**
- 1925. *Longitarsus angelikae* Fritzlar, 2001** (Chrysomelidae) **Synonym(s):** *angelikae* Fritzlar, 2001 **07**
- 1926. *Longitarsus angorensis* Gruev & Kasap, 1985** (Chrysomelidae) **Synonym(s):** *angorensis* Gruev & Kasap, 1985 **06**
- 1927. *Longitarsus aramaicus* Leonardi, 1979** (Chrysomelidae) **Synonym(s):** *aramaicus* Leonardi, 1979 **06**
- 1928. *Longitarsus artvinus* Gruev & Aslan, 1998** (Chrysomelidae) **Synonym(s):** *artvinus* Gruev & Aslan, 1998 **08**
- 1929. *Longitarsus atricillus* (Linnaeus, 1761)** (Chrysomelidae) **Synonym(s):** *atricillus* Linnaeus, 1761; *declivis* Weise, 1893 **25 69**
- 1930. *Longitarsus aubozaorum* Biondi, 1997** (Chrysomelidae) **Synonym(s):** *aubozaorum* Biondi, 1997 *Longitarsus aubozaorum* Biondi, 1997, *Fragm. Ent.* 29 (2): 383-386, figs. *Holotype* ♂: Turkey, vil. Ankara, 5km NE of Temelli 750m 10.v.1991 P.Audisio, M.Biondi & M.Bologna leg. (coll.Biondi). **06**
- 1931. *Longitarsus audisioi* Biondi, 1992** (Chrysomelidae) **Synonym(s):** *audisioi* Biondi, 1992 *Longitarsus audisioi* Biondi, 1992, *Fragm. Ent.* 23 (2): 342-345, figs. *Holotype* ♂: Turchia, vil. Trabzon, Soumela 1000-1500m 10/11.vii.1987 P.Audisio & M.Biondi leg. (coll. Biondi). **61**
- 1932. *Longitarsus ballotae* (Marsham, 1802)** (Chrysomelidae) **Synonym(s):** *ballotae* Marsham, 1802; *canescens* Foudras, 1860; *septorum* Buysson, 1908; *#caligans* Kral, 1945
- 1933. *Longitarsus barbarae* Doguet & Bergeal, 2002** (Chrysomelidae) **Synonym(s):** *barbarae* Doguet & Bergeal, 2002 **07**



- 1934. Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii Leonhardi,1973*  
25 29 68
- 1935. Longitarsus brisouti Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti Heikertinger,1912* 24 25
- 1936. Longitarsus bytinskii Furth,1979** (Chrysomelidae) Synonym(s): *bytinskii Furth,1979*  
25
- 1937. Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus Warchalowski,1967*
- 1938. Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus Leonhardi,1975*
- 1939. Longitarsus cerinthes (Schränk,1798)** (Chrysomelidae) Synonym(s): *cerinthes Schränk,1798; nervosa Wollaston,1854; pectoralis Foudras,1860*
- 1940. Longitarsus corpulentus Weise,1887** (Chrysomelidae) Synonym(s): *corpulentus Weise,1887*
- 1941. Longitarsus echii (Koch,1803)** (Chrysomelidae) Synonym(s): *echii Koch,1803; tibialis Duftschmidt,1825; excurvus Wollaston,1854; flavipes Allard,1860; coerulescens Weise,1888; nigrescens Weise,1888; peregrinus Weise,1888; kulikovskii Jacobson,1895*
- 1942. Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus Warchalowski,1967*
- 1943. Longitarsus exsoletus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *exsoletus Linnaeus,1758; femoralis Marsham,1802; boppardiensis Bach,1856; rufula Foudras,1860; megaloleuca Allard,1860; lividus Fauvel,1888; arctulus Weise,1893* 06 16 25 29 38 42 46
- 1944. Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802* 06 08 24 25 34 45 58
- 1945. Longitarsus foudrasi Weise,1893** (Chrysomelidae) Synonym(s): *foudrasi Weise,1893*  
25
- 1946. Longitarsus fuscoaeus Redtenbacher,1859** (Chrysomelidae) Synonym(s): *fuscoaeus Redtenbacher,1859* 01 06 25 33 38
- 1947. Longitarsus ganglbaueri Haikertinger,1912** (Chrysomelidae) Synonym(s): *ganglbaueri Haikertinger,1912* 25
- 1948. Longitarsus hittita Biondi,1995** (Chrysomelidae) Synonym(s): *hittita Biondi,1995* 06 24 38 42
- 1949. Longitarsus iconiensis Weise,1900** (Chrysomelidae) Synonym(s): *iconiensis Weise,1900; angorensis Gruev & Kasap,1985* 06 42
- 1950. Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae) Synonym(s): *jacobaeae Waterhouse,1858* 25 69
- 1951. Longitarsus jailensis Heikertinger,1913** (Chrysomelidae) Synonym(s): *jailensis Heikertinger,1913* 26 34
- 1952. Longitarsus juncicola (Foudras,1860)** (Chrysomelidae) Synonym(s): *juncicola Foudras,1860* 25 26 31 61
- 1953. Longitarsus karlheini Warchalowski,1972** (Chrysomelidae) Synonym(s): *karlheini Warchalowski,1972* 07 32
- 1954. Longitarsus kopdagiensis Gruev & Aslan,1998** (Chrysomelidae) Synonym(s): *kopdagiensis Gruev & Aslan,1998* 60 69
- 1955. Longitarsus kutscherae (Rey,1892)** (Chrysomelidae) Synonym(s): *kutscherae Rey,1892*  
25
- 1956. Longitarsus lateripunctatus Rosenhauer,1856** (Chrysomelidae) Synonym(s): *lateripunctatus Rosenhauer,1856; personatus Weise,1893*
- 1957. Longitarsus ledouxi Doguet,1979** (Chrysomelidae) Synonym(s): *ledouxi Doguet,1979*  
53
- 1958. Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii Baly,1874* 08 53
- 1959. Longitarsus linnaei (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *linnaei Duftschmid,1825* 01 08 21 25 26 34 60
- 1960. Longitarsus longipennis Kutschera,1836** (Chrysomelidae) Synonym(s): *longipennis Kutschera,1836* 07 25

- 1961. Longitarsus luridus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *luridus Scopoli,1763*  
06 07 08 25 26 34 40 58 66
- 1962. Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): *lycopi Foudras,1860*  
01 06 08 10 16 24 25 26 28 31 33 39 60
- 1963. Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s):  
*melanocephalus De Geer,1775* 06 08 24 25 26 34 69 76
- 1964. Longitarsus membranaceus (Foudras,1860)** (Chrysomelidae) Synonym(s):  
*membranaceus Foudras,1860* 33
- 1965. Longitarsus minusculus (Foudras,1860)** (Chrysomelidae) Synonym(s): *minusculus Foudras,1860*
- 1966. Longitarsus niger (Koch,1803)** (Chrysomelidae) Synonym(s): *niger Koch,1803* 25  
26 34
- 1967. Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus Goeze,1777* 06 16 25 26 33 60
- 1968. Longitarsus nimrodi Furth,1979** (Chrysomelidae) Synonym(s): *nimrodi Furth,1979*  
25 61
- 1969. Longitarsus obliterated (Rosenhauer,1847)** (Chrysomelidae) Synonym(s):  
*obliterated Rosenhauer,1847; meridionalis Cziki & Heikertinger,1940* 01 07 15 25 31 34
- 1970. Longitarsus ochroleucus (Marsham,1802)** (Chrysomelidae) Synonym(s):  
*ochroleucus Marsham,1802* 24 33 35 38
- 1971. Longitarsus parvulus (Paykull,1799)** (Chrysomelidae) Synonym(s): *parvulus Paykull,1799* 25 36
- 1972. Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): *pellucidus Foudras,1860* 01 05 08 24 25 29 35 36 58 60 76
- 1973. Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): *picicollis Weise,1900*  
06 25 35 46 60
- 1974. Longitarsus pinguis Weise,1888** (Chrysomelidae) Synonym(s): *pinguis Weise,1888*  
34
- 1975. Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis Panzer,1794* 06 08 24 25 26 34 37 39 42 53 58
- 1976. Longitarsus quadriguttatus (Pontoppidan,1765)** (Chrysomelidae) Synonym(s):  
*quadriguttatus Pontoppidan,1765* 10 21 25
- 1977. Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus Foudras,1860* 06 25 34 60
- 1978. Longitarsus reichei (Allard,1860)** (Chrysomelidae) Synonym(s): *reichei Allard,1860*  
25 60
- 1979. Longitarsus salviae Gruev,1975** (Chrysomelidae) Synonym(s): *salviae Gruev,1975* 25  
29
- 1980. Longitarsus scutellaris (Rey,1874)** (Chrysomelidae) Synonym(s): *scutellaris Rey,1874*  
08 25
- 1981. Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus Foudras,1860* 25 33 34 60
- 1982. Longitarsus suturellus (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *suturellus Duftschmid,1825* 24 25 63
- 1983. Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus Fabricius,1775* 07 16 25 36 60
- 1984. Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): *trepidus Warchalowski,1973* 01 06 07 25 33 38 42 44 75
- 1985. Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): *truncatellus Weise,1890* 35
- 1986. Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus Weise,1893*
- 1987. Lophyridia aphrodisia (Baudi,1864)** (Carabidae) Synonym(s): *aphrodisia Baudi,1864*  
01 07
- 1988. Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica Adams,1817*  
01 05 21 23 24 27 30 33 36 38 42 44 47 50 60 63 70 72
- 1989. Lophyridia concolor (Dejean,1822)** (Carabidae) Synonym(s): *concolor Dejean,1822*  
01 07 09 31 33 48



- 1990. Lophyridia fischeri (Adams,1817) (Carabidae) Synonym(s): fischeri Adams,1817** 01  
02 07 12 16 18 19 20 21 23 24 25 27 29 30 31 33 35 36 38 43 44 46 47 48 50 58 60  
62 63 65 72 80
- 1991. Lophyridia hilariola (Bates,1874) (Carabidae) Synonym(s): hilariola Bates,1874** 27  
63
- 1992. Lophyridia littoralis (Fabricius,1787) (Carabidae) Synonym(s): littoralis Fabricius,1787**  
01 06 07 09 15 16 18 20 22 23 25 27 31 32 33 34 35 38 40 42 47 48 50 51 52 54 55  
58 59 60 61 63 65 72
- 1993. Lucanus (.s.str.) cervus (Linnaeus,1758) (Lucanidae) Synonym(s): cervus**  
Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus  
Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope &  
Westwood,1845 01 07 16 27 31 34 35 46 80
- 1994. Lucanus (s.str.) ibericus Motschoulsky,1845 (Lucanidae) Synonym(s): ibericus**  
Motschoulsky,1845; curtulus Motschoulsky,1845; barbarossa Burmeister,1847 nec Fabr.,1801; minor  
Burmeister,1847; orientalis Kraatz,1860; piger Motschoulsky,1870; syriacus Motschoulsky,1870; tenebrosus  
Motschoulsky,1870; intermedius Motschoulsky,1870; caspica Semenov,1901; ravasinii Schatzmayr,1923;  
#hibericus Sabatinelli,1977 Lucanus ibericus Motschoulsky,1845, Bull. Soc. nat. Moscou 18: 60. 37 42  
65 70 76
- 1995. Luciola italica (Linnaeus,1758) (Lampyridae) Synonym(s): italica Linnaeus,1758**  
Cantharis noctiluca Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 401. Type(s): Italia.
- 1996. Luciola lusitanica (Charpentier,1825) (Lampyridae) Synonym(s): italica Olivier,1790**  
nec Linn.,1767; lusitanica Charpentier,1825; caucasica Motschoulsky,1854; collaris Motschoulsky,1854;  
mehadiensis Motschoulsky,1854; mingrelia Motschoulsky,1854; pontica Motschoulsky,1854; mentonensis  
Peragallo,1863; minor Baudi di Selve,1873; erythrocephalus E.Olivier,1885; papii Miksic,1969
- 1997. Lydus anatolicus Muche,1962 (Meloidae) Synonym(s): anatolicus Muche,1962** 66
- 1998. Lydus europaeus Escherich,1897 (Meloidae) Synonym(s): europaeus Escherich,1897**  
47
- 1999. Lydus gibbifer Escherich,1896 (Meloidae) Synonym(s): gibbifer Escherich,1896** 02  
73
- 2000. Lydus humeralis Gyllenhal,1817 (Meloidae) Synonym(s): humeralis Gyllenhal,1817**
- 2001. Lydus pilicollis Fairmaire,1892 (Meloidae) Synonym(s): pilicollis Fairmaire,1892** 01  
07 33 46 48 49
- 2002. Lydus tarsalis Abeille de Perrin,1880 (Meloidae) Synonym(s): tarsalis Abeille de**  
Perrin,1880 12 47 56 73
- 2003. Lydus tenuitarsis Abeille de Perrin,1880 (Meloidae) Synonym(s): tenuitarsis Abeille**  
de Perrin,1880 12
- 2004. Lydus trimaculatus (Fabricius,1775) (Meloidae) Synonym(s): trimaculatus**  
Fabricius,1775 01 06 09 10 16 17 22 59
- 2005. Lydus turcicus Kaszab,1952 (Meloidae) Synonym(s): turcicus Kaszab,1952** 01 06 10  
13 14 23 24 25 26 29 32 41 42 44 45 51
- 2006. Lydus unicolor Reitter,1887 (Meloidae) Synonym(s): unicolor Reitter,1887** 01 08 24  
25 49 69 80
- 2007. Lyphia tetrphylla Fairmaire,1856 (Tenebrionidae) Synonym(s): tetrphylla**  
Fairmaire,1856 07
- 2008. Lytta vesicatoria (Linnaeus,1758) (Meloidae) Synonym(s): vesicatoria Linnaeus,1758**  
25 60
- 2009. Macrocoma doboszi Borowiec,2005 (Chrysomelidae) Synonym(s): doboszi**  
Borowiec,2005 39 47
- 2010. Macrolenes dentipes (Olivier,1808) (Chrysomelidae) Synonym(s): bimaculatus**  
Rossi,1790 nec Fabr.,1781; ruficollis Fabricius,1792 nec Fabr.,1775; dentipes Olivier,1808 09 10 17 35 45  
48
- 2011. Maladera (Macroserica) allemandi Keith,1998 (Scarabaeidae) Synonym(s):**  
allemandi Keith,1998
- 2012. Maladera (Macroserica) angusta Baraud,1990 (Scarabaeidae) Synonym(s): angusta**  
Baraud,1990
- 2013. Maladera (Macroserica) armeniaca Reitter,1896 (Scarabaeidae) Synonym(s):**  
armeniaca Reitter,1896 05 06 16 42
- 2014. Maladera (Macroserica) attaliensis Petrovitz,1969 (Scarabaeidae) Synonym(s):**  
attaliensis Petrovitz,1969 07

- 2015. Maladera (Macroserica) besucheti Baraud,1990** (Scarabaeidae) **Synonym(s):** *besucheti Baraud,1990*
- 2016. Maladera (Macroserica) bruschii Sabatinelli,1977** (Scarabaeidae) **Synonym(s):** *bruchii Sabatinelli,1977*
- 2017. Maladera (Macroserica) fusconitens (Fairmaire,1892)** (Scarabaeidae) **Synonym(s):** *fusconitens Fairmaire,1892; villiersi Petrovitz,1969* **31**
- 2018. Maladera (Macroserica) lodosi Baraud,1975** (Scarabaeidae) **Synonym(s):** *lodosi Baraud,1975*
- 2019. Maladera (Macroserica) loebli Baraud,1990** (Scarabaeidae) **Synonym(s):** *loebli Baraud,1990*
- 2020. Maladera (Macroserica) lyciensis Petrovitz,1969** (Scarabaeidae) **Synonym(s):** *lyciensis Petrovitz,1969* **15 20 48**
- 2021. Maladera (Macroserica) olivieri Keith,1998** (Scarabaeidae) **Synonym(s):** *olivieri Keith,1998*
- 2022. Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) **Synonym(s):** *punctatissima Faldermann,1835* **16 31 42**
- 2023. Maladera (Macroserica) seleuciensis Petrovitz,1969** (Scarabaeidae) **Synonym(s):** *seleuciensis Petrovitz,1969* **33**
- 2024. Maladera (Macroserica) taurica Petrovitz,1969** (Scarabaeidae) **Synonym(s):** *taurica Petrovitz,1969* **33**
- 2025. Maladera (Macroserica) vignai Sabatinelli,1977** (Scarabaeidae) **Synonym(s):** *vignai Sabatinelli,1977* **07**
- 2026. Maladera (Macroserica) wewalkai Petrovitz,1969** (Scarabaeidae) **Synonym(s):** *wewalkai Petrovitz,1969* **10 35**
- 2027. Malthinus alemdagensis Wittmer,1974** (Cantharidae) **Synonym(s):** *alemdagensis Wittmer,1974* **34**
- 2028. Malthinus anaticus Wittmer,1974** (Cantharidae) **Synonym(s):** *anaticus Wittmer,1974* **80**
- 2029. Malthinus artvinensis Wittmer,1978** (Cantharidae) **Synonym(s):** *artvinensis Wittmer,1978* **08**
- 2030. Malthinus bezdeki Svihla,2002** (Cantharidae) **Synonym(s):** *bezdeki Svihla,2002*
- 2031. Malthinus brancuccii Wittmer,1978** (Cantharidae) **Synonym(s):** *brancuccii Wittmer,1978*
- 2032. Malthinus byzantinus Wittmer,1974** (Cantharidae) **Synonym(s):** *byzantinus Wittmer,1974* **09**
- 2033. Malthinus ciraliensis Svihla,2009** (Cantharidae) **Synonym(s):** *ciraliensis Svihla,2009* **07**
- 2034. Malthinus complexus Wittmer,1993** (Cantharidae) **Synonym(s):** *complexus Wittmer,1993*
- 2035. Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) **Synonym(s):** *conspicuus Kiesenwetter,1852* **01 33 38 45 51 64 70**
- 2036. Malthinus cornutus Wittmer,1974** (Cantharidae) **Synonym(s):** *cornutus Wittmer,1974* **33**
- 2037. Malthinus corylicus Wittmer,1974** (Cantharidae) **Synonym(s):** *corylicus Wittmer,1974* **52**
- 2038. Malthinus crenaticeps Wittmer,1974** (Cantharidae) **Synonym(s):** *crenaticeps Wittmer,1974* **42**
- 2039. Malthinus freyi Wittmer,1974** (Cantharidae) **Synonym(s):** *freyi Wittmer,1974* **27 46**
- 2040. Malthinus furcatus Wittmer,1974** (Cantharidae) **Synonym(s):** *furcatus Wittmer,1974* **07**
- 2041. Malthinus hetiticus Wittmer,1974** (Cantharidae) **Synonym(s):** *hetiticus Wittmer,1974* **31**
- 2042. Malthinus hulai Svihla,2009** (Cantharidae) **Synonym(s):** *hulai Svihla,2009* **07**
- 2043. Malthinus interruptus Wittmer,1974** (Cantharidae) **Synonym(s):** *interruptus Wittmer,1974* **07**
- 2044. Malthinus kaszabi Wittmer,1974** (Cantharidae) **Synonym(s):** *kaszabi Wittmer,1974* **61**



- 2045. *Malthinus lasistanus* Wittmer,1974** (Cantharidae) Synonym(s): *lasistanus* Wittmer,1974  
53
- 2046. *Malthinus lundbergi* Svihla,1994** (Cantharidae) Synonym(s): *lundbergi* Svihla,1994
- 2047. *Malthinus magisi* Wittmer,1974** (Cantharidae) Synonym(s): *magisi* Wittmer,1974 01
- 2048. *Malthinus malinkai* Svihla,2009** (Cantharidae) Synonym(s): *malinkai* Svihla,2009  
47
- 2049. *Malthinus marashensis* Wittmer,1974** (Cantharidae) Synonym(s): *marashensis*  
Wittmer,1974 46
- 2050. *Malthinus medianus* Wittmer,1974** (Cantharidae) Synonym(s): *medianus* Wittmer,1974
- 2051. *Malthinus mediterraneus* Wittmer,1974** (Cantharidae) Synonym(s): *mediterraneus*  
Wittmer,1974 07
- 2052. *Malthinus mesopotamicus* Wittmer,1974** (Cantharidae) Synonym(s): *mesopotamicus*  
Wittmer,1974 44
- 2053. *Malthinus pamphylicus* Wittmer,1974** (Cantharidae) Synonym(s): *pamphylicus*  
Wittmer,1974 33
- 2054. *Malthinus prudeki* Svihla,2002** (Cantharidae) Synonym(s): *prudeki* Svihla,2002
- 2055. *Malthinus pseudoflaveolus* Wittmer,1974** (Cantharidae) Synonym(s):  
*pseudoflaveolus* Wittmer,1974 08
- 2056. *Malthinus pseudointerruptus* Wittmer,1974** (Cantharidae) Synonym(s):  
*pseudointerruptus* Wittmer,1974 07
- 2057. *Malthinus resslis* Wittmer,1978** (Cantharidae) Synonym(s): *ressli* Wittmer,1978
- 2058. *Malthinus rydhi* Wittmer,1993** (Cantharidae) Synonym(s): *rydhi* Wittmer,1993
- 2059. *Malthinus samsunicus* Wittmer,1974** (Cantharidae) Synonym(s): *samsunicus*  
Wittmer,1974 55
- 2060. *Malthinus stanislavi* Svihla,2004** (Cantharidae) Synonym(s): *stanislavi* Svihla,2004
- 2061. *Malthinus strangulatus* Wittmer,1974** (Cantharidae) Synonym(s): *strangulatus*  
Wittmer,1974 80
- 2062. *Malthinus walteri* Svihla,2002** (Cantharidae) Synonym(s): *walteri* Svihla,2002
- 2063. *Malthinus wittmeri* Svihla,1998** (Cantharidae) Synonym(s): *wittmeri* Svihla,1998 33
- 2064. *Malthinus zahradniki* Svihla,2002** (Cantharidae) Synonym(s): *zahradniki* Svihla,2002
- 2065. *Malthodes amasiae* Wittmer,1971** (Cantharidae) Synonym(s): *amasiae* Wittmer,1971  
05
- 2066. *Malthodes andreasi* Svihla,2009** (Cantharidae) Synonym(s): *andreasi* Svihla,2009  
07
- 2067. *Malthodes besucheti* Wittmer,1970** (Cantharidae) Synonym(s): *besucheti* Wittmer,1970  
27
- 2068. *Malthodes bucakensis* Wittmer,1970** (Cantharidae) Synonym(s): *bucakensis*  
Wittmer,1970 07 60
- 2069. *Malthodes denizlianus* Wittmer,1970** (Cantharidae) Synonym(s): *denizlianus*  
Wittmer,1970 20 35 48
- 2070. *Malthodes flagellatus* Svihla,2009** (Cantharidae) Synonym(s): *flagellatus* Svihla,2009  
73
- 2071. *Malthodes gillerforsi* Wittmer,1993** (Cantharidae) Synonym(s): *gillerforsi* Wittmer,1993
- 2072. *Malthodes heinertzi* Wittmer,1979** (Cantharidae) Synonym(s): *heinertzi* Wittmer,1979
- 2073. *Malthodes kirisensis* Svihla,2004** (Cantharidae) Synonym(s): *kirisensis* Svihla,2004
- 2074. *Malthodes kopecky* Svihla,2002** (Cantharidae) Synonym(s): *kopecky* Svihla,2002
- 2075. *Malthodes kopetzi* Svihla,2002** (Cantharidae) Synonym(s): *kopetzi* Svihla,2002
- 2076. *Malthodes lycicus* Svihla,2009** (Cantharidae) Synonym(s): *lycicus* Svihla,2009 07
- 2077. *Malthodes malinkorum* Svihla,2009** (Cantharidae) Synonym(s): *malinkorum*  
Svihla,2009 47
- 2078. *Malthodes mushensis* Wittmer,1997** (Cantharidae) Synonym(s): *mushensis*  
Wittmer,1997 49
- 2079. *Malthodes olympicus* Svihla,2004** (Cantharidae) Synonym(s): *olympicus* Svihla,2004
- 2080. *Malthodes pergensis* Wittmer,1993** (Cantharidae) Synonym(s): *pergensis* Wittmer,1993
- 2081. *Malthodes rauschorum* Wittmer,1997** (Cantharidae) Synonym(s): *rauschorum*  
Wittmer,1997 08
- 2082. *Malthodes rolciki* Svihla,1998** (Cantharidae) Synonym(s): *rolciki* Svihla,1998 37

- 2083. Malthodes ruziclai Svihla, 2002** (Cantharidae) Synonym(s): *ruziclai Svihla, 2002*
- 2084. Malthodes rydhi Svihla, 1994** (Cantharidae) Synonym(s): *rydhi Svihla, 1994*
- 2085. Malthodes turcicus Kiesenwetter, 1872** (Cantharidae) Synonym(s): *turcicus Kiesenwetter, 1872* *Malthodes turcicus Kiesenwetter, 1872*, Berl. ent. Z. 16: 375, Taf. iv fig. 6. Type ♂: [Türkei]: [Istanbul] "Constantinopel". **34**
- 2086. Malthodes vavrai Svihla, 1998** (Cantharidae) Synonym(s): *vavrai Svihla, 1998* **14**
- 2087. Malthodes walteri Svihla, 2002** (Cantharidae) Synonym(s): *walteri Svihla, 2002*
- 2088. Malthodes weigeli Svihla, 2004** (Cantharidae) Synonym(s): *weigeli Svihla, 2004*
- 2089. Malthodes zahradniki Svihla, 1998** (Cantharidae) Synonym(s): *zahradniki Svihla, 1998* **07**
- 2090. Malthodes zdeneki Svihla, 2009** (Cantharidae) Synonym(s): *zdeneki Svihla, 2009* **33**
- 2091. Mantura chrysanthemi (Koch, 1803)** (Chrysomelidae) Synonym(s): *chrysanthemi Koch, 1803* **48**
- 2092. Mantura cylindrica Miller, 1880** (Chrysomelidae) Synonym(s): *cylindrica Miller, 1880* **05**
- 2093. Mantura rustica (Linnaeus, 1767)** (Chrysomelidae) Synonym(s): *rustica Linnaeus, 1767* **06 25 34 39 42 58 66**
- 2094. Margarinotus (Paralister) purpurascens (Herbst, 1792)** (Histeridae) Synonym(s): *purpurascens Herbst, 1792* **35**
- 2095. Megacephala euphratica Dejean, 1822** (Carabidae) Synonym(s): *euphratica Dejean, 1822* **33**
- 2096. Megapenthes lugens (Redtenbacher, 1842)** (Elateridae) Synonym(s): *lugens Redtenbacher, 1842*
- 2097. Megapenthes rutilipennis Candeze, 1859** (Elateridae) Synonym(s): *rutilipennis Candeze, 1859*
- 2098. Megatelus contractus (Klug, 1845)** (Scarabaeidae) Synonym(s): *contractus Klug, 1845*
- 2099. Megatelus contractus (Klug, 1845)** (Scarabaeidae) Synonym(s): *contractus Klug, 1845*
- 2100. Megischina adeliae (Reitter, 1890)** (Tenebrionidae) Synonym(s): *adeliae Reitter, 1890* **07**
- 2101. Megischina armillata (Brullé, 1832)** (Tenebrionidae) Synonym(s): *armillata Brullé, 1832*
- 2102. Megischina bozdaglariensis Novak, 2006** (Tenebrionidae) Synonym(s): *bozdaglariensis Novak, 2006* **01 35**
- 2103. Melanimon kiritshenkoi Reichart, 1936** (Tenebrionidae) Synonym(s): *kiritshenkoi Reichart, 1936* **31 50**
- 2104. Melanotus (s.str.) aemulus (Erichson, 1841)** (Elateridae) Synonym(s): *aemulus Erichson, 1841* **17**
- 2105. Melanotus (s.str.) armeniacus Schwarz, 1891** (Elateridae) Synonym(s): *armeniaceus Schwarz, 1891*
- 2106. Melanotus (s.str.) atricapillus Reitter, 1891** (Elateridae) Synonym(s): *atricapillus Reitter, 1891*
- 2107. Melanotus (s.str.) bajulus (Erichson, 1841)** (Elateridae) Synonym(s): *bajulus Erichson, 1841*
- 2108. Melanotus (s.str.) brignolii Guglielmi & Platia, 1985** (Elateridae) Synonym(s): *brignolii Guglielmi & Platia, 1985* **07**
- 2109. Melanotus (s.str.) brunnipes (Germar, 1824)** (Elateridae) Synonym(s): *brunnipes Germar, 1824* **04**
- 2110. Melanotus (s.str.) castanipes (Paykull, 1800)** (Elateridae) Synonym(s): *castanipes Paykull, 1800*
- 2111. Melanotus (s.str.) crassicornis (Erichson, 1841)** (Elateridae) Synonym(s): *crassicornis Erichson, 1841*
- 2112. Melanotus (s.str.) dichrous (Erichson, 1841)** (Elateridae) Synonym(s): *dichrous Erichson, 1841* **17 41**
- 2113. Melanotus (s.str.) fraseri Platia & Schimmel, 1993** (Elateridae) Synonym(s): *fraseri Platia & Schimmel, 1993*
- 2114. Melanotus (s.str.) fulvus Reitter, 1891** (Elateridae) Synonym(s): *fulvus Reitter, 1891* **36**
- 2115. Melanotus (s.str.) fusciceps (Gyllenhal, 1817)** (Elateridae) Synonym(s): *fusciceps Gyllenhal, 1817; robustus Erichson, 1841* **09 17 21 35 41 63**



- 2116. Melanotus (s.str.) monticola (Ménétriés,1832)** (Elateridae) Synonym(s): *monticola* Ménétriés,1832 **75**
- 2117. Melanotus (s.str.) mutatus Harold,1869** (Elateridae) Synonym(s): *mutatus* Harold,1869
- 2118. Melanotus (s.str.) osellai Guglielmi & Platia,1985** (Elateridae) Synonym(s): *osellai* Guglielmi & Platia,1985 **51**
- 2119. Melanotus (s.str.) punctolineatus (Pélerin,1829)** (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829 **33**
- 2120. Melanotus (s.str.) sobrinus (Ménétriés,1832)** (Elateridae) Synonym(s): *sobrinus* Ménétriés,1832
- 2121. Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 **08**
- 2122. Melanotus (s.str.) turcicus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *turcicus* Platia & Gudenzi,2002
- 2123. Melanotus (s.str.) villosus (Fourcroy,1785)** (Elateridae) Synonym(s): *rufipes* Herbst,1784; *villosus* Fourcroy,1785 **08 14 52 57**
- 2124. Melanotus (Spheniscosomus) cuneiformis (Baudi,1871)** (Elateridae) Synonym(s): *cuneiformis* Baudi,1871
- 2125. Meliboeus adlbaueri Niehuis,1997** (Buprestidae) Synonym(s): *adlbaueri* Niehuis,1997 **27**
- 2126. Meliboeus amethystinus (Olivier,1790)** (Buprestidae) Synonym(s): *amethystinus* Olivier,1790 **35 36**
- 2127. Meligethes ater Brisout,1868** (Nitidulidae) Synonym(s): *ater* Brisout,1868
- 2128. Meligethes devillei Grouvelle,1912** (Nitidulidae) Synonym(s): *devillei* Grouvelle,1912
- 2129. Meligethes holzschuhi Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *holzschuhi* Jelinek & Spornraft,1979 *Meligethes holzschuhi* Jelinek & Spornraft,1979, Mitt. münch. ent. Ges. 68: 9-10, fig. Holotype ♂: S-Türkei, Kilikischer Taurus [İçel Prov.]: Namrun [Çamlıyayla], 1200m, Holzschuh leg. (NMP). **33**
- 2130. Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus* Sturm,1845
- 2131. Meligethes interjectus Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *interjectus* Jelinek & Spornraft,1979 *Meligethes interjectus* Jelinek & Spornraft,1979, Mitt. münch. ent. Ges. 68: 7-8, fig. Holotype ♂: Türkei (Erzincan) [Erzurum Prov., Aşkale]: Kopdagi gecedi [geçidi], 2300m 11.vii.1971 Osela leg. (MCSNV). **25**
- 2132. Meligethes maurus Sturm,1845** (Nitidulidae) Synonym(s): *maurus* Sturm,1845
- 2133. Meligethes tauricus Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *tauricus* Jelinek & Spornraft,1979 *Meligethes tauricus* Jelinek & Spornraft,1979, Mitt. münch. ent. Ges. 68: 7-8, fig. Holotype ♂: Iran, leg. Waehner, (Mus. Frey). **06**
- 2134. Meligethes umbrosus Sturm,1845** (Nitidulidae) Synonym(s): *umbrosus* Sturm,1845
- 2135. Meligethes vomer Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer* Kirejtschuk,1978
- 2136. Meloe autumnalis Olivier,1792** (Meloidae) Synonym(s): *autumnalis* Olivier,1792 **75**
- 2137. Meloe bodemeyeri Ganglbauer,1900** (Meloidae) Synonym(s): *bodemeyeri* Ganglbauer,1900
- 2138. Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis* Panzer,1793 **75**
- 2139. Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 **07**
- 2140. Meloe cicatricosus Leach,1815** (Meloidae) Synonym(s): *cicatricosus* Leach,1815 **08 11 21 38**
- 2141. Meloe deflexus Reitter,1889** (Meloidae) Synonym(s): *deflexus* Reitter,1889 **02 31**
- 2142. Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782 **06 42 58**
- 2143. Meloe ganglbaueri Apfelbeck,1907** (Meloidae) Synonym(s): *ganglbaueri* Apfelbeck,1907 **07**
- 2144. Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi* Pliginski,1910 **75**
- 2145. Meloe hungarus Schrank,1776** (Meloidae) Synonym(s): *hungarus* Schrank,1776 **26 64**
- 2146. Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus* Müller,1925 **04 07 13 21 24 25 29 65**
- 2147. Meloe olivieri Chevrolat,1833** (Meloidae) Synonym(s): *olivieri* Chevrolat,1833 **24 26 71**

- 2148. Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus Linnaeus,1758* **04 06 13 14 18 21 24 25 42 49 50 71**
- 2149. Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris Germar,1817; coriarius Brandt & Erichson,1832; reticulatus Brandt & Ratzeburg,1833; cyanicornis Escherich,1889* **24**
- 2150. Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus Marsham,1802* **06 11 14**
- 2151. Meloe scabriusculus Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus Brandt & Erichson,1832* **25**
- 2152. Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus Rossi,1792; ruficornis Balbi,1897* **25 35 38 42 71**
- 2153. Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus Donovan,1793; #varigatus Özbek & Szaloki,1998* **13 25 26 35 46**
- 2154. Meloe violaceus Marsham,1802** (Meloidae) Synonym(s): *violaceus Marsham,1802* **04 08 25 53**
- 2155. Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida Frivaldsky,1835*
- 2156. Melolontha (s.str.) anita Reitter,1902** (Scarabaeidae) Synonym(s): *anita Reitter,1902*
- 2157. Melolontha (s.str.) melolontha Linnaeus,1758** (Scarabaeidae) Synonym(s): *melolontha Linnaeus,1758*
- 2158. Menophilus cylindricus (Herbst,1784)** (Tenebrionidae) Synonym(s): *cylindricus Herbst,1784* **07 48**
- 2159. Mesomorphus longulus (Reiche,1847)** (Tenebrionidae) Synonym(s): *longulus Reiche,1847* **07 21**
- 2160. Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis Solier,1835* **47 63**
- 2161. Metacantharis araxicola Reitter,1891** (Cantharidae) Synonym(s): *araxicola Reitter,1891* **07 33 42 51**
- 2162. Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798* **06**
- 2163. Metacantharis kostali Wittmer,1997** (Cantharidae) Synonym(s): *kostali Wittmer,1997* **13**
- 2164. Metacantharis taurigrada Bourgeois,1900** (Cantharidae) Synonym(s): *taurigrada Bourgeois,1900* **01 18 31 32 33**
- 2165. Metacantharis torosensis Svihla,1999** (Cantharidae) Synonym(s): *torosensis Svihla,1999* **70**
- 2166. Metacantharis walteri Svihla,1999** (Cantharidae) Synonym(s): *walteri Svihla,1999*
- 2167. Metaclisa azurea (Waltl,1838)** (Tenebrionidae) Synonym(s): *azurea Waltl,1838* **33**
- 2168. Microcara caspica Reitter,1889** (Scirtidae) Synonym(s): *caspica Reitter,1889* **14 34 55 78**
- 2169. Microcara Thomson,1859** (Scirtidae) Synonym(s): *Microcara Thomson,1859*
- 2170. Microhoria terminata (Schmidt,1842)** (Anthicidae) Synonym(s): *terminata Schmidt,1842* **35 45**
- 2171. Microlarinus lareynii (Jacquelin du Val,1852)** (Curculionidae) Synonym(s): *lareynii Jacquelin du Val,1852* **09 35 48**
- 2172. Micromallosia heinzorum Holzschuh,1991** (Cerambycidae) Synonym(s): *heinzorum Holzschuh,1991* **70**
- 2173. Micromallosia heydeni (Ganglbauer,1888)** (Cerambycidae) Synonym(s): *heydeni Ganglbauer,1888* **02**
- 2174. Micromallosia theresae Pic,1900** (Cerambycidae) Synonym(s): *theresae Pic,1900* **73**
- 2175. Micrositus opacus Reitter,1904** (Tenebrionidae) Synonym(s): *opacus Reitter,1904* **33**
- 2176. Mniophila turcica Medvedev,1970** (Chrysomelidae) Synonym(s): *turcica Medvedev,1970* **08 53**
- 2177. Morimus verecundus (Faldermann,1836)** (Cerambycidae) Synonym(s): *verecundus Faldermann,1836* **08 61**
- 2178. Mulsanteus guillebeaui (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeaui Mulsant & Godart,1853; guillebelli Mulsant & Godart,1853* **17**



- 2179. Mulsanteus manuelae** Platia & Gudenzi,1998 (Elateridae) **Synonym(s):** *manuelae* Platia & Gudenzi,1998
- 2180. Mulsanteus schauumi** (Candeze,1881) (Elateridae) **Synonym(s):** *schauumi* Candeze,1881
- 2181. Musaria anatolica** (Fuchs & Breuning,1971) (Cerambycidae) **Synonym(s):** *anatolica* Fuchs & Breuning,1971 **49**
- 2182. Musaria astarte** (Ganglbauer,1885) (Cerambycidae) **Synonym(s):** *astarte* Ganglbauer,1885 **02 65 80**
- 2183. Musaria kurdistan** (Ganglbauer,1884) (Cerambycidae) **Synonym(s):** *kurdistan* Ganglbauer,1884 **13 30 65**
- 2184. Musaria puncticollis** (Faldermann,1837) (Cerambycidae) **Synonym(s):** *puncticollis* Faldermann,1837 **13**
- 2185. Musaria volgensis** (Kraatz,1883) (Cerambycidae) **Synonym(s):** *volgensis* Kraatz,1883 **61**
- 2186. Muzimes bitlisiensis** (Kaszab,1958) (Meloidae) **Synonym(s):** *bitlisiensis* Kaszab,1958 **13 21**
- 2187. Muzimes collaris** (Fabricius,1787) (Meloidae) **Synonym(s):** *collaris* Fabricius,1787 **15 16 18 32 45 71**
- 2188. Muzimes dersimensis** (Kaszab,1968) (Meloidae) **Synonym(s):** *dersimensis* Kaszab,1968; *#dersinensis* Özbek & Szaloki,1998 *Micromerus dersimensis* Kaszab,1968, *Annln naturh. Mus. Wien* 72: 444, 447-448. Holotype ♂: [Türkei]: Klein-Asien: 20-25km südwestlich von Tunceli, 20.vi.1967 (NHMW). **12 21 23 60 62**
- 2189. Muzimes erivanicus** (Kaszab,1958) (Meloidae) **Synonym(s):** *erivanicus* Kaszab,1958 *Micromerus erivanicus* Kaszab,1958, *Acta ent. Mus. nat. Pragae* 32: 5-18. **25 36**
- 2190. Muzimes obenbergeri** (Kaszab,1958) (Meloidae) **Synonym(s):** *obenbergeri* Kaszab,1958 **38 42**
- 2191. Muzimes semiobscurus** (Pic,1898) (Meloidae) **Synonym(s):** *semiobscurus* Pic,1898 **35 58 60**
- 2192. Muzimes strebai** (Maran,1940) (Meloidae) **Synonym(s):** *strebai* Maran,1940 **01 31 33**
- 2193. Muzimes tauricus** (Maran,1940) (Meloidae) **Synonym(s):** *tauricus* Maran,1940 **07**
- 2194. Mylabris apicenigra** Sumacov,1924 (Meloidae) **Synonym(s):** *apicenigra* Sumacov,1924 **02 12 25 50 62**
- 2195. Mylabris bimaculata** Klug,1845 (Meloidae) **Synonym(s):** *bimaculata* Klug,1845 **23 33**
- 2196. Mylabris calida** (Pallas,1784) (Meloidae) **Synonym(s):** *calida* Pallas,1784 **01 08 11 14 17 22 26 34 35 41 42 45 76**
- 2197. Mylabris ciliciensis** Escherich,1899 (Meloidae) **Synonym(s):** *ciliciensis* Escherich,1899 **21 51 76**
- 2198. Mylabris cincta** Olivier,1811 (Meloidae) **Synonym(s):** *cincta* Olivier,1811; *#cincat* Kaszab,1968 **01 07 08 12 14 23 24 25 32 35 38 45 48 62 65**
- 2199. Mylabris cingulata** Faldermann,1837 (Meloidae) **Synonym(s):** *cingulata* Faldermann,1837 **06**
- 2200. Mylabris concolor** Marseul,1870 (Meloidae) **Synonym(s):** *concolor* Marseul,1870 **23 42**
- 2201. Mylabris crocata** (Pallas,1781) (Meloidae) **Synonym(s):** *crocata* Pallas,1781 **01 03 20 23 26 35 45 50 51**
- 2202. Mylabris decempunctata** Fabricius,1781 (Meloidae) **Synonym(s):** *decempunctata* Fabricius,1781
- 2203. Mylabris decore** Frivaldsky,1835 (Meloidae) **Synonym(s):** *decore* Frivaldsky,1835
- 2204. Mylabris emiliae** (Escherich,1899) (Meloidae) **Synonym(s):** *emiliae* Escherich,1899 **25**
- 2205. Mylabris externepunctata** Faldermann,1832 (Meloidae) **Synonym(s):** *externepunctata* Faldermann,1832 **25**
- 2206. Mylabris fabricii** Sumakov,1924 (Meloidae) **Synonym(s):** *decimpunctata* Petagna,1787 nec Fabr.,1781; *fabricii* Sumakov,1924 **01 06 08 12 23 24 26 35 42 46 47 49 51 62 69**
- 2207. Mylabris festiva** (Pallas,1773) (Meloidae) **Synonym(s):** *festiva* Pallas,1773 **12 24**

- 2208. Mylabris flavipennis Motschulsky, 1872** (Meloidae) Synonym(s): *flavipennis* Motschulsky, 1872
- 2209. Mylabris formosa Welman, 1910** (Meloidae) Synonym(s): *formosa* Welman, 1910
- 2210. Mylabris furcimakula Sumakov, 1915** (Meloidae) Synonym(s): *furcimakula* Sumakov, 1915 **25**
- 2211. Mylabris fusca (Olivier, 1811)** (Meloidae) Synonym(s): *fusca* Olivier, 1811 **02 09 12 21 25 26 30 31 33 35 42 44 45 48 49 56 62**
- 2212. Mylabris geminata Fabricius, 1798** (Meloidae) Synonym(s): *geminata* Fabricius, 1798 **06 08 25 36 51 53**
- 2213. Mylabris humerosa (Escherich, 1899)** (Meloidae) Synonym(s): *humerosa* Escherich, 1899 **07 12 23 25 30 35 47 49 62**
- 2214. Mylabris laevicollis Marseul, 1870** (Meloidae) Synonym(s): *laevicollis* Marseul, 1870 **16 25 36 76**
- 2215. Mylabris ledereri Marseul, 1870** (Meloidae) Synonym(s): *ledereri* Marseul, 1870
- 2216. Mylabris munda Escherich, 1897** (Meloidae) Synonym(s): *munda* Escherich, 1897
- 2217. Mylabris olivieri Billberg, 1813** (Meloidae) Synonym(s): *olivieri* Billberg, 1813 **06 07 08 11 24 25 26 33 36 37 42 44 69**
- 2218. Mylabris pentheri Ganglbauer, 1905** (Meloidae) Synonym(s): *pentheri* Ganglbauer, 1905
- 2219. Mylabris polymorphus (Pallas, 1771)** (Meloidae) Synonym(s): *polymorphus* Pallas, 1771; *floralis* Pallas, 1773 **62 73**
- 2220. Mylabris pusilla Olivier, 1811** (Meloidae) Synonym(s): *pusilla* Olivier, 1811 **25 36 76**
- 2221. Mylabris quadripunctata (Linnaeus, 1767)** (Meloidae) Synonym(s): *quadripunctata* Linnaeus, 1767 **01 06 07 08 17 22 24 26 31 32 33 34 35 38 42 44 45 46 47 48 51 52 54 57 59 62 63 65 66 70 73**
- 2222. Mylabris serana (Escherich, 1897)** (Meloidae) Synonym(s): *serana* Escherich, 1897 **24 25**
- 2223. Mylabris sericea Pallas, 1782** (Meloidae) Synonym(s): *sericea* Pallas, 1782
- 2224. Mylabris sinuata Klug, 1845** (Meloidae) Synonym(s): *sinuata* Klug, 1845 **46 60**
- 2225. Mylabris steppensis Dokhtouroff, 1889** (Meloidae) Synonym(s): *steppensis* Dokhtouroff, 1889
- 2226. Mylabris suturalis Pic, 1898** (Meloidae) Synonym(s): *suturalis* Pic, 1898 **12**
- 2227. Mylabris syriaca Klug, 1845** (Meloidae) Synonym(s): *syriaca* Klug, 1845 **01 07 15 31 32 33 48 49 56 80**
- 2228. Mylabris variabilis (Pallas, 1782)** (Meloidae) Synonym(s): *variabilis* Pallas, 1782 **01 06 07 08 09 10 16 17 18 22 25 34 36 41 42 59 62 80**
- 2229. Mylabris zebraea (Marseul, 1870)** (Meloidae) Synonym(s): *zebraea* Marseul, 1870 **02 03 06 07 08 12 17 19 20 24 26 27 31 35 42 47 48 51 62 66 69**
- 2230. Myriochile (Monelica) orientalis (Dejean, 1825)** (Carabidae) Synonym(s): *orientalis* Dejean, 1825 **63**
- 2231. Myriochile (s.str.) melancholica (Fabricius, 1798)** (Carabidae) Synonym(s): *melancholica* Fabricius, 1798 **01 06 07 09 20 27 31 33 35 44**
- 2232. Nacerdes (s.str.) melanura (Linnaeus, 1758)** (Oedemeridae) Synonym(s): *melanura* Linnaeus, 1758
- 2233. Nacerdes (Xanthochroa) carniolica (Gistel, 1832)** (Oedemeridae) Synonym(s): *carniolica* Gistel, 1832 **33**
- 2234. Nacerdes (Xanthochroa) raymondi (Mulsant & Godart, 1860)** (Oedemeridae) Synonym(s): *raymondi* Mulsant & Godart, 1860 **31 33**
- 2235. Nalassus dryadophilus (Mustant, 1854)** (Tenebrionidae) Synonym(s): *dryadophilus* Mustant, 1854 **16 22 35 45 57**
- 2236. Nalassus plebejus (Küster, 1850)** (Tenebrionidae) Synonym(s): *plebejus* Küster, 1850 **16 34 45**
- 2237. Neatus subaequalis Reitter, 1920** (Tenebrionidae) Synonym(s): *subaequalis* Reitter, 1920 **07**
- 2238. Nebria (Eunebria) jarrigei Ledoux & Roux, 1991** (Carabidae) Synonym(s): *jarrigei* Ledoux & Roux, 1991
- 2239. Nebria (Eunebria) merklana Apfelbeck, 1904** (Carabidae) Synonym(s): *merklana* Apfelbeck, 1904



- 2240. Nebria (Eunebria) nigerrima Chaudoir,1846** (Carabidae) Synonym(s): *nigerrima Chaudoir,1846*
- 2241. Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis Fabricius,1801*
- 2242. Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata Linnaeus,1767*
- 2243. Nebria (s.str.) adjarica Shilenkov,1983** (Carabidae) Synonym(s): *adjarica Shilenkov,1983*
- 2244. Nebria (s.str.) alpicola Motschoulsky,1865** (Carabidae) Synonym(s): *alpicola Motschoulsky,1865*
- 2245. Nebria (s.str.) araschinica Reitter,1892** (Carabidae) Synonym(s): *araschinica Reitter,1892* **25**
- 2246. Nebria (s.str.) arcensis Ledoux & Roux,1990** (Carabidae) Synonym(s): *arcensis Ledoux & Roux,1990*
- 2247. Nebria (s.str.) bonellii M.F. Adams,1817** (Carabidae) Synonym(s): *bonellii M.F. Adams,1817* **08**
- 2248. Nebria (s.str.) defreinaei Kirschenhofer,1981** (Carabidae) Synonym(s): *defreinaei Kirschenhofer,1981*
- 2249. Nebria (s.str.) deuveiana Ledoux & Roux,1990** (Carabidae) Synonym(s): *deuveiana Ledoux & Roux,1990*
- 2250. Nebria (s.str.) elliptipennis Bates,1874** (Carabidae) Synonym(s): *elliptipennis Bates,1874*
- 2251. Nebria (s.str.) finissima Ledoux & Roux,1990** (Carabidae) Synonym(s): *finissima Ledoux & Roux,1990*
- 2252. Nebria (s.str.) fischeri Faldermann,1836** (Carabidae) Synonym(s): *fischeri Faldermann,1836* **08**
- 2253. Nebria (s.str.) glacialis Ledoux & Roux,1999** (Carabidae) Synonym(s): *glacialis Ledoux & Roux,1999*
- 2254. Nebria (s.str.) glacialicola Ledoux & Roux,2001** (Carabidae) Synonym(s): *glacialicola Ledoux & Roux,2001*
- 2255. Nebria (s.str.) gotschii Chaudoir,1846** (Carabidae) Synonym(s): *gotschii Chaudoir,1846*
- 2256. Nebria (s.str.) hemprichi Klug,1832** (Carabidae) Synonym(s): *hemprichi Klug,1832*
- 2257. Nebria (s.str.) irregularis Jedlicka,1965** (Carabidae) Synonym(s): *irregularis Jedlicka,1965*
- 2258. Nebria (s.str.) korgei Jedlicka,1965** (Carabidae) Synonym(s): *korgei Jedlicka,1965*
- 2259. Nebria (s.str.) mandibularis Bates,1872** (Carabidae) Synonym(s): *mandibularis Bates,1872* **30**
- 2260. Nebria (s.str.) mirabilis Ledoux & Roux,1990** (Carabidae) Synonym(s): *mirabilis Ledoux & Roux,1990*
- 2261. Nebria (s.str.) pontica Ledoux & Roux,1990** (Carabidae) Synonym(s): *pontica Ledoux & Roux,1990*
- 2262. Nebria (s.str.) sinuosa Ledoux & Roux,1990** (Carabidae) Synonym(s): *sinuosa Ledoux & Roux,1990*
- 2263. Nebria (s.str.) thonitida Ledoux & Roux,1990** (Carabidae) Synonym(s): *thonitida Ledoux & Roux,1990*
- 2264. Nebria (s.str.) turcica Chaudoir,1843** (Carabidae) Synonym(s): *turcica Chaudoir,1843*
- 2265. Nebria (s.str.) walterheinzi Ledoux & Roux,1990** (Carabidae) Synonym(s): *walterheinzi Ledoux & Roux,1990*
- 2266. Nebria (s.str.) wiedemanni Fischer von Waldheim,1844** (Carabidae) Synonym(s): *wiedemanni Fischer von Waldheim,1844* **18**
- 2267. Nebria (Tyrrhenia) coiffaiti Ledoux,1983** (Carabidae) Synonym(s): *coiffaiti Ledoux,1983*
- 2268. Nebria (Tyrrhenia) oramarensis Shilenkov & Heinz,1984** (Carabidae) Synonym(s): *oramarensis Shilenkov & Heinz,1984* **30**
- 2269. Nebria (Tyrrhenia) testacea Olivier,1811** (Carabidae) Synonym(s): *testacea Olivier,1811*
- 2270. Nebria (Tyrrhenia) uluderensis Shilenkov & Heinz,1984** (Carabidae) Synonym(s): *uluderensis Shilenkov & Heinz,1984* **73**
- 2271. Nebrioporus airumilus (Kolenati,1845)** (Dytiscidae) Synonym(s): *airumilus Kolenati,1845* **08 25 36 65**

- 2272. Nebrioporus suavis (Sharp,1882)** (Dytiscidae) Synonym(s): *suavis Sharp,1882* **01**  
**05 06 07 10 11 16 26 29 34 35 42 52 54 57 61**
- 2273. Nebrioporus turca (Seidlitz,1887)** (Dytiscidae) Synonym(s): *turca Seidlitz,1887* **01**  
**07 08 23 25 32 35 42 61**
- 2274. Necrodes littoralis (Linnaeus,1758)** (Silphidae) Synonym(s): *littoralis Linnaeus,1758*  
**46**
- 2275. Negastrius sabulicola (Boheman,1851)** (Elateridae) Synonym(s): *sabulicola Boheman,1851*
- 2276. Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775; #chrysomelira Özbek & Szaloki,1998* **01 06 07 08 11 19 24 32 43**
- 2277. Neocrepidodera crassicornis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *crassicornis Faldermann,1837* **25 55**
- 2278. Neocrepidodera ferruginea (Scopoli,1763)** (Chrysomelidae) Synonym(s): *ferruginea Scopoli,1763* **06 25 34 38 42**
- 2279. Neocrepidodera impressa (Fabricius,1801)** (Chrysomelidae) Synonym(s): *impressa Fabricius,1801*
- 2280. Neocrepidodera motschulskyi Konstantinov,1991** (Chrysomelidae) Synonym(s): *motschulskyi Konstantinov,1991* **25 60**
- 2281. Neocrepidodera nigrigula (Gyllenhal,1813)** (Chrysomelidae) Synonym(s): *nigrigula Gyllenhal,1813* **34**
- 2282. Neocrepidodera transversa (Marsham,1802)** (Chrysomelidae) Synonym(s): *transversa Marsham,1802* **06 25 55 58 60**
- 2283. Neodorcadion bilineatum (Germar,1824)** (Cerambycidae) Synonym(s): *bilineatum Germar,1824*
- 2284. Neodorcadion exornatoides Breuning,1962** (Cerambycidae) Synonym(s): *exornatoides Breuning,1962* [Neodorcadion exornatoides Breuning,1962, Ent. Abh. Staatl. Mus. Tierk. 27: 68. 10](#)
- 2285. Neodorcadion exornatum (Frivaldsky,1835)** (Cerambycidae) Synonym(s): *exornatum Frivaldsky,1835; labyrinthicum Thomson,1865; balcanicum Tournier,1872;...*
- 2286. Neodorcadion laqueatum (Waltl,1838)** (Cerambycidae) Synonym(s): *laqueatum Waltl,1838; interruptum Mulsant & Rey,1863; sparsum Mulsant & Rey,1863; abeillei Tournier,1872; bulgaricum Pic,1913;...*
- 2287. Neodorcadion orientale Ganglbauer,1883** (Cerambycidae) Synonym(s): *orientale Ganglbauer,1883; flaschneri Pic,1889; merkli Pic,1892; dispar Pic,1892; eduardi Pic,1900*
- 2288. Neodorcadion pelleti (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *pelleti Mulsant & Rey,1863; segne Mulsant & Rey,1863; disjunctum Pic,1907; credulum Pic,1917*
- 2289. Neomusaria balcanica (Frivaldsky,1835)** (Cerambycidae) Synonym(s): *balcanica Frivaldsky,1835*
- 2290. Neomusaria merkli (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *merkli Ganglbauer,1884* **02**
- 2291. Neomusaria salvicola Holzschuh,1989** (Cerambycidae) Synonym(s): *salvicola Holzschuh,1989* **23**
- 2292. Neomusaria suworovi (Pic,1906)** (Cerambycidae) Synonym(s): *suworovi Pic,1906*  
**49**
- 2293. Neomusaria waltli Sama,1991** (Cerambycidae) Synonym(s): *waltli Sama,1991* **33**
- 2294. Neoplagonotus bobelayei (Brullé,1832)** (Cerambycidae) Synonym(s): *speciosus Adams,1817; bobelayei Brullé,1832* **33**
- 2295. Neopristilpophus insitivus (Germar,1824)** (Elateridae) Synonym(s): *depressus Germar,1822; insitivus Germar,1824*
- 2296. Neotournieria szypulai Bialooki,2006** (Curculionidae) Synonym(s): *szypulai Bialooki,2006* **39**
- 2297. Nephus caneparii Fürsch & Uygun,1980** (Coccinellidae) Synonym(s): *caneparii Fürsch & Uygun,1980* **01 07**
- 2298. Nephus hiekei (Fürsch,1965)** (Coccinellidae) Synonym(s): *hiekei Fürsch,1965*
- 2299. Nephus includens (Kirsch,1870)** (Coccinellidae) Synonym(s): *includens Kirsch,1870*
- 2300. Nephus kreissli Fürsch & Uygun,1980** (Coccinellidae) Synonym(s): *kreissli Fürsch & Uygun,1980* **31 80**
- 2301. Nephus ludyi Weise,1879** (Coccinellidae) Synonym(s): *ludyi Weise,1879*
- 2302. Nephus nigricans Weise,1879** (Coccinellidae) Synonym(s): *nigricans Weise,1879*



- 2303. *Nephus pallidus* (Fürsch,1980)** (Coccinellidae) Synonym(s): *pallidus* Fürsch,1980 **22**
- 2304. *Nephus pandicus* Khnzorian,1970** (Coccinellidae) Synonym(s): *pandicus* Khnzorian,1970
- 2305. *Nephus ponticus* Khnzorian,1970** (Coccinellidae) Synonym(s): *ponticus* Khnzorian,1970 **25**
- 2306. *Nephus quadrimaculatus* (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus* Herbst,1783 **06 35**
- 2307. *Nicrophorus antennatus* (Reitter,1885)** (Silphidae) Synonym(s): *antennatus* Reitter,1885 **02 49 80**
- 2308. *Nicrophorus confusus* Portevin,1924** (Silphidae) Synonym(s): *confusus* Portevin,1924 **08 75**
- 2309. *Nicrophorus fossor* Erichson,1837** (Silphidae) Synonym(s): *fossor* Erichson,1837 **08 60**
- 2310. *Nicrophorus germanicus* (Linnaeus,1758)** (Silphidae) Synonym(s): *germanicus* Linnaeus,1758 **18 42 70**
- 2311. *Nicrophorus humator* (Gleditsch,1767)** (Silphidae) Synonym(s): *humator* Gleditsch,1767 **02 14 18 80**
- 2312. *Nicrophorus investigator* Zetterstedt,1824** (Silphidae) Synonym(s): *investigator* Zetterstedt,1824 **61**
- 2313. *Nicrophorus nigricornis* Faldermann,1835** (Silphidae) Synonym(s): *nigricornis* Faldermann,1835 **36**
- 2314. *Nicrophorus vespillo* (Linnaeus,1758)** (Silphidae) Synonym(s): *vespillo* Linnaeus,1758 **08 60**
- 2315. *Nicrophorus vespilloides* Herbst,1784** (Silphidae) Synonym(s): *vespilloides* Herbst,1784 **02**
- 2316. *Nicrophorus vestigator* Herschel,1807** (Silphidae) Synonym(s): *vestigator* Herschel,1807 **14**
- 2317. *Noterus clavicornis* (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **06 10 11 14 32 35 38 42 45**
- 2318. *Noterus clavicornis* (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **06 07 09 10 11 14 32 35 38 42 45**
- 2319. *Noterus crassicornis* (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 **01 32**
- 2320. *Nothodes parvulus* (Panzer,1799)** (Elateridae) Synonym(s): *parvulus* Panzer,1799 **16 33 62**
- 2321. *Notiophilus aestuans* Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826
- 2322. *Notiophilus biguttatus* (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779
- 2323. *Notiophilus danieli* Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897
- 2324. *Notiophilus germinyi* Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863
- 2325. *Notiophilus interstitialis* Reitter,1889** (Carabidae) Synonym(s): *interstitialis* Reitter,1889
- 2326. *Notiophilus laticollis* Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850
- 2327. *Notiophilus rufipes* Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829
- 2328. *Notiophilus substriatus* C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833
- 2329. *Notoxus angustulus* Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo,1919 **35 45**
- 2330. *Noxius curtirostris* (Mulsant,1861)** (Anthribidae) Synonym(s): *curtirostris* Mulsant,1861
- 2331. *Nyctophila anatolica* Geisthardt,1982** (Lampyridae) Synonym(s): *anatolica* Geisthardt,1982
- 2332. *Nyctophila libani* (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani* Laporte de Castelnau,1833; *insignis* Ancey,1870
- 2333. *Nyctophila maculicollis* (Fairmaire,1866)** (Lampyridae) Synonym(s): *maculicollis* Fairmaire,1866
- 2334. *Nyctophila reichii* (Jacquelin du Val,1860)** (Lampyridae) Synonym(s): *reichii* Jacquelin du Val,1860

- 2335. *Nyctophila scabripennis* E.Olivier,1907** (Lampyridae) **Synonym(s):** *scabripennis* E.Olivier,1907 *Nyctophila scabripennis* E.Olivier,1907, Gen. Ins. Lampyr. 1907: 45.
- 2336. *Nyctophila syriaca* (Baudi di Selve,1871)** (Lampyridae) **Synonym(s):** *syriaca* Baudi di Selve,1871 *Lampyrus syriaca* Baudi di Selve,1871, Berl. ent. Z. 1871: 58.
- 2337. *Oberea erythrocephala* (Schränk,1776)** (Cerambycidae) **Synonym(s):** *erythrocephala* (Schränk,1776)
- 2338. *Oberea linearis* (Linnaeus,1761)** (Cerambycidae) **Synonym(s):** *linearis* Linnaeus,1761
- 2339. *Oberea oculata* (Linnaeus,1758)** (Cerambycidae) **Synonym(s):** *oculata* Linnaeus,1758
- 2340. *Occathemus tarsalis* Svihla,1999** (Cantharidae) **Synonym(s):** *tarsalis* Svihla,1999 **07 32 41**
- 2341. *Ochrosis ventralis* (Illiger,1807)** (Chrysomelidae) **Synonym(s):** *ventralis* Illiger,1807 **06 24 25 31 34 36 38 39 58 76**
- 2342. *Ochthebius* (*Asiabates*) *akbuluti* Jäch, Kasapoğlu & Erman,2003** (Hydraenidae) **Synonym(s):** *akbuluti* Jäch, Kasapoğlu & Erman,2003 **25**
- 2343. *Ochthebius* (*Asiabates*) *oezkani* Jäch, Kasapoğlu & Erman,2003** (Hydraenidae) **Synonym(s):** *oezkani* Jäch, Kasapoğlu & Erman,2003 **25**
- 2344. *Ochthebius* (s.str.) *erzerumi* Kuwert,1887** (Hydraenidae) **Synonym(s):** *erzerumi* Kuwert,1887 **25**
- 2345. *Ochthebius* (s.str.) *lividipennis* Peyron,1885** (Hydraenidae) **Synonym(s):** *lividipennis* Peyron,1885
- 2346. *Ochthebius* (s.str.) *meridionalis* Rey,1885** (Hydraenidae) **Synonym(s):** *meridionalis* Rey,1885
- 2347. *Ochthebius* (s.str.) *minabensis* Ferro,1983** (Hydraenidae) **Synonym(s):** *minabensis* Ferro,1983 **25**
- 2348. *Ochthebius* (s.str.) *peisonis* Ganglbauer,1901** (Hydraenidae) **Synonym(s):** *peisonis* Ganglbauer,1901
- 2349. *Ochthebius* (s.str.) *pusillus* Stephens,1835** (Hydraenidae) **Synonym(s):** *pusillus* Stephens,1835
- 2350. *Ochthebius* (s.str.) *virens* Jäch,1992** (Hydraenidae) **Synonym(s):** *virens* Jäch,1992
- 2351. *Ochthebius* (s.str.) *viridis* Peyron,1885** (Hydraenidae) **Synonym(s):** *viridis* Peyron,1885
- 2352. *Odeles armilabris* (Nyholm,1974)** (Scirtidae) **Synonym(s):** *armilabris* Nyholm,1974 **53**
- 2353. *Oedemera* (*Oncomera*) *femoralis* (Fabricius,1792)** (Oedemeridae) **Synonym(s):** *femoralis* Fabricius,1792
- 2354. *Oedemera* (*Oncomera*) *flavicans* (Fairmaire,1860)** (Oedemeridae) **Synonym(s):** *flavicans* Fairmaire,1860 **07 31 33 39 80**
- 2355. *Oedemera* (*Oncomera*) *natolica* (Reiche,1862)** (Oedemeridae) **Synonym(s):** *natolica* Reiche,1862 **07 17 33**
- 2356. *Oedemera* (s.str.) *artvinensis* Svihla,1999** (Oedemeridae) **Synonym(s):** *artvinensis* Svihla,1999 **08**
- 2357. *Oedemera* (s.str.) *atrata* W.Schmidt,1846** (Oedemeridae) **Synonym(s):** *atrata* W.Schmidt,1846
- 2358. *Oedemera* (s.str.) *barbara* (Fabricius,1792)** (Oedemeridae) **Synonym(s):** *barbara* Fabricius,1792
- 2359. *Oedemera* (s.str.) *brevipennis* Ganglbauer,1881** (Oedemeridae) **Synonym(s):** *brevipennis* Ganglbauer,1881 **07 17 33 80**
- 2360. *Oedemera* (s.str.) *crassipes* Ganglbauer,1881** (Oedemeridae) **Synonym(s):** *crassipes* Ganglbauer,1881 **01 05 06 10 11 14 33 34 39 45 61 80**
- 2361. *Oedemera* (s.str.) *femorata* (Scopoli,1763)** (Oedemeridae) **Synonym(s):** *femorata* Scopoli,1763 **01 05 08 28 33 38 39 53 62 68**
- 2362. *Oedemera* (s.str.) *flavipennis* W.Schmidt,1846** (Oedemeridae) **Synonym(s):** *flavipennis* W.Schmidt,1846 **01 02 07 13 25 33 63 80**
- 2363. *Oedemera* (s.str.) *flavipes* (Fabricius,1792)** (Oedemeridae) **Synonym(s):** *flavipes* Fabricius,1792 **06 07 09 14 17 33 35 39 53 80**
- 2364. *Oedemera* (s.str.) *lurida* (Marsham,1802)** (Oedemeridae) **Synonym(s):** *lurida* Marsham,1802 **05 06 08 14 17 18 19 25 33 39 45 53 60 67 69 80**
- 2365. *Oedemera* (s.str.) *merkli* Seidlitz,1899** (Oedemeridae) **Synonym(s):** *merkli* Seidlitz,1899



- 2366. Oedemera (s.str.) penicillata W.Schmidt,1846** (Oedemeridae) **Synonym(s):**  
*penicillata W.Schmidt,1846* **02 05 11 18 37 39 42 53 60 62**
- 2367. Oedemera (s.str.) podagrariae (Linnaeus,1767)** (Oedemeridae) **Synonym(s):**  
*podagrariae Linnaeus,1767* **07 08 11 14 33 37 39 62**
- 2368. Oedemera (s.str.) pthysica (Scopoli,1763)** (Oedemeridae) **Synonym(s):** *pthysica Scopoli,1763* **02 06 14 18 39 53 61 80**
- 2369. Oedemera (s.str.) rufofemorata Germar,1824** (Oedemeridae) **Synonym(s):**  
*rufofemorata Germar,1824* **07 31 33 80**
- 2370. Oedemera (s.str.) subrobusta (Nakane,1954)** (Oedemeridae) **Synonym(s):**  
*subrobusta Nakane,1954*
- 2371. Oedemera (s.str.) vilis Roubal,1917** (Oedemeridae) **Synonym(s):** *vilis Roubal,1917*  
**61**
- 2372. Oedemera (s.str.) virescens (Linnaeus,1767)** (Oedemeridae) **Synonym(s):** *virescens Linnaeus,1767*
- 2373. Oenas afer (Linnaeus,1767)** (Meloidae) **Synonym(s):** *afer Linnaeus,1767; atrata Fabricius,1775* **Meloe afer Linnaeus,1767, Syst. Nat. (Edn. 12) 1 (2): 680. Type(s): Barbaria.**
- 2374. Oenas armeniacus Kaszab,1951** (Meloidae) **Synonym(s):** *armeniaceus Kaszab,1951* **25 49**
- 2375. Oenas crassicornis (Illiger,1800)** (Meloidae) **Synonym(s):** *crassicornis Illiger,1800*  
**01 06 10 15 16 22 24 25 32 35 41 45 49 55 66 71**
- 2376. Oenas tarsensis Abeille de Perrin,1880** (Meloidae) **Synonym(s):** *tarsensis Abeille de Perrin,1880* **01 33 60**
- 2377. Oenas tenuicornis Abeille de Perrin,1880** (Meloidae) **Synonym(s):** *tenuicornis Abeille de Perrin,1880; #tenuitarsis Kaszab,1968* **01 21 25 56 44 73**
- 2378. Oenopia conglobata (Linnaeus,1758)** (Coccinellidae) **Synonym(s):** *conglobata Linnaeus,1758* **01 06 07 25 35 75**
- 2379. Oenopia oncina (Olivier,1808)** (Coccinellidae) **Synonym(s):** *oncina Olivier,1808* **06 15 20 24 25 32 35 65**
- 2380. Oiceoptoma thoracica (Linnaeus,1758)** (Silphidae) **Synonym(s):** *thoracica Linnaeus,1758* **61**
- 2381. Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) **Synonym(s):** *baraudi Galante,1985*
- 2382. Omaloplia (s.str.) cerrutii (Sabatinelli,1977)** (Scarabaeidae) **Synonym(s):** *cerrutii Sabatinelli,1977*
- 2383. Omaloplia (s.str.) diabolica (Reitter,1887)** (Scarabaeidae) **Synonym(s):** *diabolica Reitter,1887; ursina Fairmaire,1892*
- 2384. Omaloplia (s.str.) erebea (Baraud,1965)** (Scarabaeidae) **Synonym(s):** *erebea Baraud,1965*
- 2385. Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) **Synonym(s):** *erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850*
- 2386. Omaloplia (s.str.) gibbosa (Baraud,1965)** (Scarabaeidae) **Synonym(s):** *gibbosa Baraud,1965; macedoniae Baraud,1965*
- 2387. Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) **Synonym(s):** *hericus Chobaut,1907; majuscula Baraud,1965; rozneri Adam,1994*
- 2388. Omaloplia (s.str.) mutilata (Fairmaire,1892)** (Scarabaeidae) **Synonym(s):** *mutilata Fairmaire,1892; corpulenta Sahlberg,1908*
- 2389. Omophlus (Odontomophlus) lepturoides (Fabricius,1787)** (Tenebrionidae) **Synonym(s):** *lepturoides Fabricius,1787*
- 2390. Omophlus (Odontomophlus) syriacus Mulsant,1856** (Tenebrionidae) **Synonym(s):** *syriacus Mulsant,1856*
- 2391. Omophlus (s.str.) caucasicus Kirsch,1869** (Tenebrionidae) **Synonym(s):** *caucasicus Kirsch,1869* **66**
- 2392. Omophlus (s.str.) turcicus Kirsch,1869** (Tenebrionidae) **Synonym(s):** *turcicus Kirsch,1869*
- 2393. Onitis alexis Klug,1835** (Scarabaeidae) **Synonym(s):** *alexis Klug,1835*
- 2394. Onitis damoetas Steven,1806** (Scarabaeidae) **Synonym(s):** *damoetas Steven,1806; laevigatus Olivier,1811; steveni Brullé,1832*
- 2395. Onitis humerosus (Pallas,1771)** (Scarabaeidae) **Synonym(s):** *humerosus Pallas,1771*

- 2396. Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae)  
Synonym(s): *falzonii* Goidanich,1926
- 2397. Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae)  
Synonym(s): *amyntas* Olivier,1789
- 2398. Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae)  
Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792
- 2399. Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae)  
Synonym(s): *atramentarius* Ménétriés,1832
- 2400. Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae)  
Synonym(s): *dorbignyi* Olsoufieff,1900; *neutto* Olsoufieff,1900
- 2401. Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae)  
Synonym(s): *gibbosus* Scriba,1790
- 2402. Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae)  
Synonym(s): *sulcicollis* Reitter,1892
- 2403. Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae)  
Synonym(s): *furcatus* Fabricius,1781
- 2404. Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982
- 2405. Onthophagus (Palaeonthophagus) anatolicus Petrovitz,1962** (Scarabaeidae)  
Synonym(s): *anatolicus* Petrovitz,1962 **33**
- 2406. Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae)  
Synonym(s): *angorensis* Petrovitz,1963 **06**
- 2407. Onthophagus (Palaeonthophagus) carpanetoi Pittino,1982** (Scarabaeidae)  
Synonym(s): *carpanetoi* Pittino,1982 **14**
- 2408. Onthophagus (Palaeonthophagus) coenobita (Herbst,1783)** (Scarabaeidae)  
Synonym(s): *coenobita* Herbst,1783
- 2409. Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae)  
Synonym(s): *cruciatus* Ménétriés,1832
- 2410. Onthophagus (Palaeonthophagus) dacatrai Pittino,2004** (Scarabaeidae)  
Synonym(s): *dacatrai* Pittino,2004 **07**
- 2411. Onthophagus (Palaeonthophagus) dorsosignatus D'Orbigny,1898** (Scarabaeidae)  
Synonym(s): *dorsosignatus* D'Orbigny,1898
- 2412. Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae)  
Synonym(s): *fissicornis* Steven,1809
- 2413. Onthophagus (Palaeonthophagus) fissinasus Fairmaire,1895** (Scarabaeidae)  
Synonym(s): *fissinasus* Fairmaire,1895
- 2414. Onthophagus (Palaeonthophagus) formaneki Reitter,1897** (Scarabaeidae)  
Synonym(s): *formaneki* Reitter,1897
- 2415. Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae)  
Synonym(s): *fracticornis* Preyssler,1790
- 2416. Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae)  
Synonym(s): *gibbulus* Pallas,1781
- 2417. Onthophagus (Palaeonthophagus) isikdagheensis Pittino,2004** (Scarabaeidae)  
Synonym(s): *isikdagheensis* Pittino,2004 **06**
- 2418. Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae)  
Synonym(s): *kindermanni* Harold,1877 **34**
- 2419. Onthophagus (Palaeonthophagus) lemur (Fabricius,1781)** (Scarabaeidae)  
Synonym(s): *lemur* Fabricius,1781
- 2420. Onthophagus (Palaeonthophagus) lemuroides D'Orbigny,1898** (Scarabaeidae)  
Synonym(s): *lemuroides* D'Orbigny,1898
- 2421. Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae)  
Synonym(s): *lucidus* Sturm,1800
- 2422. Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae)  
Synonym(s): *marginalis* Gebler,1817
- 2423. Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae) Synonym(s): *muelleri* Novak,1921; *novaki* Boucomont & Gillet,1927



- 2424. Onthophagus (Palaeonthophagus) nuchicornis (Linnaeus,1758)** (Scarabaeidae)  
Synonym(s): *nuchicornis* Linnaeus,1758
- 2425. Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae)  
Synonym(s): *opacicollis* Reitter,1893
- 2426. Onthophagus (Palaeonthophagus) osellai Pittino,1982** (Scarabaeidae)  
Synonym(s): *osellai* Pittino,1982 **37**
- 2427. Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae)  
Synonym(s): *ovatus* Linnaeus,1762
- 2428. Onthophagus (Palaeonthophagus) parmatius Reitter,1892** (Scarabaeidae)  
Synonym(s): *parmatius* Reitter,1892
- 2429. Onthophagus (Palaeonthophagus) petrovitzianus Pittino,2006** (Scarabaeidae)  
Synonym(s): *petrovitzi* Pittino,2004; *petrovitzianus* Pittino,2006 **26**
- 2430. Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae)  
Synonym(s): *ponticus* Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894; *gorhami* Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965
- 2431. Onthophagus (Palaeonthophagus) rakovici Pittino,2004** (Scarabaeidae)  
Synonym(s): *rakovici* Pittino,2004 **06**
- 2432. Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae)  
Synonym(s): *ruficapillus* Brullé,1832
- 2433. Onthophagus (Palaeonthophagus) sacharovskii Olsoufieff,1918** (Scarabaeidae)  
Synonym(s): *sacharovskii* Olsoufieff,1918
- 2434. Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae)  
Synonym(s): *semicornis* Panzer,1798
- 2435. Onthophagus (Palaeonthophagus) sericatus Reitter,1893** (Scarabaeidae)  
Synonym(s): *sericatus* Reitter,1893
- 2436. Onthophagus (Palaeonthophagus) speculifer Solsky,1876** (Scarabaeidae)  
Synonym(s): *speculifer* Solsky,1876
- 2437. Onthophagus (Palaeonthophagus) strabo Reitter,1893** (Scarabaeidae)  
Synonym(s): *strabo* Reitter,1893 **01**
- 2438. Onthophagus (Palaeonthophagus) suermelii Petrovitz,1963** (Scarabaeidae)  
Synonym(s): *suermelii* Petrovitz,1963 **33**
- 2439. Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae)  
Synonym(s): *suturellus* Brullé,1832; *trochiscobius* Kolenati,1846
- 2440. Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae)  
Synonym(s): *truchmenus* Kolenati,1846; *araxicola* Reitter,1893; *latiplage* Reitter,1897; *xerces* Petrovitz,1965
- 2441. Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae)  
Synonym(s): *vacca* Linnaeus,1767
- 2442. Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae) Synonym(s): *verticicornis* Laicharting,1781
- 2443. Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus* Scopoli,1763
- 2444. Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus* Schreber,1759
- 2445. Oochrotus glaber Demaison,1904** (Tenebrionidae) Synonym(s): *glaber* Demaison,1904 **07**
- 2446. Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833
- 2447. Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792
- 2448. Opanthribus tessellatus (Boheman,1829)** (Anthribidae) Synonym(s): *tessellatus* Boheman,1829; *fallax* Perris,1875; *brunneipennis* Reitter,1916
- 2449. Opatroides curtulus Fairmaire,1892** (Tenebrionidae) Synonym(s): *curtulus* Fairmaire,1892; *pasitacticus* Desbrochers,1881 **07 35**
- 2450. Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): *punctulatus* Brullé,1832; *parvulus* Faldermann,1837 **06 07 09 13 17 20 21 32 35 38 42 45 46 47 63 79**
- 2451. Opatrum alternatum Küster,1849** (Tenebrionidae) Synonym(s): *alternatum* Küster,1849 **10 19 35 45**

- 2452. *Opatrum geminatum* Brullé,1832** (Tenebrionidae) **Synonym(s):** *geminatum* Brullé,1832  
**03 04 07 10 18 19 26 33 35 36 38 42 43 45 50 59 60 62 70**
- 2453. *Opatrum obesum* Olivier,1811** (Tenebrionidae) **Synonym(s):** *obesum* Olivier,1811 **35**  
**37 48**
- 2454. *Opatrum sabulosum* (Linnaeus,1761)** (Tenebrionidae) **Synonym(s):** *sabulosum*  
Linnaeus,1761 **18 33**
- 2455. *Opatrum verrucosum* Germar,1817** (Tenebrionidae) **Synonym(s):** *verrucosum*  
Germar,1817 **35 36**
- 2456. *Opilo taeniatus* (Klug,1842)** (Cleridae) **Synonym(s):** *taeniatus* Klug,1842 **01 07 27 31**  
**33 35 38 41 42 45 50 51 70 80**
- 2457. *Opsilia coerulescens* (Scopoli,1763)** (Cerambycidae) **Synonym(s):** *coerulescens*  
Scopoli,1763 **44 65**
- 2458. *Opsimea ventralis* Miller,1880** (Oedemeridae) **Synonym(s):** *ventralis* Miller,1880 **07**  
**11 33 80**
- 2459. *Orectochilus villosus* (Müller,1776)** (Gyrinidae) **Synonym(s):** *villosus* Müller,1776  
**07 44**
- 2460. *Oreodytes davisii* (Curtis,1831)** (Dytiscidae) **Synonym(s):** *davisii* Curtis,1831 **07 08**  
**25 53**
- 2461. *Oreodytes septentrionalis* (Gyllenhal,1826)** (Dytiscidae) **Synonym(s):** *septentrionalis*  
Gyllenhal,1826 **25**
- 2462. *Oreodytes septentrionalis* (Gyllenhal,1826)** (Dytiscidae) **Synonym(s):** *septentrionalis*  
Gyllenhal,1826
- 2463. *Orestia loebli* Biondi,1992** (Chrysomelidae) **Synonym(s):** *loebli* Biondi,1992 **67**
- 2464. *Orestia olympica* Frivaldsky,1884** (Chrysomelidae) **Synonym(s):** *olympica*  
Frivaldsky,1884 **16**
- 2465. *Orestia oselliana* Leonardi,1977** (Chrysomelidae) **Synonym(s):** *oselliana* Leonardi,1977  
**37**
- 2466. *Oryctes* (*Oryctes*) *nasicornis* (Linnaeus,1758)** (Scarabaeidae) **Synonym(s):**  
*nasicornis* Linnaeus,1758 **21 65**
- 2467. *Osmanius bathasari* (Petrovitz,1963)** (Scarabaeidae) **Synonym(s):** *bathasari*  
Petrovitz,1963 **31 42 51 66 68**
- 2468. *Osmoderma brevipennis* Pic,1904** (Scarabaeidae) **Synonym(s):** *brevipennis* Pic,1904
- 2469. *Osphranteria coerulescens* Redtenbacher,[1849]** (Cerambycidae) **Synonym(s):**  
*coerulescens* Redtenbacher,[1849] **65 72**
- 2470. *Oxylia argentata* (Ménétriés,1832)** (Cerambycidae) **Synonym(s):** *argentata*  
Ménétriés,1832 **02**
- 2471. *Oxythyrea albopicta* (Motschulsky,1845)** (Scarabaeidae) **Synonym(s):** *albopicta*  
Motschulsky,1845
- 2472. *Oxythyrea cinctella* (Schaum,1841)** (Scarabaeidae) **Synonym(s):** *albella* Illiger,1802  
(*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **01 03 06 07 09 10 11 13 15 16 17 18 19**  
**20 22 24 26 27 31 32 33 35 37 38 39 40 42 43 44 45 48 50 51 54 59 60 64 65 67 74**  
**80**
- 2473. *Oxythyrea funesta* (Poda,1761)** (Scarabaeidae) **Synonym(s):** *funesta* Poda,1761 **06**  
**07 14 16 17 35 41 43 48 59**
- 2474. *Oxythyrea noemi* Reiche & Saulcy,1856** (Scarabaeidae) **Synonym(s):** *noemi* Reiche &  
Saulcy,1856
- 2475. *Pachybrachis* (s.str.) *adaliensis* Weise,1886** (Chrysomelidae) **Synonym(s):**  
*adaliensis* Weise,1886 **07**
- 2476. *Pachybrachis* (s.str.) *akbesianus* Pic,1907** (Chrysomelidae) **Synonym(s):** *akbesianus*  
Pic,1907 **31**
- 2477. *Pachybrachis* (s.str.) *anatolicus* Lopatin,1985** (Chrysomelidae) **Synonym(s):**  
*anatolicus* Lopatin,1985 *Pachybrachis* (s.str.) *anatolicus* Lopatin,1985, Ent. Obozr. 64 (4): 768. **65**
- 2478. *Pachybrachis* (s.str.) *bodemeyeri* Weise,1906** (Chrysomelidae) **Synonym(s):**  
*bodemeyeri* Weise,1906; #*humeralis* Burlini,1968; #*anteconnexus* Burlini,1968 **11**
- 2479. *Pachybrachis* (s.str.) *cordatus* Sassi & Schöller,2003** (Chrysomelidae)  
**Synonym(s):** *cordatus* Sassi & Schöller,2003 *Pachybrachis* (s.str.) *cordatus* Sassi & Schöller,2003,  
Senckenberg. biol. 82 (1/2): 144. **05**



- 2480. Pachybrachis (s.str.) excisus Weise, 1897** (Chrysomelidae) Synonym(s): *excisus* Weise, 1897 *Pachybrachis excisus* Weise, 1897, Stettin ent. Ztg. 58 (1): 66. **06**
- 2481. Pachybrachis (s.str.) fimbriolatus (Suffrian, 1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier, 1808 nec Laich., 1781; *fimbriolatus* Suffrian, 1848; *mulsanti* Perris, 1852 **01 06 18 19 20 24 25 29 32 36 38 40 42 50 51 58 65 69 76**
- 2482. Pachybrachis (s.str.) glycirrhizae (Olivier, 1808)** (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier, 1808; *transcaspicus* Breit, 1921
- 2483. Pachybrachis (s.str.) limbatus (Ménétriés, 1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés, 1836; *maculatus* Suffrian, 1848; *ater* Weise, 1882 **06 10 11 14 16 19 26 32 33 35 55 58**
- 2484. Pachybrachis (s.str.) mardinensis Weise, 1900** (Chrysomelidae) Synonym(s): *mardinensis* Weise, 1900; *seidenstueckeri* Kippenberg, 1974 **27 47**
- 2485. Pachybrachis (s.str.) mendax Suffrian, 1860** (Chrysomelidae) Synonym(s): *mendax* Suffrian, 1860; *probus* Weise, 1882; *dissecticeps* Roubal, 1916; *sibiricus* Lopatin, 1962
- 2486. Pachybrachis (s.str.) nitidicollis Weise, 1894** (Chrysomelidae) Synonym(s): *nitidicollis* Weise, 1894
- 2487. Pachybrachis (s.str.) scripticollis Faldermann, 1837** (Chrysomelidae) Synonym(s): *scripticollis* Faldermann, 1837; *israelita* Tappes, 1871; *arisi* Pic, 1908; *letourneuxi* Pic, 1900; *pentheri* Ganglbauer, 1905
- 2488. Pachybrachis (s.str.) sinuatus Mulsant & Rey, 1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey, 1859; *haliciensis* Miller, 1868; *rufimanus* Weise, 1882 **06 07 14 25 32 42**
- 2489. Pachybrachis (s.str.) tessellatus (Olivier, 1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier, 1791; *tauricus* Suffrian, 1848; *bisignatus* Redtenbacher, 1849; *aethiops* Weise, 1882; *picturatus* Rey, 1883; *orientalis* Weise, 1894; *syriacus* Weise, 1900; *melanopygus* Müller, 1953 **01 03 04 05 06 07 14 16 19 23 24 25 27 29 32 33 35 36 38 42 46 47 50 58 60 65 66 69**
- 2490. Pachybrachis (s.str.) velarum Warchalowski, 1998** (Chrysomelidae) Synonym(s): *velarum* Warchalowski, 1998 **24**
- 2491. Pachycerus cordiger (Germar, 1819)** (Curculionidae) Synonym(s): *cordiger* Germar, 1819 **10 16 25 35 45**
- 2492. Pachyscelis musiva (Ménétriés, 1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétriés, 1832; *depressa* Solier, 1836; *ordinata* Solier, 1836; *gastridula* Faldermann, 1837; *mammillata* Faldermann, 1837; *euphratica* Kraatz, 1865; *divisa* Reitter, 1893 **21 38 76**
- 2493. Pachyscelis quadricollis Brullé, 1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé, 1832 **07 17 35**
- 2494. Pachyscelis villosa (Drapiez, 1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez, 1820; *granulosa* Solier, 1836 **06 07 09 17 21 26 32 35 45 48**
- 2495. Pachytodes cerambyciformis (Schränk, 1781)** (Cerambycidae) Synonym(s): *cerambyciformis* Schränk, 1781
- 2496. Pachytodes erraticus (Dalman, 1817)** (Cerambycidae) Synonym(s): *erraticus* Dalman, 1817
- 2497. Pakabsidia heinzi Wittmer, 1978** (Cantharidae) Synonym(s): *heinzi* Wittmer, 1978
- 2498. Palorus (Circomus) subdepressus Wollaston, 1864** (Tenebrionidae) Synonym(s): *subdepressus* Wollaston, 1864 **33**
- 2499. Palorus (s.str.) depressus (Fabricius, 1790)** (Tenebrionidae) Synonym(s): *depressus* Fabricius, 1790
- 2500. Paracardiophorus musculus (Erichson, 1840)** (Elateridae) Synonym(s): *musculus* Erichson, 1840 **08 58**
- 2501. Paraclytus sexguttatus (Adams, 1817)** (Cerambycidae) Synonym(s): *sexguttatus* Adams, 1817 **14**
- 2502. Paracorymbia excisipes (Ménétriés, 1832)** (Cerambycidae) Synonym(s): *excisipes* Ménétriés, 1832 **33**
- 2503. Paracorymbia fulva (De Geer, 1775)** (Cerambycidae) Synonym(s): *fulva* De Geer, 1775
- 2504. Paracorymbia sambucicola (Holzschuh, 1982)** (Cerambycidae) Synonym(s): *sambucicola* Holzschuh, 1982
- 2505. Paracorymbia tonsa (K. Daniel & J. Daniel, 1891)** (Cerambycidae) Synonym(s): *tonsa* K. Daniel & J. Daniel, 1891
- 2506. Paracymus aeneus (Germar, 1824)** (Hydrophilidae) Synonym(s): *aeneus* Germar, 1824
- 2507. Paraplagionotus floralis (Pallas, 1773)** (Cerambycidae) Synonym(s): *floralis* Pallas, 1773
- 2508. Paroniticellus festivus (Steven, 1809)** (Scarabaeidae) Synonym(s): *festivus* Steven, 1809

- 2509. Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus Frivaldszky,1835*
- 2510. Pedestredorcadion accola (Heyden,1894)** (Cerambycidae) Synonym(s): *accola Heyden,1894; delagrangiei Pic,1894; mardinense Pic,1900; fuscopubescens Pic,1900* **Dorcadion accola Heyden,1894, Dt. ent. Z. 1: 87. Type: Mardin. 47**
- 2511. Pedestredorcadion albolineatum (Küster,1847)** (Cerambycidae) Synonym(s): *albolineatum Küster,1847; byzantinum Kraatz,1869; abbreviatolineatum Breuning,1946*
- 2512. Pedestredorcadion albonotatum (Pic,1895)** (Cerambycidae) Synonym(s): *albonotatum Pic,1895* **Dorcarion albonotatum Pic,1895, L'Echange 11, 124: 39. [Turquie]: "Armenié: Bitlis". 13**
- 2513. Pedestredorcadion amanense (Breuning,1943)** (Cerambycidae) Synonym(s): *amanense Breuning,1943* **Dorcadion amanense Breuning,1943, Misc. Ent. 40: 94.**
- 2514. Pedestredorcadion anatolicum (Pic,1900)** (Cerambycidae) Synonym(s): *anatolicum Pic,1900; mediointerruptum Pic,1901; brevipenne Pic,1902; chehirense Pic,1902; subuniforme Pic,1902;...* **Dorcadion anatolicum Pic,1900, Mat. Etud. Longic. 3 (1): 12. 42**
- 2515. Pedestredorcadion arcivagum (Thomson,1868)** (Cerambycidae) Synonym(s): *arcivagum Thomson,1868; cilicium Pic,1904* **Dorcadion arcivagum Thomson,1868, Physis Rec. Hist. nat. 2 (6): 121. 33**
- 2516. Pedestredorcadion ardahense (Breuning,1975)** (Cerambycidae) Synonym(s): *ardahense Breuning,1975* **Dorcadion ardahense Breuning,1975, Bull. Soc. ent. Mulhouse 1975: 10. 75**
- 2517. Pedestredorcadion bangi (Heyden,1894)** (Cerambycidae) Synonym(s): *bangi Heyden,1894; sanguinimembre Breuning,1946; heinzorum Braun,1975* **Dorcadion bangi Heyden,1894, Dt. ent. Z. 1: 89. 37**
- 2518. Pedestredorcadion banjkovskyi (Plavilstshikov,1958)** (Cerambycidae) Synonym(s): *banjkovskyi Plavilstshikov,1958* **25**
- 2519. Pedestredorcadion beckeri (Kraatz,1873)** (Cerambycidae) Synonym(s): *beckeri Kraatz,1873* **05 65**
- 2520. Pedestredorcadion bithyniense (Chevrolat,1856)** (Cerambycidae) Synonym(s): *bithyniense Chevrolat,1856; dorsoplagiatum Breuning,1946* **16**
- 2521. Pedestredorcadion bodemeyeri (Daniel,1900)** (Cerambycidae) Synonym(s): *bodemeyeri Daniel,1900; rubricolle Breuning,1946* **Dorcadion bodemeyeri Daniel,1900, Societas Ent. 15: 140. Type: Bozdagh. 05 06 26 35**
- 2522. Pedestredorcadion bouilloni (Breuning & Ruspoli,1975)** (Cerambycidae) Synonym(s): *bouilloni Breuning & Ruspoli,1975* **52**
- 2523. Pedestredorcadion bozdaghense (Fairmaire,1866)** (Cerambycidae) Synonym(s): *bozdaghense Fairmaire,1866* **35**
- 2524. Pedestredorcadion bremeri (Breuning,1981)** (Cerambycidae) Synonym(s): *bremeri Breuning,1981* **06**
- 2525. Pedestredorcadion breuningi (Heyrovsky,1943)** (Cerambycidae) Synonym(s): *breuningi Heyrovsky,1943*
- 2526. Pedestredorcadion bulgharmaadense (Breuning,1946)** (Cerambycidae) Synonym(s): *bulgharmaadense Breuning,1946* **51**
- 2527. Pedestredorcadion carolisturanii (Breuning & Ruspoli,1971)** (Cerambycidae) Synonym(s): *carolisturanii Breuning & Ruspoli,1971; baiburtense Breuning,1975* **28 69**
- 2528. Pedestredorcadion cinerarium (Fabricius,1787)** (Cerambycidae) Synonym(s): *cinerarium Fabricius,1787; tricolor Fischer von Waldheim,1806; caucasicum Küster,1847; micans Thomson,1867; sericatum Kraatz,1873; amasinum Pic,1898; corallicornie Pic,1904; macropoides Plavilstshikov,1932; perroudi Pic,1942; paracinerarium Breuning,1974* **05 06 16 18 19 38 58 70**
- 2529. Pedestredorcadion coiffaiti (Breuning,1962)** (Cerambycidae) Synonym(s): *coiffaiti Breuning,1962* **10**
- 2530. Pedestredorcadion condensatum (Küster,1852)** (Cerambycidae) Synonym(s): *condensatum Küster,1852; punctatissimum Ganglbauer,1883; adampolum Pic,1917* **34 41**
- 2531. Pedestredorcadion culminicola (Thomson,1868)** (Cerambycidae) Synonym(s): *culminicola Thomson,1868* **33**
- 2532. Pedestredorcadion deyrollei (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *deyrollei Ganglbauer,1883* **13 65**
- 2533. Pedestredorcadion drusoides (Breuning,1962)** (Cerambycidae) Synonym(s): *drusoides Breuning,1962* **31**



- 2534. Pedestredorcadion enricisturanii (Breuning & Ruspoli,1971)** (Cerambycidae)  
Synonym(s): *enricisturanii* Breuning & Ruspoli,1971 **19**
- 2535. Pedestredorcadion escherichi (Ganglbauer,1897)** (Cerambycidae) Synonym(s):  
*escherichi* Ganglbauer,1897; *angorensis* Ganglbauer,1897; *cappadocium* Breuning,1946 **06**
- 2536. Pedestredorcadion ferruginipes (Ménétriés,1836)** (Cerambycidae) Synonym(s):  
*ferruginipes* Ménétriés,1836; *thracicum* Küster,1846
- 2537. Pedestredorcadion gallipolitanum (Thomson,1867)** (Cerambycidae) Synonym(s):  
*gallipolitanum* Thomson,1867 **17 34**
- 2538. Pedestredorcadion gebzeense (Breuning,1974)** (Cerambycidae) Synonym(s):  
*gebzeense* Breuning,1974 **41**
- 2539. Pedestredorcadion haemorrhoidale (Hampe,1852)** (Cerambycidae) Synonym(s):  
*haemorrhoidale* Hampe,1852 **06**
- 2540. Pedestredorcadion halepense (Kraatz,1873)** (Cerambycidae) Synonym(s): *halepense*  
Kraatz,1873; *pseudomardinense* Breuning,1946; *akbesianum* Breuning,1946;... **31**
- 2541. Pedestredorcadion heinzi (Breuning,1964)** (Cerambycidae) Synonym(s): *heinzi*  
Breuning,1964 **28**
- 2542. Pedestredorcadion holtzi (Pic,1905)** (Cerambycidae) Synonym(s): *holtzi* Pic,1905  
**33**
- 2543. Pedestredorcadion holzschuhi (Breuning,1974)** (Cerambycidae) Synonym(s):  
*holzschuhi* Breuning,1974 **49**
- 2544. Pedestredorcadion iconiense (Dan.,1901)** (Cerambycidae) Synonym(s): *iconiense*  
Dan.,1901; *mucheii* Breuning,1962; *parescherichi* Breuning,1966 **18 19 40**
- 2545. Pedestredorcadion impressicollis (Kraatz,1873)** (Cerambycidae) Synonym(s):  
*impressicollis* Kraatz,1873; *tokatense* Pic,1901; *diversipes* Breuning,1946 **60**
- 2546. Pedestredorcadion impressicorne (Tournier,1872)** (Cerambycidae) Synonym(s):  
*impressicorne* Tournier,1872; *kurda* Suvorov,1913;...
- 2547. Pedestredorcadion infernale (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s):  
*infernale* Mulsant & Rey,1863 **05 06 11 26 35 46**
- 2548. Pedestredorcadion ispartense (Breuning,1962)** (Cerambycidae) Synonym(s):  
*ispartense* Breuning,1962 **32**
- 2549. Pedestredorcadion kagyzmanicum (Suvorov,1915)** (Cerambycidae) Synonym(s):  
*kagyzmanicum* Suvorov,1915 **36**
- 2550. Pedestredorcadion karsense (Suvorov,1915)** (Cerambycidae) Synonym(s): *karsense*  
Suvorov,1915 **36**
- 2551. Pedestredorcadion kasikoparanum (Pic,1902)** (Cerambycidae) Synonym(s):  
*kasikoparanum* Pic,1902 **76**
- 2552. Pedestredorcadion kollari (Kraatz,1873)** (Cerambycidae) Synonym(s): *lindleri*  
Tournier,1872; *kollari* Kraatz,1873; *henrici* Pic,1905; *dorsoimmaculipenne* Breuning,1966 **19 60**
- 2553. Pedestredorcadion kurdistanum (Breuning,1944)** (Cerambycidae) Synonym(s):  
*kurdistanum* Breuning,1944; *rufulipes* Breuning,1963
- 2554. Pedestredorcadion lameeri (Thery,1896)** (Cerambycidae) Synonym(s): *lameeri*  
Thery,1896 **37**
- 2555. Pedestredorcadion ledereri (Thomson,1865)** (Cerambycidae) Synonym(s): *ledereri*  
Thomson,1865
- 2556. Pedestredorcadion ledouxii (Breuning,1974)** (Cerambycidae) Synonym(s): *ledouxii*  
Breuning,1974
- 2557. Pedestredorcadion lodosi (Sabbadini & Pesarini,1992)** (Cerambycidae)  
Synonym(s): *lodosi* Sabbadini & Pesarini,1992 **70**
- 2558. Pedestredorcadion lugubre (Kraatz,1873)** (Cerambycidae) Synonym(s): *lugubre*  
Kraatz,1873 **05**
- 2559. Pedestredorcadion mesopotamicum (Breuning,1944)** (Cerambycidae)  
Synonym(s): *mesopotamicum* Breuning,1944; *submardinense* Breuning,1946 **47**
- 2560. Pedestredorcadion nigrostriatum (Adlbauer,1982)** (Cerambycidae) Synonym(s):  
*nigrostriatum* Adlbauer,1982 **Dorcadion (Pedestredorcadion) nigrostriatum** Adlbauer,1982, *NachrBl.*  
*bayer. Ent.* 31 (6): 104-106, 2 Abb. Holotype ♂: Anatolien, N Tunceli 2500-3000m 22-27 5 1980 leg. J.  
Kacherl (coll. Adlbauer). **62**
- 2561. Pedestredorcadion nitidum (Motschoulsky,1838)** (Cerambycidae) Synonym(s):  
*nitidum* Motschoulsky,1838 **75**

- 2562. Pedestredorcadion obsoletum (Kraatz,1873)** (Cerambycidae) Synonym(s): *obsoletum* Kraatz,1873; *obsoletoides* Breuning,1946
- 2563. Pedestredorcadion olympicum (Ganglbauer,1882)** (Cerambycidae) Synonym(s): *subalpinum* Kraatz,1873; *olympicum* Ganglbauer,1882; *oreophilum* Ganglbauer,1883; *beieri* Pic,1932; *brussense* Breuning,1946 *Dorcadion olympicum* Ganglbauer,1882, *Wien. ent. Ztg.* 1: 228. **16**
- 2564. Pedestredorcadion paraladikense (Breuning,1977)** (Cerambycidae) Synonym(s): *paraladikense* Breuning,1977 **55**
- 2565. Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;... **34**
- 2566. Pedestredorcadion piochardi (Kraatz,1873)** (Cerambycidae) Synonym(s): *piochardi* Kraatz,1873; *pelops* Jakovlev,1901 **05 19 55 66**
- 2567. Pedestredorcadion pluto (Thomson,1867)** (Cerambycidae) Synonym(s): *pluto* Thomson,1867 **05 25 26 54**
- 2568. Pedestredorcadion preissi (Heyden,1894)** (Cerambycidae) Synonym(s): *preissi* Heyden,1894 **37**
- 2569. Pedestredorcadion pseudobithyniense (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudobithyniense* Breuning,1962 **10**
- 2570. Pedestredorcadion pseudoholosericeum (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudoholosericeum* Breuning,1962 **57**
- 2571. Pedestredorcadion pseudopreissi (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudopreissi* Breuning,1962 **57**
- 2572. Pedestredorcadion punctipenne (Küster,1852)** (Cerambycidae) Synonym(s): *punctipenne* Küster,1852; *distinguendum* Pic,1931 **34**
- 2573. Pedestredorcadion pygmaeum (Breuning,1947)** (Cerambycidae) Synonym(s): *pygmaeum* Breuning,1947
- 2574. Pedestredorcadion regulare (Pic,1931)** (Cerambycidae) Synonym(s): *regulare* Pic,1931
- 2575. Pedestredorcadion rigattii (Breuning,1966)** (Cerambycidae) Synonym(s): *rigattii* Breuning,1966 **58**
- 2576. Pedestredorcadion rizeanum (Breuning & Villers,1967)** (Cerambycidae) Synonym(s): *rizeanum* Breuning & Villers,1967 **53**
- 2577. Pedestredorcadion saucyi (Thomson,1865)** (Cerambycidae) Synonym(s): *saucyi* Thomson,1865; *mersinense* Breuning,1946 **33**
- 2578. Pedestredorcadion scabricolle (Dalman,1817)** (Cerambycidae) Synonym(s): *scabricolle* Dalman,1817 **51**
- 2579. Pedestredorcadion sinopense (Breuning,1962)** (Cerambycidae) Synonym(s): *sinopense* Breuning,1962 **57**
- 2580. Pedestredorcadion smyrnensis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *smyrnensis* Linnaeus,1758; *crux* Billberg,1817; *graecum* Waltl,1838; *cruciator* Gistel,1848; *bifidum* Chevrolat,1882;... **35**
- 2581. Pedestredorcadion sodale (Hampe,1852)** (Cerambycidae) Synonym(s): *sodale* Hampe,1852; *rosti* Pic,1900 **25**
- 2582. Pedestredorcadion spinense (Breuning,1962)** (Cerambycidae) Synonym(s): *spinense* Breuning,1962 **57**
- 2583. Pedestredorcadion subatritarse (Breuning,1966)** (Cerambycidae) Synonym(s): *subatritarse* Breuning,1966 **19**
- 2584. Pedestredorcadion subcinctellum (Breuning,1962)** (Cerambycidae) Synonym(s): *subcinctellum* Breuning,1962 **38**
- 2585. Pedestredorcadion subsericatum (Pic,1901)** (Cerambycidae) Synonym(s): *subsericatum* Pic,1901; *paphlagoniense* Breuning,1944 **37**
- 2586. Pedestredorcadion subvestitum (Daniel,1900)** (Cerambycidae) Synonym(s): *subvestitum* Daniel,1900 *Dorcadion subvestitum* Daniel,1900, *Societas Ent.* 15: 140. Type: *Bozdagh* **05 06 26 35 42 51**
- 2587. Pedestredorcadion syriense (Breuning,1943)** (Cerambycidae) Synonym(s): *syriense* Breuning,1943 **31**
- 2588. Pedestredorcadion turcicum (Breuning,1963)** (Cerambycidae) Synonym(s): *turcicum* Breuning,1963 *Dorcadion turcicum* Breuning,1963, *Z. ArbGem. öst. Ent.* 15: 35.
- 2589. Pedestredorcadion wagneri (Küster,1846)** (Cerambycidae) Synonym(s): *wagneri* Küster,1846 **65**



- 2590. *Pedinus* (s.str.) *anatolicus* Mulsant & Rey, 1853** (Tenebrionidae) **Synonym(s):** *anatolicus* Mulsant & Rey, 1853
- 2591. *Pedinus* (s.str.) *bodemeyeri* Reitter, 1904** (Tenebrionidae) **Synonym(s):** *bodemeyeri* Reitter, 1904 **07 32 33**
- 2592. *Pedinus* (s.str.) *curvipes* Mulsant & Rey, 1853** (Tenebrionidae) **Synonym(s):** *curvipes* Mulsant & Rey, 1853 **07 16 32 61**
- 2593. *Pedinus* (s.str.) *fallax* Mulsant & Rey, 1853** (Tenebrionidae) **Synonym(s):** *fallax* Mulsant & Rey, 1853
- 2594. *Pedinus* (s.str.) *femoralis* (Linnaeus, 1767)** (Tenebrionidae) **Synonym(s):** *femoralis* Linnaeus, 1767
- 2595. *Pedinus* (s.str.) *helopoides* Ahrens, 1814** (Tenebrionidae) **Synonym(s):** *helopoides* Ahrens, 1814
- 2596. *Pedinus* (s.str.) *kiesenwetteri* Seidlitz, 1893** (Tenebrionidae) **Synonym(s):** *kiesenwetteri* Seidlitz, 1893 **06 19 42**
- 2597. *Pedinus* (s.str.) *marani* Kaszab, 1960** (Tenebrionidae) **Synonym(s):** *marani* Kaszab, 1960 **38 50**
- 2598. *Pedinus* (s.str.) *podager* Seidlitz, 1893** (Tenebrionidae) **Synonym(s):** *podager* Seidlitz, 1893
- 2599. *Pedinus* (s.str.) *quadratus* Brullé, 1832** (Tenebrionidae) **Synonym(s):** *quadratus* Brullé, 1832 **35**
- 2600. *Pedinus* (s.str.) *reitteri* Seidlitz, 1893** (Tenebrionidae) **Synonym(s):** *reitteri* Seidlitz, 1893 **43**
- 2601. *Pedinus* (s.str.) *schaumi* Mulsant & Rey, 1853** (Tenebrionidae) **Synonym(s):** *schaumi* Mulsant & Rey, 1853
- 2602. *Pedinus* (s.str.) *strabonis* Seidlitz, 1893** (Tenebrionidae) **Synonym(s):** *strabonis* Seidlitz, 1893 **01 04 05 06 16 19 21 26 32 33 34 37 38 42 48 50 51 70 71**
- 2603. *Pedinus* (s.str.) *subdepressus* Brullé, 1832** (Tenebrionidae) **Synonym(s):** *subdepressus* Brullé, 1832
- 2604. *Pedinus* (s.str.) *tauricus* Mulsant & Rey, 1853** (Tenebrionidae) **Synonym(s):** *tauricus* Mulsant & Rey, 1853
- 2605. *Pedinus* (Vadalus) *punctulatus* Mulsant & Rey, 1853** (Tenebrionidae) **Synonym(s):** *punctulatus* Mulsant & Rey, 1853 **36**
- 2606. *Pedostrangalia* *emmipoda* (Mulsant, 1863)** (Cerambycidae) **Synonym(s):** *emmipoda* Mulsant, 1863 **02**
- 2607. *Pedostrangalia* *kurda* Sama, 1996** (Cerambycidae) **Synonym(s):** *kurda* Sama, 1996
- 2608. *Pedostrangalia* *revestita* (Linnaeus, 1767)** (Cerambycidae) **Synonym(s):** *revestita* Linnaeus, 1767
- 2609. *Pedostrangalia* *riccardoi* Holzschuh, 1984** (Cerambycidae) **Synonym(s):** *riccardoi* Holzschuh, 1984
- 2610. *Pedostrangalia* *tokatensis* Sama, 1996** (Cerambycidae) **Synonym(s):** *tokatensis* Sama, 1996 **60**
- 2611. *Pedostrangalia* *verticenigra* (Pic, 1892)** (Cerambycidae) **Synonym(s):** *verticenigra* Pic, 1892; *erinnys* Daniel, 1904
- 2612. *Peltodytes* *caesus* (Duftschmid, 1805)** (Halipilidae) **Synonym(s):** *caesus* Duftschmid, 1805 **01 03 09 10 14 32 35 42**
- 2613. *Pentaphyllus* *chrysomeloides* (Rossi, 1792)** (Tenebrionidae) **Synonym(s):** *chrysomeloides* Rossi, 1792 **07 48**
- 2614. *Pentodon* *algerinum* Herbst, 1789** (Scarabaeidae) **Synonym(s):** *algerinum* Herbst, 1789 **33 35 42**
- 2615. *Pentodon* *bidens* (Pallas, 1771)** (Scarabaeidae) **Synonym(s):** *bidens* Pallas, 1771 **07 42 70**
- 2616. *Pentodon* *caminarium* Faldermann, 1835** (Scarabaeidae) **Synonym(s):** *caminarium* Faldermann, 1835
- 2617. *Pentodon* *idiota* (Herbst, 1789)** (Scarabaeidae) **Synonym(s):** *idiota* Herbst, 1789 **01 06 16 19 20 35 40 42 43 45**
- 2618. *Pentodon* *quadridens* (Gebler, 1845)** (Scarabaeidae) **Synonym(s):** *quadridens* Gebler, 1845
- 2619. *Peripontius* *concolor* (Desbrochers, 1875)** (Elateridae) **Synonym(s):** *concolor* Desbrochers, 1875 **07**

- 2620. Peripontius crassus (Buysson,1906)** (Elateridae) Synonym(s): *crassus* Buysson,1906;  
*schimmeli* Zeising & Brunne,2003 **01 07**
- 2621. Peripontius dentatus** Platia & Schimmel,1991 (Elateridae) Synonym(s): *dentatus*  
Platia & Schimmel,1991 **07 33**
- 2622. Peripontius elegantulus** Platia,2003 (Elateridae) Synonym(s): *elegantulus* Platia,2003  
**47**
- 2623. Peripontius jagemanni** Platia & Gudenzi,2000 (Elateridae) Synonym(s): *jagemanni*  
Platia & Gudenzi,2000
- 2624. Peripontius omissus (Buysson,1889)** (Elateridae) Synonym(s): *omissus* Buysson,1889
- 2625. Peripontius saroveci** Platia,2003 (Elateridae) Synonym(s): *saroveci* Platia,2003 **47**
- 2626. Peripontius terminatus (Erichson,1842)** (Elateridae) Synonym(s): *terminatus*  
Erichson,1842 **33**
- 2627. Peripontius turcicus** Platia & Tarnawski,1998 (Elateridae) Synonym(s): *turcicus*  
Platia & Tarnawski,1998 **01**
- 2628. Phaenotheriolum hispidum** Frieser,1978 (Anthribidae) Synonym(s): *hispidum*  
Frieser,1978
- 2629. Phaenotheriolum steindachneri (Frivaldsky,1883)** (Anthribidae) Synonym(s):  
*steindachneri* Frivaldsky,1883
- 2630. Phaenotheriolum villosum** Frieser,1978 (Anthribidae) Synonym(s): *villosum*  
Frieser,1978
- 2631. Phaenotherion bodemeyeri** Wolfrum,1956 (Anthribidae) Synonym(s): *bodemeyeri*  
Wolfrum,1956
- 2632. Phaenotheriosoma adducta** Frieser,1980 (Anthribidae) Synonym(s): *adducta*  
Frieser,1980
- 2633. Phaenotheriosoma complanata** Frieser,1980 (Anthribidae) Synonym(s):  
*complanata* Frieser,1980
- 2634. Phaenotheriosoma latifolia** Frieser,1980 (Anthribidae) Synonym(s): *latifolia*  
Frieser,1980
- 2635. Phaenotheriosoma pselaphoides** Frieser,1980 (Anthribidae) Synonym(s):  
*pselaphoides* Frieser,1980
- 2636. Phaleria acuminata** Küster,1852 (Tenebrionidae) Synonym(s): *acuminata* Küster,1852;  
*tunisia* Reitter,1916
- 2637. Phaleria bimaculata (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *bimaculata*  
Linnaeus,1767 **35**
- 2638. Pharaonus varicoloreus (Burmeister,1844)** (Scarabaeidae) Synonym(s):  
*varicoloreus* Burmeister,1844
- 2639. Pharoscymnus beritensis** Weise,1884 (Coccinellidae) Synonym(s): *beritensis*  
Weise,1884
- 2640. Pharoscymnus ovoideus** Sicard,1929 (Coccinellidae) Synonym(s): *ovoides* Sicard,1929
- 2641. Pharoscymnus pharoides** Marseul,1868 (Coccinellidae) Synonym(s): *pharoides*  
Marseul,1868
- 2642. Phloiocopus basalis (Klug,1842)** (Cleridae) Synonym(s): *basalis* Klug,1842
- 2643. Phosphuga atrata (Linnaeus,1758)** (Silphidae) Synonym(s): *atrata* Linnaeus,1758  
**08 14 52**
- 2644. Phradonoma alium** Hava,2006 (Dermestidae) Synonym(s): *alium* Hava,2006 **73**
- 2645. Phradonoma nigrum** Hava,2006 (Dermestidae) Synonym(s): *nigrum* Hava,2006 **25**
- 2646. Phtora reitteri (Seidlitz,1894)** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1894
- 2647. Phyllobrotica binotata** Ogloblin,1936 (Chrysomelidae) Synonym(s): *binotata*  
Ogloblin,1936; *aslani* Warchalowski,1998 **08 25 65 76**
- 2648. Phyllotreta acutecarinata** Heikertinger,1941 (Chrysomelidae) Synonym(s):  
*acutecarinata* Heikertinger,1941 **42**
- 2649. Phyllotreta astrachanica** Lopatin,1977 (Chrysomelidae) Synonym(s): *astrachanica*  
Lopatin,1977 **06**
- 2650. Phyllotreta atra (Fabricius,1775)** (Chrysomelidae) Synonym(s): *atra* Fabricius,1775  
**06 14 22 25 38 41 58 60 68 69**
- 2651. Phyllotreta balcanica** Heikertinger,1909 (Chrysomelidae) Synonym(s): *balcanica*  
Heikertinger,1909 **16 25 41 52**
- 2652. Phyllotreta bolognai** Biondi,1992 (Chrysomelidae) Synonym(s): *bolognai* Biondi,1992  
**25 69**



- 2653. *Phyllotreta caucasicola* Heikertinger, 1941** (Chrysomelidae) Synonym(s): *caucasicola* Heikertinger, 1941 **06**
- 2654. *Phyllotreta corrugata* Reiche, 1858** (Chrysomelidae) Synonym(s): *corrugata* Reiche, 1858 **01 06 31 35 38 42 60 58 66**
- 2655. *Phyllotreta cruciferae* (Goeze, 1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze, 1777 **01 05 06 11 16 19 25 26 35 42 45 51 61**
- 2656. *Phyllotreta dacica* Heikertinger, 1941** (Chrysomelidae) Synonym(s): *dacica* Heikertinger, 1941 **42**
- 2657. *Phyllotreta diademata* Foudras, 1860** (Chrysomelidae) Synonym(s): *diademata* Foudras, 1860 **01 06 24 25 26 41 68**
- 2658. *Phyllotreta egridirensis* Gruev & Kasap, 1985** (Chrysomelidae) Synonym(s): *egridirensis* Gruev & Kasap, 1985 **01 32 42**
- 2659. *Phyllotreta erysimi* Weise, 1900** (Chrysomelidae) Synonym(s): *erysimi* Weise, 1900 **06 07 25 32 42 45 55 61 69**
- 2660. *Phyllotreta fallaciosa* Heikertinger, 1941** (Chrysomelidae) Synonym(s): *fallaciosa* Heikertinger, 1941 **51**
- 2661. *Phyllotreta judaea* Pic, 1901** (Chrysomelidae) Synonym(s): *judaea* Pic, 1901 **35**
- 2662. *Phyllotreta latevittata* Kutschera, 1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera, 1860 **25 36**
- 2663. *Phyllotreta maculicornis* Pic, 1906** (Chrysomelidae) Synonym(s): *maculicornis* Pic, 1906
- 2664. *Phyllotreta nemorum* (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *nemorum* Linnaeus, 1758 **06 11 19 22 25 26 34 58 60 69**
- 2665. *Phyllotreta nigripes* (Fabricius, 1775)** (Chrysomelidae) Synonym(s): *nigripes* Fabricius, 1775 **01 06 07 11 22 24 25 31 36 38 45 58 60 66 69**
- 2666. *Phyllotreta nodicornis* (Marsham, 1802)** (Chrysomelidae) Synonym(s): *nodicornis* Marsham, 1802 **06 25 26 45 58**
- 2667. *Phyllotreta ochripes* (Curtis, 1837)** (Chrysomelidae) Synonym(s): *ochripes* Curtis, 1837 **28 34**
- 2668. *Phyllotreta oltuensis* Gruev & Aslan, 1998** (Chrysomelidae) Synonym(s): *oltuensis* Gruev & Aslan, 1998 **25**
- 2669. *Phyllotreta ozbeki* Gruev & Aslan, 1998** (Chrysomelidae) Synonym(s): *ozbeki* Gruev & Aslan, 1998 **69**
- 2670. *Phyllotreta pallidipennis* Reitter, 1891** (Chrysomelidae) Synonym(s): *pallidipennis* Reitter, 1891 **38**
- 2671. *Phyllotreta pontoaegeica* Gruev, 1982** (Chrysomelidae) Synonym(s): *pontoaegeica* Gruev, 1982 **07 33**
- 2672. *Phyllotreta praticola* Weise, 1887** (Chrysomelidae) Synonym(s): *praticola* Weise, 1887 **25 34 38**
- 2673. *Phyllotreta procera* (Redtenbacher, 1849)** (Chrysomelidae) Synonym(s): *procera* Redtenbacher, 1849 **01 06 25 26 42**
- 2674. *Phyllotreta punctulata* (Marsham, 1802)** (Chrysomelidae) Synonym(s): *punctulata* Marsham, 1802 **16 26 28 34 39**
- 2675. *Phyllotreta sisymbrii* Weise, 1888** (Chrysomelidae) Synonym(s): *sisymbrii* Weise, 1888 **06 25**
- 2676. *Phyllotreta striolata* (Fabricius, 1803)** (Chrysomelidae) Synonym(s): *striolata* Fabricius, 1803 **25**
- 2677. *Phyllotreta tetrastigma* (Comolli, 1837)** (Chrysomelidae) Synonym(s): *tetrastigma* Comolli, 1837 **08 25**
- 2678. *Phyllotreta toelgi* Heikertinger, 1941** (Chrysomelidae) Synonym(s): *toelgi* Heikertinger, 1941 **26**
- 2679. *Phyllotreta undulata* Kutschera, 1860** (Chrysomelidae) Synonym(s): *undulata* Kutschera, 1860 **11 25 26 34**
- 2680. *Phyllotreta variipennis* (Boieldieu, 1859)** (Chrysomelidae) Synonym(s): *variipennis* Boieldieu, 1859 **06 26 32 34 35**
- 2681. *Phyllotreta vilis* Weise, 1888** (Chrysomelidae) Synonym(s): *vilis* Weise, 1888 **34 35**
- 2682. *Phyllotreta vittula* (Redtenbacher, 1849)** (Chrysomelidae) Synonym(s): *vittula* Redtenbacher, 1849 **06 25**

- 2683. Phyllotreta wiseana Jacobson, 1901** (Chrysomelidae) Synonym(s): *wiseana Jacobson, 1901* **06 25 69**
- 2684. Phytoecia achilleae Holzschuh, 1971** (Cerambycidae) Synonym(s): *achilleae Holzschuh, 1971* **49**
- 2685. Phytoecia behen Sama & Rejzek, 1999** (Cerambycidae) Synonym(s): *behen Sama & Rejzek, 1999* **24**
- 2686. Phytoecia caerulea (Scopoli, 1772)** (Cerambycidae) Synonym(s): *caerulea Scopoli, 1772*
- 2687. Phytoecia geniculata Mulsant, 1863** (Cerambycidae) Synonym(s): *geniculata Mulsant, 1863*
- 2688. Phytoecia icterica (Schaller, 1783)** (Cerambycidae) Synonym(s): *icterica Schaller, 1783* **49**
- 2689. Phytoecia katarinae Holzschuh, 1974** (Cerambycidae) Synonym(s): *katarinae Holzschuh, 1974* **49**
- 2690. Phytoecia nepheloides Sama, 1997** (Cerambycidae) Synonym(s): *nepheloides Sama, 1997* **01**
- 2691. Phytoecia pustulata (Schrank, 1776)** (Cerambycidae) Synonym(s): *pustulata Schrank, 1776*
- 2692. Phytoecia rufipes (Olivier, 1795)** (Cerambycidae) Synonym(s): *rufipes Olivier, 1795*
- 2693. Phytoecia virgula (Charpentier, 1825)** (Cerambycidae) Synonym(s): *virgula Charpentier, 1825*
- 2694. Pimelia (Camphonota) repleta Reitter, 1915** (Tenebrionidae) Synonym(s): *repleta Reitter, 1915* *Pimelia (Eurypimelia) repleta Reitter, 1915, Wien. ent. Ztg. 34: 50. Syntypes: "Türkisch-Armenien".* **12**
- 2695. Pimelia (Eurypimelia) akbesiana Fairmaire, 1884** (Tenebrionidae) Synonym(s): *akbesiana Fairmaire, 1884* *Pimelia akbesiana Fairmaire, 1884, Annls Soc. ent. Fr. (6) 4: 170. Type: [Turkey]: Haut-Syrié, Akbes.* **01 06 07 09 10 11 15 16 17 19 20 23 26 27 31 32 33 35 38 42 45 46 51 64 68 70 80**
- 2696. Pimelia (Eurypimelia) anatolica Reitter, 1915** (Tenebrionidae) Synonym(s): *anatolica Reitter, 1915* **42**
- 2697. Pimelia (Eurypimelia) lendli Kaszab, 1938** (Tenebrionidae) Synonym(s): *lendli Kaszab, 1938* **38**
- 2698. Pimelia (Eurypimelia) subglobosa (Pallas, 1781)** (Tenebrionidae) Synonym(s): *subglobosa Pallas, 1781* **06 07 09 17 34 35 38 42 43 50**
- 2699. Pimelia (Eurypimelia) subglobosa polita Solier, 1836** (Tenebrionidae) Synonym(s): *polita Solier, 1836; euboica Boield., 1865* **07 17 43**
- 2700. Pimelia (Eurypimelia) subglobosa salaria Reitter, 1915** (Tenebrionidae) Synonym(s): *salaria Reitter, 1915* **38 42**
- 2701. Pimelia (Eurypimelia) subglobosa verruculifera Solier, 1836** (Tenebrionidae) Synonym(s): *verruculifera Solier, 1836* **07 09 34 35 50**
- 2702. Pimelia (Eurypimelia) testudo Kraatz, 1865** (Tenebrionidae) Synonym(s): *testudo Kraatz, 1865* **05 11**
- 2703. Pimelia (Eurypimelia) timarchoides Ménétériés, 1836** (Tenebrionidae) Synonym(s): *timarchoides Ménétériés, 1836; interstincta Fischer von Waldheim, 1837; testudo Kraatz, 1865* **05 06 22 35 38 50 68**
- 2704. Pimelia (Gedeon) weneri Ganglbauer, 1905** (Tenebrionidae) Synonym(s): *weneri Ganglbauer, 1905* **06 35 38 42 50**
- 2705. Pimelia (Melanostola) bajula Klug, 1830** (Tenebrionidae) Synonym(s): *bajula Klug, 1830* **13 38 80**
- 2706. Pimelia (s.str.) robusta Kraatz, 1865** (Tenebrionidae) Synonym(s): *robusta Kraatz, 1865* **02 04 05**
- 2707. Pimelia sericella Solier, 1836** (Tenebrionidae) Synonym(s): *sericella Solier, 1836*
- 2708. Pittonotus simoni (Stierlin, 1879)** (Elateridae) Synonym(s): *simoni Stierlin, 1879*
- 2709. Pittonotus theseus (Germar, 1817)** (Elateridae) Synonym(s): *theseus Germar, 1817* **01 33 55**
- 2710. Plagionotus arcuatus (Linnaeus, 1758)** (Cerambycidae) Synonym(s): *arcuatus Linnaeus, 1758*
- 2711. Plagionotus lugubris (Ménétériés, 1832)** (Cerambycidae) Synonym(s): *lugubris Ménétériés, 1832*



- 2712. *Plastocerus angulosus* (Germar,1845)** (Elateridae) Synonym(s): *angulosus* Germar,1845 **01 07 16 17 26 32 33 35 67 80**
- 2713. *Platambus lunulatus* (Fischer von Waldheim,1829)** (Dytiscidae) Synonym(s): *lunulatus* Fischer von Waldheim,1829 **08 16 25 28 29 53 62 65**
- 2714. *Platambus maculatus* (Linnaeus,1758)** (Dytiscidae) Synonym(s): *maculatus* Linnaeus,1758 **01 11 15 36 48**
- 2715. *Platycerus caraboides* (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 **14 52**
- 2716. *Platycerus caucasicus* Parry,1864** (Lucanidae) Synonym(s): *caucasicus* Parry,1864 **76**
- 2717. *Platycerus delangrangei* Fairmaire,1892** (Lucanidae) Synonym(s): *delangrangei* Fairmaire,1892 **31**
- 2718. *Platycerus primigenius* Weise,1960** (Lucanidae) Synonym(s): *primigenius* Weise,1960
- 2719. *Platycerus senguni* Schweiger,1966** (Lucanidae) Synonym(s): *senguni* Schweiger,1966 **11**
- 2720. *Platydemia europaeum* Laporte & Brullé,1831** (Tenebrionidae) Synonym(s): *europaeum* Laporte & Brullé,1831 **07 35**
- 2721. *Platynaspis luteorubra* (Goeze,1777)** (Coccinellidae) Synonym(s): *luteorubra* Goeze,1777 **01 06 16 25 65**
- 2722. *Pleurophorus caesus* (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796
- 2723. *Podagrica fuscicornis* (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *fuscicornis* Linnaeus,1767 **10 34 35**
- 2724. *Podagrica malvae* (Illiger,1807)** (Chrysomelidae) Synonym(s): *malvae* Illiger,1807 **06 08 16 25 26 28 33 34 38 39 42 45 58 60 76**
- 2725. *Podagrica menetriesi* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi* Faldermann,1837 **03 04 07 10 16 25 35 38 40 42 68 76**
- 2726. *Podeonius acuticornis* (Germar,1824)** (Elateridae) Synonym(s): *acuticornis* Germar,1824
- 2727. *Polycoelogastridion sexcostatum* (Motschoulsky,1858)** (Tenebrionidae) Synonym(s): *sexcostatum* Motschoulsky,1858
- 2728. *Polyphylla* (s.str.) *fullo* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758 **01 10 18 35 38 39 43 48 59 67 74**
- 2729. *Polyphylla* (s.str.) *olivieri* (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840 **07 13 14 16 43 55 65**
- 2730. *Porthmidius austriacus* (Schränk,1781)** (Elateridae) Synonym(s): *austriacus* Schränk,1781
- 2731. *Prionocyphon ornatus* Abeille,1881** (Scirtidae) Synonym(s): *ornatus* Abeille,1881 **01 02 07 09**
- 2732. *Prionocyphon* Redtenbacher,1858** (Scirtidae) Synonym(s): *Prionocyphon* Redtenbacher,1858
- 2733. *Probaticus* (Pelorinus) *adimonius* (Allard,1876)** (Tenebrionidae) Synonym(s): *adimonius* Allard,1876 **14 29 35 42 54**
- 2734. *Probaticus* (Pelorinus) *bodemeyeri* Reitter,1900** (Tenebrionidae) Synonym(s): *bodemeyeri* Reitter,1900 **51**
- 2735. *Probaticus* (Pelorinus) *corrugatus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *corrugatus* Seidlitz,1893 **07 12 33 48 74**
- 2736. *Probaticus* (Pelorinus) *corrugosus* Seidlitz,1896** (Tenebrionidae) Synonym(s): *corrugosus* Seidlitz,1896
- 2737. *Probaticus* (Pelorinus) *dorsalis* (Allard,1877)** (Tenebrionidae) Synonym(s): *dorsalis* Allard,1877 **07 13 26 43**
- 2738. *Probaticus* (Pelorinus) *granicollis* Seidlitz,1896** (Tenebrionidae) Synonym(s): *granicollis* Seidlitz,1896
- 2739. *Probaticus* (Pelorinus) *granipennis* (Allard,1876)** (Tenebrionidae) Synonym(s): *granipennis* Allard,1876 **16 18 35 52 74**

- 2740. Probaticus (Pelorinus) granosus Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *granosus Seidlitz,1896*
- 2741. Probaticus (Pelorinus) maurus (Waltl,1838)** (Tenebrionidae) **Synonym(s):** *maurus Waltl,1838* **42 51**
- 2742. Probaticus (Pelorinus) pentheri Reitter,1905** (Tenebrionidae) **Synonym(s):** *pentheri Reitter,1905* **07 38**
- 2743. Probaticus (Pelorinus) peropacus Reitter,1901** (Tenebrionidae) **Synonym(s):** *peropacus Reitter,1901*
- 2744. Probaticus (Pelorinus) picianus Reitter,1907** (Tenebrionidae) **Synonym(s):** *picianus Reitter,1907*
- 2745. Probaticus (Pelorinus) priapus Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *priapus Seidlitz,1896*
- 2746. Probaticus (Pelorinus) tarsatus (Küster,1850)** (Tenebrionidae) **Synonym(s):** *tarsatus Küster,1850* **35**
- 2747. Probaticus (Pelorinus) tenebricosus (Brullé,1832)** (Tenebrionidae) **Synonym(s):** *tenebricosus Brullé,1832* **01 04 07 16 17 32 33 34 35 42 43**
- 2748. Probaticus (Pelorinus) theanus Reitter,1901** (Tenebrionidae) **Synonym(s):** *theanus Reitter,1901*
- 2749. Probaticus (s.str.) tentyrioides (Küster,1851)** (Tenebrionidae) **Synonym(s):** *tentyrioides Küster,1851* **35**
- 2750. Procallimus egregius (Mulsant & Rey,1863)** (Cerambycidae) **Synonym(s):** *egregius Mulsant & Rey,1863* **33**
- 2751. Procaerus bicolor Platia & Gudenzi,2002** (Elateridae) **Synonym(s):** *bicolor Platia & Gudenzi,2002*
- 2752. Procaerus carinifrons (Desbrochers,1875)** (Elateridae) **Synonym(s):** *carinifrons Desbrochers,1875*
- 2753. Procaerus levantinus Platia & Gudenzi,2007** (Elateridae) **Synonym(s):** *levantinus Platia & Gudenzi,2007*
- 2754. Procaerus tibialis (Lacordaire,1835)** (Elateridae) **Synonym(s):** *tibialis Lacordaire,1835* **22**
- 2755. Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) **Synonym(s):** *bimucronatus Pallas,1781* **31**
- 2756. Propylea quatuordecimpunctata (Linnaeus,1758)** (Coccinellidae) **Synonym(s):** *quatuordecimpunctata Linnaeus,1758* **20 22 24 25 35 36**
- 2757. Prosodes (Meropersina) amica G.Medvedev,2001** (Tenebrionidae) **Synonym(s):** *amica G.Medvedev,2001*
- 2758. Prosternon syriacum (Buysson,1891)** (Elateridae) **Synonym(s):** *syriacum Buysson,1891; anatolicum Reitter,1901* **06 33 49**
- 2759. Prosternon tessellatum (Linnaeus,1758)** (Elateridae) **Synonym(s):** *tessellatum Linnaeus,1758* **08 13 16 28 61**
- 2760. Protactia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) **Synonym(s):** *speciosa Adams,1817; psittacina Ménétriés,1832*
- 2761. Protactia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) **Synonym(s):** *affinis Andersch,1797*
- 2762. Protactia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) **Synonym(s):** *miriffica Mulsant & Rey,1840*
- 2763. Protactia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) **Synonym(s):** *judith Reiche,1871; foveicauda Reitter,1898*
- 2764. Protactia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) **Synonym(s):** *hungarica Herbst,1790* **76**
- 2765. Protactia (Netocia) sibirica (Gebler,1829)** (Scarabaeidae) **Synonym(s):** *sibirica Gebler,1829; setulosa Reitter,1891* **09 24 76**
- 2766. Protactia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) **Synonym(s):** *trojana Gory & Percheron,1833*
- 2767. Protactia (Potosia) angustata (Germar,1817)** (Scarabaeidae) **Synonym(s):** *hungarica Latreille,1807 (praeocc.); angustata Germar,1817; angustula Reitter,1898; eibesensis Reitter,1902; orientalis Alexis & Delpont,1996 nec Gory & Percheron,1833* **01 08 11 31 42 33 80**
- 2768. Protactia (Potosia) besucheti Alexis & Delpont,1996** (Scarabaeidae) **Synonym(s):** *besucheti Alexis & Delpont,1996*



- 2769. *Protaetia (Potosia) cuprea* (Fabricius,1775) (Scarabaeidae) Synonym(s):** *cuprea* Fabricius,1775 **01 06 07 13 14 22 26 27 31 33 37 38 42 43 46 51 60 65 70 76 80**
- 2770. *Protaetia (Potosia) cuprina* (Motschulsky,1849) (Scarabaeidae) Synonym(s):** *rubrocuprea* Mulsant & Rey,1842; *cuprina* Motschulsky,1849
- 2771. *Protaetia (Potosia) fausti* Kraatz,1891 (Scarabaeidae) Synonym(s):** *fausti* Kraatz,1891
- 2772. *Protaetia (Potosia) funebris* (Gory & Percheron,1833) (Scarabaeidae) Synonym(s):** *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménétriés,1836; *aethiessoides* Reitter,1898; *lambillionea* Alexis & Delphont,2000 **01 04 05 06 08 09 11 12 13 16 17 20 23 25 27 30 31 32 33 35 36 37 42 46 47 49 51 53 56 58 60 61 65 73**
- 2773. *Protaetia (Potosia) jelineki* Petrovitz,1981 (Scarabaeidae) Synonym(s):** *jelineki* Petrovitz,1981
- 2774. *Protaetia (Potosia) splendidula* (Faldermann,1835) (Scarabaeidae) Synonym(s):** *splendidula* Faldermann,1835
- 2775. *Protaetia (Potosia) vidual* (Gory & Perchenson,1833) (Scarabaeidae) Synonym(s):** *vidual* Gory & Perchenson,1833 **35 42 45 70 80**
- 2776. *Pselaphorhynchites nanus* (Paykull,1792) (Attelabidae) Synonym(s):** *nanus* Paykull,1792; *planirostris* Fabricius,1801; *cylindricus* Stephens,131; *angustifrons* Voss,1932 **11 18**
- 2777. *Pselaphorhynchites tomentosus* (Gyllenhal,1839) (Attelabidae) Synonym(s):** *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 **11 35 69**
- 2778. *Pseudagriotes holtzi* Schwarz,1896 (Elateridae) Synonym(s):** *holtzi* Schwarz,1896
- 2779. *Pseudanostirus jasoni* Dolin & Chantladze,1987 (Elateridae) Synonym(s):** *jasoni* Dolin & Chantladze,1987
- 2780. *Pseudocrepidophorus concavifrons* Wurst,1994 (Elateridae) Synonym(s):** *concavifrons* Wurst,1994 **32**
- 2781. *Pseudocrepidophorus flavescens* (Eschscholtz,1818) (Elateridae) Synonym(s):** *flavescens* Eschscholtz,1818 **08 54**
- 2782. *Pseudosphegistes longitarsus* Holzschuh,1974 (Cerambycidae) Synonym(s):** *longitarsus* Holzschuh,1974 **02**
- 2783. *Pseudosphegistes samai* Danilevsky,2000 (Cerambycidae) Synonym(s):** *samai* Danilevsky,2000 **60**
- 2784. *Pseudotrematodes frivaldskyi* (Ménétriés,1836) (Scarabaeidae) Synonym(s):** *frivaldskyi* Ménétriés,1836
- 2785. *Pseudovadonia livida* (Fabricius,1776) (Cerambycidae) Synonym(s):** *livida* Fabricius,1776
- 2786. *Psylliodes affinis* (Paykull,1799) (Chrysomelidae) Synonym(s):** *affinis* Paykull,1799 **31**
- 2787. *Psylliodes aristus* Jablokoff-Khnzorian,1962 (Chrysomelidae) Synonym(s):** *aristus* Jablokoff-Khnzorian,1962 **08 25 36**
- 2788. *Psylliodes attenuatus* (Koch,1803) (Chrysomelidae) Synonym(s):** *attenuatus* Koch,1803 **08 25 26**
- 2789. *Psylliodes chalcomerus* (Illiger,1807) (Chrysomelidae) Synonym(s):** *chalcomerus* Illiger,1807 **01 06 22 25 26 34 35 40 42 50 58 66**
- 2790. *Psylliodes chrysocephalus* (Linnaeus,1758) (Chrysomelidae) Synonym(s):** *chrysocephalus* Linnaeus,1758 **01 06 07 10 11 25 31 33 34 35 41**
- 2791. *Psylliodes circumdatus* (Redtenbacher,1842) (Chrysomelidae) Synonym(s):** *circumdatus* Redtenbacher,1842 **05 07 24 25 26 35 42**
- 2792. *Psylliodes cupreus* (Koch,1803) (Chrysomelidae) Synonym(s):** *cupreus* Koch,1803 **01 07 08 16 25 33 34 35 36 61**
- 2793. *Psylliodes dulcamarae* (Koch,1803) (Chrysomelidae) Synonym(s):** *dulcamarae* Koch,1803 **06 40**
- 2794. *Psylliodes ellipticus* Allard,1861 (Chrysomelidae) Synonym(s):** *ellipticus* Allard,1861 **15 33 42 43**
- 2795. *Psylliodes hyoscyami* (Linnaeus,1758) (Chrysomelidae) Synonym(s):** *hyoscyami* Linnaeus,1758 **25 42 58 69**
- 2796. *Psylliodes illyricus* Leonardi & Gruev,1993 (Chrysomelidae) Synonym(s):** *illyricus* Leonardi & Gruev,1993 **33**
- 2797. *Psylliodes inflatus* Reiche,1856 (Chrysomelidae) Synonym(s):** *inflatus* Reiche,1856 **01 07 21 24 33 63**

- 2798. Psylliodes instabilis Foudras,1860** (Chrysomelidae) Synonym(s): *instabilis*  
Foudras,1860 **05 06 07 21 25**
- 2799. Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis*  
Heikertinger,1912 **05 24 25 60**
- 2800. Psylliodes kiesenwetteri Kutschera,1867** (Chrysomelidae) Synonym(s): *kiesenwetteri*  
Kutschera,1867 **47**
- 2801. Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus*  
O.F.Müller,1776 **06 07 11 25 38 60**
- 2802. Psylliodes marcidus (Illiger,1807)** (Chrysomelidae) Synonym(s): *marcidus* Illiger,1807  
**20**
- 2803. Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864
- 2804. Psylliodes napi (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi* Fabricius,1792  
**06 07 25**
- 2805. Psylliodes ozisiki Leonardi & Arnold,1995** (Chrysomelidae) Synonym(s): *ozisiki*  
Leonardi & Arnold,1995 **25**
- 2806. Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903  
**05 07 33**
- 2807. Psylliodes sauleyi Allard,1867** (Chrysomelidae) Synonym(s): *sauleyi* Allard,1867 **24**
- 2808. Psylliodes sophiae Heikertinger,1914** (Chrysomelidae) Synonym(s): *sophiae*  
Heikertinger,1914 **06 07 08 24 25 38 40 42 50 55**
- 2809. Psylliodes tauricus Leonardi,1971** (Chrysomelidae) Synonym(s): *tauricus* Leonardi,1971  
**33**
- 2810. Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s):  
*testaceoconcolor* Heikertinger,1926 **24**
- 2811. Psylliodes validus Weise,1889** (Chrysomelidae) Synonym(s): *validus* Weise,1889 **25**  
**60**
- 2812. Psylliodes vindobonensis Heikertinger,1914** (Chrysomelidae) Synonym(s):  
*vindobonensis* Heikertinger,1914 **42**
- 2813. Psyllobora vigintiduopunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s):  
*vigintiduopunctata* Linnaeus,1758 **01 06 13 22 23 24 25 35 44 47 76**
- 2814. Purpuricenus budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783  
**13**
- 2815. Purpuricenus caucasicus Pic,1902** (Cerambycidae) Synonym(s): *caucasicus* Pic,1902
- 2816. Purpuricenus cornifrons Sabbadini & Pesarini,1992** (Cerambycidae) Synonym(s):  
*cornifrons* Sabbadini & Pesarini,1992 **49**
- 2817. Purpuricenus dalmatinus Sturm,1843** (Cerambycidae) Synonym(s): *dalmatinus*  
Sturm,1843 **02**
- 2818. Purpuricenus desfontainei (Fabricius,1792)** (Cerambycidae) Synonym(s):  
*desfontainei* Fabricius,1792
- 2819. Purpuricenus kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri*  
Linnaeus,1758
- 2820. Purpuricenus longevittatus Pic,1941** (Cerambycidae) Synonym(s): *longevittatus*  
Pic,1941 **32**
- 2821. Purpuricenus nigronotatus Pic,1907** (Cerambycidae) Synonym(s): *nigronotatus*  
Pic,1907; konradi Bernhauer,1976 **33**
- 2822. Purpuricenus nudicollis Demelt,1968** (Cerambycidae) Synonym(s): *nudicollis*  
Demelt,1968 **33**
- 2823. Purpuricenus tommasoï Sama,2001** (Cerambycidae) Synonym(s): *tommasoï*  
Sama,2001 **65**
- 2824. Purpuricenus wachanrui Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui*  
Levrat,1858 **02 65**
- 2825. Quasimus minutissimus (Germar,1817)** (Elateridae) Synonym(s): *minutissimus*  
Germar,1817 **14 19 57 61**
- 2826. Raiboscelis azureus (Brullé,1832)** (Tenebrionidae) Synonym(s): *azureus* Brullé,1832
- 2827. Raiboscelis coelestinus (Waltl,1838)** (Tenebrionidae) Synonym(s): *coelestinus*  
Waltl,1838 **07 09 31 35 42**



- 2828. Raiboscelis eleodinus (Reiche,1861)** (Tenebrionidae) **Synonym(s):** *eleodinus Reiche,1861*
- 2829. Raiboscelis latimargo Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *latimargo Seidlitz,1896*
- 2830. Raiboscelis syriacus (Reiche,1861)** (Tenebrionidae) **Synonym(s):** *syriacus Reiche,1861*  
**06 07 09 15 26 35 38 45 48**
- 2831. Rantus suturalis (Macleay,1825)** (Dytiscidae) **Synonym(s):** *suturalis Macleay,1825*  
**25 42 45 53 61**
- 2832. Reitterelater dubius Platia & Cate,1990** (Elateridae) **Synonym(s):** *dubius Platia & Cate,1990*
- 2833. Rhagonycha adanensis Dahlgren,1968** (Cantharidae) **Synonym(s):** *adanensis Dahlgren,1968* **01**
- 2834. Rhagonycha anatolica Dahlgren,1968** (Cantharidae) **Synonym(s):** *anatolica Dahlgren,1968*
- 2835. Rhagonycha antennata Svihla,2004** (Cantharidae) **Synonym(s):** *antennata Svihla,2004*
- 2836. Rhagonycha brancuccii Svihla,1993** (Cantharidae) **Synonym(s):** *brancuccii Svihla,1993*
- 2837. Rhagonycha carolusi Svihla,1993** (Cantharidae) **Synonym(s):** *carolusi Svihla,1993*
- 2838. Rhagonycha catei Svihla,1993** (Cantharidae) **Synonym(s):** *catei Svihla,1993*
- 2839. Rhagonycha curvipes Svihla,2005** (Cantharidae) **Synonym(s):** *curvipes Svihla,2005*
- 2840. Rhagonycha duplicata Dahlgren,1968** (Cantharidae) **Synonym(s):** *duplicata Dahlgren,1968* **01 07 32 33 42 51 70**
- 2841. Rhagonycha dvoraki Svihla,1995** (Cantharidae) **Synonym(s):** *dvoraki Svihla,1995*
- 2842. Rhagonycha fulva (Scopoli,1763)** (Cantharidae) **Synonym(s):** *fulva Scopoli,1763* **01**  
**27 29 33 38 39 41 46 51 61 66 68 70 80**
- 2843. Rhagonycha fulvaliena Svihla,1995** (Cantharidae) **Synonym(s):** *fulvaliena Svihla,1995*
- 2844. Rhagonycha icelica Svihla,1995** (Cantharidae) **Synonym(s):** *icelica Svihla,1995* **33**
- 2845. Rhagonycha kadleci Svihla,2002** (Cantharidae) **Synonym(s):** *kadleci Svihla,2002*
- 2846. Rhagonycha karsensis Svihla,1995** (Cantharidae) **Synonym(s):** *karsensis Svihla,1995*  
**36**
- 2847. Rhagonycha kiesenwetteri Marseul,1864** (Cantharidae) **Synonym(s):** *kiesenwetteri Marseul,1864* **01 07 33 42 51 70**
- 2848. Rhagonycha kronbladi Svihla,1993** (Cantharidae) **Synonym(s):** *kronbladi Svihla,1993*
- 2849. Rhagonycha lundbergi Svihla,1993** (Cantharidae) **Synonym(s):** *lundbergi Svihla,1993*
- 2850. Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) **Synonym(s):** *lutea O.F.Müller,1764*  
**01**
- 2851. Rhagonycha nurdagensis Wittmer,1972** (Cantharidae) **Synonym(s):** *nurdagensis Wittmer,1972* **31**
- 2852. Rhagonycha osellai Svihla,1993** (Cantharidae) **Synonym(s):** *osellai Svihla,1993*
- 2853. Rhagonycha paflagonica Svihla,2004** (Cantharidae) **Synonym(s):** *paflagonica Svihla,2004*
- 2854. Rhagonycha pamphylica Wittmer,1972** (Cantharidae) **Synonym(s):** *pamphylica Wittmer,1972*
- 2855. Rhagonycha pseudorossica Kazantsev,1992** (Cantharidae) **Synonym(s):** *pseudorossica Kazantsev,1992*
- 2856. Rhagonycha ruzickai Svihla,1993** (Cantharidae) **Synonym(s):** *ruzickai Svihla,1993*
- 2857. Rhagonycha rydhi Svihla,1993** (Cantharidae) **Synonym(s):** *rydhi Svihla,1993*
- 2858. Rhagonycha schneideri Svihla,2006** (Cantharidae) **Synonym(s):** *schneideri Svihla,2006*
- 2859. Rhagonycha stanislavi Svihla,2002** (Cantharidae) **Synonym(s):** *stanislavi Svihla,2002*
- 2860. Rhagonycha turcica Wittmer,1972** (Cantharidae) **Synonym(s):** *turcica Wittmer,1972*
- 2861. Rhagonycha walteri Svihla,1993** (Cantharidae) **Synonym(s):** *walteri Svihla,1993*
- 2862. Rhinocyllus conicus (Frölich,1792)** (Curculionidae) **Synonym(s):** *conicus Frölich,1792*  
**02 20 21 23 27 31 32 35 37 47 48**
- 2863. Rhizotrogus (Amphimallon) caucasicum (Gyllenhal,1817)** (Scarabaeidae)  
**Synonym(s):** *caucasicum Gyllenhal,1817* **05 14 19 30 37**
- 2864. Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) **Synonym(s):** *leuthneri Reitter,1902*
- 2865. Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae)  
**Synonym(s):** *solstitialis Linnaeus,1758* **61**

- 2866. Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus* Olivier,1789 **29 37 61**
- 2867. Rhynchites aereipennis Desbrochers,1895** (Attelabidae) Synonym(s): *aereipennis* Desbrochers,1895 **06 25 31 33 35**
- 2868. Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 **05 06 08 10 11 16 17 21 22 24 25 26 27 29 31 35 38 39 43 45 46 58 59**
- 2869. Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 **06 07 15 16 20 22 24 26 29 34 35 38 39 40 41 43 46 51 54 55 58 59 64**
- 2870. Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliaris* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930 **11 39 41 52 53**
- 2871. Rhynchites giganteus Krynicky,1832** (Attelabidae) Synonym(s): *giganteus* Krynicky,1832 **07 10 11 16 20 22 31 35 43 45 61 68**
- 2872. Rhynchites hajastanicus Ter-Minacian,1965** (Attelabidae) Synonym(s): *hajastanicus* Ter-Minacian,1965 **02 27 30**
- 2873. Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916 **01 02 03 05 06 07 09 10 11 12 13 15 16 18 19 20 23 24 25 26 27 30 31 32 33 34 35 37 42 45 46 47 48 55 57 60 64 65 66 70 80**
- 2874. Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926 **01 07 09 10 11 13 15 17 32 35 43 48 64 80**
- 2875. Rhynchites lodosi Voss,1973** (Attelabidae) Synonym(s): *lodosi* Voss,1973 **07 10 15 20 33 35 43 48 64**
- 2876. Rhynchites purpureipennis Voss,1973** (Attelabidae) Synonym(s): *purpureipennis* Voss,1973 **01 07 09 10 11 13 15 27 32 35 43 46 60 64**
- 2877. Rhynchites smyrnensis Desbrochers,1869** (Attelabidae) Synonym(s): *smyrnensis* Desbrochers,1869 **06 07 10 11 16 21 22 23 31 32 33 35 39 40 43 44 47 58 59 64**
- 2878. Rhynchites trojanus Gyllenhal,1839** (Attelabidae) Synonym(s): *trojanus* Gyllenhal,1839; *maximus* Desbrochers,1869; *minor* Schilsky,1903 **09 17 33 35 59**
- 2879. Rodolia cardinalis Mulsant,1850** (Coccinellidae) Synonym(s): *cardinalis* Mulsant,1850
- 2880. Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 **07 13**
- 2881. Ryukyucardiophorus mertliki Platia & Gudenzi,1999** (Elateridae) Synonym(s): *mertliki* Platia & Gudenzi,1999
- 2882. Saperda quercus Charpentier,1825** (Cerambycidae) Synonym(s): *quercus* Charpentier,1825; *ocellata* Abeille de Perrin,1895 **80**
- 2883. Saperda scalaris (Linnaeus,1758)** (Cerambycidae) Synonym(s): *scalaris* Linnaeus,1758
- 2884. Saprinus calatravensis Fuente,1899** (Histeridae) Synonym(s): *calatravensis* Fuente,1899 **35**
- 2885. Saprinus maculatus (Rossi,1792)** (Histeridae) Synonym(s): *maculatus* Rossi,1792 **35**
- 2886. Saprinus subnitescens Bickhardt,1909** (Histeridae) Synonym(s): *subnitescens* Bickhardt,1909 **35**
- 2887. Scarabaeus armeniacus Ménétériés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménétériés,1832; *nigrociliatus* Motschoulsky,1849 **01 09 21 51 54**
- 2888. Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803 **06 07 11 14 21 26 27 32 35 40 45 48 60 63 65**
- 2889. Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819
- 2890. Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 **21 33 35 45 46 48 64**
- 2891. Scarabaeus semipunctatus Fabricius,1792** (Scarabaeidae) Synonym(s): *semipunctatus* Fabricius,1792; *substriatus* Mulsant,1842; *subinermis* Mulsant,1842 **06 35 38**



- 2892. *Scarabaeus typhon* (Fischer von Waldheim,1822)** (Scarabaeidae) **Synonym(s):** *typhon* Fischer von Waldheim,1822
- 2893. *Scarabaeus variolosus* Fabricius,1787** (Scarabaeidae) **Synonym(s):** *variolosus* Fabricius,1787 **10 35 45**
- 2894. *Scarabaeus winkleri* Stolf,1938** (Scarabaeidae) **Synonym(s):** *winkleri* Stolf,1938
- 2895. *Scarodytes halensis* (Fabricius,1787)** (Dytiscidae) **Synonym(s):** *halensis* Fabricius,1787 **03 06 07 08 16 26 29 32 33 35 38 65 66**
- 2896. *Scaurus puncticollis* Solier,1838** (Tenebrionidae) **Synonym(s):** *puncticollis* Solier,1838
- 2897. *Scirtes haemisphaericus* (Linnaeus,1767)** (Scirtidae) **Synonym(s):** *haemisphaericus* Linnaeus,1767 **14**
- 2898. *Scirtes Illiger*,1807** (Scirtidae) **Synonym(s):** *Scirtes Illiger*,1807
- 2899. *Scirtes orbicularis* (Panzer,1793)** (Scirtidae) **Synonym(s):** *orbicularis* Panzer,1793 **55 76**
- 2900. *Scleron carinatum* Baudi,1875** (Tenebrionidae) **Synonym(s):** *carinatum* Baudi,1875
- 2901. *Scleron fossulatum* Mulsant & Wachenrau,1852** (Tenebrionidae) **Synonym(s):** *fossulatum* Mulsant & Wachenrau,1852
- 2902. *Scleron multistriatum* (Forskall,1775)** (Tenebrionidae) **Synonym(s):** *multistriatum* Forskall,1775
- 2903. *Scymnus apetzi* Mulsant,1846** (Coccinellidae) **Synonym(s):** *apetzi* Mulsant,1846 **01 07 09 25 30 35 48 65**
- 2904. *Scymnus araraticus* Jablakoff & Khnzorian,1969** (Coccinellidae) **Synonym(s):** *araraticus* Jablakoff & Khnzorian,1969
- 2905. *Scymnus auritus* (Thunberg,1795)** (Coccinellidae) **Synonym(s):** *auritus* Thunberg,1795 **22**
- 2906. *Scymnus levaillanti* Mulsant,1850** (Coccinellidae) **Synonym(s):** *levaillanti* Mulsant,1850
- 2907. *Scymnus pallipediformis* Günther,1958** (Coccinellidae) **Synonym(s):** *pallipediformis* Günther,1958 **01 07 16 25 30 34 35 39 44 47 48 63**
- 2908. *Scymnus quadriguttatus* Capra,1924** (Coccinellidae) **Synonym(s):** *quadriguttatus* Capra,1924 **06 07 16 20 26 35 37 45 65 75**
- 2909. *Scymnus rubromaculatus* (Goeze,1778)** (Coccinellidae) **Synonym(s):** *rubromaculatus* Goeze,1778 **01 03 06 07 16 25 30 31 33 37 38 46**
- 2910. *Scymnus subvillosus* (Goeze,1777)** (Coccinellidae) **Synonym(s):** *subvillosus* Goeze,1777
- 2911. *Scymnus suturalis* (Thunberg,1795)** (Coccinellidae) **Synonym(s):** *suturalis* Thunberg,1795
- 2912. *Selatosomus (Pristilophus) melancholicus*** (Elateridae) **Synonym(s):**
- 2913. *Selatosomus (s.str.) aeneus* (Linnaeus,1758)** (Elateridae) **Synonym(s):** *aeneus* Linnaeus,1758 **28**
- 2914. *Selatosomus (s.str.) amplicollis* (Germar,1843)** (Elateridae) **Synonym(s):** *amplicollis* Germar,1843 **08 52 75**
- 2915. *Selatosomus (s.str.) armeniacus* Dolin,1982** (Elateridae) **Synonym(s):** *armeniaceus* Dolin,1982
- 2916. *Selatosomus (s.str.) atratus* (Ballion,1878)** (Elateridae) **Synonym(s):** *atratus* Ballion,1878
- 2917. *Selatosomus (s.str.) beysehiricus* Mertlik,2000** (Elateridae) **Synonym(s):** *beysehiricus* Mertlik,2000
- 2918. *Selatosomus (s.str.) caucasicus* (Ménétriés,1879)** (Elateridae) **Synonym(s):** *caucasicus* Ménétriés,1879
- 2919. *Selatosomus (s.str.) latissimus* Reitter,1910** (Elateridae) **Synonym(s):** *latissimus* Reitter,1910 **02 05 42 70**
- 2920. *Selatosomus (s.str.) latus* (Fabricius,1801)** (Elateridae) **Synonym(s):** *latus* Fabricius,1801; *saginitus* Ménétriés,1832; *gravidus* Germar,1843 **16 18 60 75**
- 2921. *Selatosomus (s.str.) pecirkanus* Reitter,1910** (Elateridae) **Synonym(s):** *pecirkanus* Reitter,1910
- 2922. *Selatosomus (s.str.) punctipennis* Reitter,1910** (Elateridae) **Synonym(s):** *punctipennis* Reitter,1910
- 2923. *Selatosomus (s.str.) sameki* Mertlik,2000** (Elateridae) **Synonym(s):** *sameki* Mertlik,2000
- 2924. *Selatosomus (Warchalowskianus) ampliformis* Reitter,1910** (Elateridae) **Synonym(s):** *ampliformis* Reitter,1910

- 2925. Selatosomus (Warchalowskianus) barlaensis Mertlik,2000** (Elateridae)  
Synonym(s): *barlaensis* Mertlik,2000
- 2926. Semnosia caucasica (Pic,1898)** (Cerambycidae) Synonym(s): *caucasica* Pic,1898
- 2927. Semnosia herminae (Reitter,1890)** (Cerambycidae) Synonym(s): *herminae* Reitter,1890; *gobustanica* Danilevsky,1990 **12**
- 2928. Semnosia imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix* Abeille de Perrin,1885 **02 12**
- 2929. Semnosia interrupta (Pic,1905)** (Cerambycidae) Synonym(s): *interrupta* Pic,1905 **13 65**
- 2930. Semnosia mirabilis (Faldermann,1837)** (Cerambycidae) Synonym(s): *mirabilis* Faldermann,1837
- 2931. Semnosia scovitzii (Faldermann,1837)** (Cerambycidae) Synonym(s): *scovitzii* Faldermann,1837 **04**
- 2932. Silpha obscura Linnaeus,1758** (Silphidae) Synonym(s): *obscura* Linnaeus,1758 **07 08 14 17 18 22 25 26 30 35 36 43 61 62 75**
- 2933. Silpha tristis Illiger,1798** (Silphidae) Synonym(s): *tristis* Illiger,1798 **08**
- 2934. Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 **52**
- 2935. Sinometa besucheti Wittmer,1969** (Cantharidae) Synonym(s): *Sinometa besucheti* Wittmer,1969 **14**
- 2936. Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758 **01 03 06 07 11 14 22 31 32 33 35 37 38 39 40 46 48 67**
- 2937. Sitophagus hololeptoides Laporte,1840** (Tenebrionidae) Synonym(s): *hololeptoides* Laporte,1840 **07 33**
- 2938. Smaragdina amasina (Pic,1897)** (Chrysomelidae) Synonym(s): *amasina* Pic,1897 **05**
- 2939. Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris* Lacordaire,1848; *biornata* Lefebvre,1872 **25**
- 2940. Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor* Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848 **25**
- 2941. Smaragdina flavicollis (Charpentier,1825)** (Chrysomelidae) Synonym(s): *flavicollis* Charpentier,1825
- 2942. Smaragdina judaica (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *judaica* Lefebvre,1872
- 2943. Smaragdina limbata (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806; *dorsalis* Olivier,1808 **31 65**
- 2944. Smaragdina scutellaris (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris* Lefebvre,1872
- 2945. Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé,1832
- 2946. Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata* Olivier,1808
- 2947. Smaragdina vaulogeri (Pic,1894)** (Chrysomelidae) Synonym(s): *vaulogeri* Pic,1894
- 2948. Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana* Lacordaire,1848
- 2949. Smaragdina xanthaspis (Germar,1824)** (Chrysomelidae) Synonym(s): *xanthaspis* Germar,1824
- 2950. Solskyana villiger (Solsky,1881)** (Elateridae) Synonym(s): *villiger* Solsky,1881
- 2951. Sparedrus testaceus (Andersch,1797)** (Oedemeridae) Synonym(s): *testaceus* Andersch,1797 **39**
- 2952. Sphaeridium substriatum Faldermann,1838** (Hydrophilidae) Synonym(s): *substriatum* Faldermann,1838
- 2953. Sphaeroderma rubidum (Graells,1858)** (Chrysomelidae) Synonym(s): *rubidum* Graells,1858 **34 35**
- 2954. Stegastopsis microderoides Reitter,1898** (Tenebrionidae) Synonym(s): *microderoides* Reitter,1898
- 2955. Stenagostus rhombeus (Olivier,1790)** (Elateridae) Synonym(s): *rhombeus* Olivier,1790
- 2956. Stenagostus rosti (Schwarz,1897)** (Elateridae) Synonym(s): *rosti* Schwarz,1897 **08**
- 2957. Stenagostus zuercheri Reitter,1909** (Elateridae) Synonym(s): *zuercheri* Reitter,1909



- 2958. Stenoder a anatolica Frivaldsky,1884** (Meloidae) Synonym(s): *anatolica*  
*Frivaldsky,1884* **01 07 33 24 60**
- 2959. Stenoder a caucasica (Pallas,1781)** (Meloidae) Synonym(s): *caucasica* Pallas,1781 **08**  
**18 21 25 26 30 43 57 80**
- 2960. Stenoder a coeruleiceps Fairmaire,1892** (Meloidae) Synonym(s): *coeruleiceps*  
*Fairmaire,1892* **31 32 33**
- 2961. Stenoder a oculifera Abeille de Perrin,1880** (Meloidae) Synonym(s): *oculifera* Abeille  
*de Perrin,1880*
- 2962. Stenoder a puncticollis (Chevrolat,1829)** (Meloidae) Synonym(s): *puncticollis*  
*Chevrolat,1829* **01 02**
- 2963. Stenopterus atricornis Pic,1891** (Cerambycidae) Synonym(s): *atricornis* Pic,1891
- 2964. Stenopterus kraatzi (Pic,1892)** (Cerambycidae) Synonym(s): *kraatzi* Pic,1892 **02**
- 2965. Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767  
**13**
- 2966. Stenoria analis Schaum,1859** (Meloidae) Synonym(s): *analis* Schaum,1859 **08**
- 2967. Stenosis comata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *comata* Reiche &  
*Saulcy,1857*
- 2968. Stenosis diana e Sahlberg,1908** (Tenebrionidae) Synonym(s): *diana e* Sahlberg,1908  
**35**
- 2969. Stenosis dilutipes Reitter,1887** (Tenebrionidae) Synonym(s): *dilutipes* Reitter,1887;  
*reitteri* Mars,1887 **31**
- 2970. Stenosis esau Sahlberg,1908** (Tenebrionidae) Synonym(s): *esau* Sahlberg,1908
- 2971. Stenosis intermedia (Solier,1838)** (Tenebrionidae) Synonym(s): *intermedia* Solier,1838  
**07**
- 2972. Stenosis orientalis Brullé,1832** (Tenebrionidae) Synonym(s): *orientalis* Brullé,1832;  
*graeca* Solier,1838
- 2973. Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): *punctiventris*  
*Eschscholtz,1831*
- 2974. Stenosis quadraticollis Desbrochers,1881** (Tenebrionidae) Synonym(s):  
*quadraticollis* Desbrochers,1881 **06**
- 2975. Stenosis sardoa (Küster,1848)** (Tenebrionidae) Synonym(s): *sardoa* Küster,1848 **07**
- 2976. Stenosis silvestrii Koch,1935** (Tenebrionidae) Synonym(s): *silvestrii* Koch,1935
- 2977. Stenosis sulcata Miller,1861** (Tenebrionidae) Synonym(s): *sulcata* Miller,1861 **33**
- 2978. Stenurella bifasciata (O.F.Müller,1776)** (Cerambycidae) Synonym(s): *bifasciata*  
*O.F.Müller,1776* **75**
- 2979. Stenurella melanura (Fabricius,1792)** (Cerambycidae) Synonym(s): *melanura*  
*Fabricius,1792*
- 2980. Sternoplax (Pachysternoplax) nicomedia (Reitter,1832)** (Tenebrionidae)  
Synonym(s): *nicomedia* Reitter,1832
- 2981. Stethorus gilvifrons (Mulsant,1850)** (Coccinellidae) Synonym(s): *gilvifrons*  
*Mulsant,1850*
- 2982. Stethorus punctillum Weise,1891** (Coccinellidae) Synonym(s): *punctillum* Weise,1891  
**01 06 07 22 24 25 46**
- 2983. Stictoleptura cordigera (Fuesslin,1775)** (Cerambycidae) Synonym(s): *cordigera*  
*Fuesslin,1775* **02 72**
- 2984. Stictoleptura deyrollei (Pic,1895)** (Cerambycidae) Synonym(s): *deyrollei* Pic,1895  
**61**
- 2985. Stictoleptura erythroptera (Hagenbach,1822)** (Cerambycidae) Synonym(s):  
*erythroptera* Hagenbach,1822
- 2986. Stictoleptura heydeni (Ganglbauer,1889)** (Cerambycidae) Synonym(s): *ustulata*  
*Ménétriérs,1832; heydeni* Ganglbauer,1889 **33**
- 2987. Stictoleptura rufa (Brullé,1832)** (Cerambycidae) Synonym(s): *rufa* Brullé,1832;  
*dimidiata* J.Daniel,1891
- 2988. Stictoleptura tesserula (Charpentier,1825)** (Cerambycidae) Synonym(s): *tesserula*  
*Charpentier,1825*
- 2989. Stictoleptura tripartita (Heyden,1889)** (Cerambycidae) Synonym(s): *tripartita*  
*Heyden,1889* **02 13 65**

- 2990. Stictotarsus griseostriatus (De Geer,1774)** (Dytiscidae) **Synonym(s):** *griseostriatus* De Geer,1774 **08 25 53 65**
- 2991. Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) **Synonym(s):** *attenuata* Linnaeus,1758
- 2992. Stylosomus flavus Marseul,1875** (Chrysomelidae) **Synonym(s):** *flavus* Marseul,1875 **37 65**
- 2993. Stylosomus Lacordaire,1845** (Chrysomelidae) **Synonym(s):** *Stylosomus Lacordaire,1845*
- 2994. Subcoccinella vigintiquatuorpunctata (Linnaeus,1758)** (Coccinellidae) **Synonym(s):** *vigintiquatuorpunctata* Linnaeus,1758 **06 12 13 15 16 20 25 33 35**
- 2995. Synaptus filiformis (Fabricius,1781)** (Elateridae) **Synonym(s):** *filiformis* Fabricius,1781 **37 44 55 67**
- 2996. Syriolytta vulneratus (Fairmaire,1892)** (Meloidae) **Synonym(s):** *vulneratus* Fairmaire,1892; *suturifera* Pic,1899; *fairmairei* Borchmann,1917
- 2997. Tanyproctus carbonarius Faldermann,1835** (Scarabaeidae) **Synonym(s):** *carbonarius* Faldermann,1835 **65**
- 2998. Teles eutymi Mulsant & Godart,1876** (Tenebrionidae) **Synonym(s):** *eutymi* Mulsant & Godart,1876
- 2999. Tenebrio molitor Linnaeus,1758** (Tenebrionidae) **Synonym(s):** *molitor* Linnaeus,1758
- 3000. Tenebrio obscurus Fabricius,1792** (Tenebrionidae) **Synonym(s):** *obscurus* Fabricius,1792 **07 10**
- 3001. Tenebrio syriacus Zoufal,1892** (Tenebrionidae) **Synonym(s):** *syriacus* Zoufal,1892
- 3002. Tentyria cylindrica Solier,1835** (Tenebrionidae) **Synonym(s):** *cylindrica* Solier,1835; *acuminata* Reiche & Saulcy,1857; *lata* Baudi,1874 **01 33**
- 3003. Tentyria cypria Kraatz,1865** (Tenebrionidae) **Synonym(s):** *cypria* Kraatz,1865 **48**
- 3004. Tentyria rotundata Brullé,1832** (Tenebrionidae) **Synonym(s):** *rotundata* Brullé,1832; *angulata* Brullé,1832; *mittrei* Solier,1835; *winkleri* Koch,1936; *jonica* Koch,1944; *dahestris* Koch,1944 **01 02 06 07 09 10 11 12 17 20 21 23 35 38 40 42 45 46 50 60 70 71 80**
- 3005. Tentyria taurica Tauscher,1812** (Tenebrionidae) **Synonym(s):** *taurica* Tauscher,1812; *fischeri* Solier,1835
- 3006. Tentyria tessulata Tauscher,1812** (Tenebrionidae) **Synonym(s):** *tessulata* Tauscher,1812 **02 65**
- 3007. Tentyria wiedemanni Ménéttriés,1838** (Tenebrionidae) **Synonym(s):** *wiedemanni* Ménéttriés,1838; *#wiedemanni* Ferrer & Soldati,1999 **11 38 46 50 70**
- 3008. Teratolytta carlae Bologna,2006** (Meloidae) **Synonym(s):** *carlae* Bologna,2006 *Teratolytta carlae* Bologna,2006, Eur. J. ent. 103: 145-146, figs. Holotype ♂: Turkey: Malatya Prov., Tecde (MNHNP). **02 44**
- 3009. Teratolytta dives (Brullé,1832)** (Meloidae) **Synonym(s):** *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894 **01 10 17 31 33 34 35 45**
- 3010. Teratolytta dvoraki Bologna,2006** (Meloidae) **Synonym(s):** *dvoraki* Bologna,2006 *Teratolytta dvoraki* Bologna,2006, Eur. J. ent. 103: 154-155, figs. Holotype ♂: [Turkey]: Anatol. Or., Bugleu [Buğlan] Pass, Solhau [Solhan] 1500-1600m, 30.iv.1989 W.Heinz leg. **12**
- 3011. Teratolytta flavipes (Mulsant & Rey,1858)** (Meloidae) **Synonym(s):** *flavipes* Mulsant & Rey,1858; *semividua* Abeille de Perrin,1895; *saphirina* Abeille de Perrin,1895 **01 07 31 33**
- 3012. Teratolytta gentilis (Frivaldsky,1877)** (Meloidae) **Synonym(s):** *gentilis* Frivaldsky,1877; *violaceipennis* Beaugregard,1890; *#coeruleipennis* Escherich,1894; *coonensis* G.Müller,1936 **07 35 42**
- 3013. Teratolytta kulzeri Kaszab,1958** (Meloidae) **Synonym(s):** *kulzeri* Kaszab,1958 **65 73**
- 3014. Teratolytta monticola Bologna,2006** (Meloidae) **Synonym(s):** *monticola* Bologna,2006 **25**
- 3015. Teratolytta senilis (Abeille de Perrin,1895)** (Meloidae) **Synonym(s):** *senilis* Abeille de Perrin,1895; *bytinskii* Kaszab,1957 **31**
- 3016. Teratolytta taurica Bologna,2006** (Meloidae) **Synonym(s):** *taurica* Bologna,2006 **33 70**
- 3017. Teratolytta vanensis Kaszab,1968** (Meloidae) **Synonym(s):** *vanensis* Kaszab,1968 *Teratolytta vanensis* Kaszab,1968, Annln naturh. Mus. Wien 72: 448-450. Holotype ♂: [Türkei]: Klein-Asien: Kusunkiran [Kusgunkiran], östlich [westlich] von Van, 2265m 29 v 1966 (NHMW). **01 65**
- 3018. Tetartoepus adanensis Assing,2004** (Staphylinidae) **Synonym(s):** *adanensis* Assing,2004 **01 80**



- 3019. Tetartoepus czwalinai (Jakobson,1909)** (Staphylinidae) Synonym(s): *czwalinai*  
*Jakobson,1909* **35**
- 3020. Tetartoepus persicus Coiffait** (Staphylinidae) Synonym(s):
- 3021. Tetartoepus rufonitidus (Reitter,1909)** (Staphylinidae) Synonym(s): *rufonitidus*  
*Reitter,1909*
- 3022. Tetartoepus styliifer (Reitter,1909)** (Staphylinidae) Synonym(s): *styliifer* *Reitter,1909*  
**25**
- 3023. Tetartoepus tezceni Anlaş,2009** (Staphylinidae) Synonym(s): *tezceni* *Anlaş,2009*
- 3024. Tetrigus cyprius Baudi,1871** (Elateridae) Synonym(s): *cyprius* *Baudi,1871*; *akbesianus*  
*Fairmaire,1893* **31**
- 3025. Tetrops warnckeii Holzschuh,1977** (Cerambycidae) Synonym(s): *warnckeii*  
*Holzschuh,1977* **33**
- 3026. Thanasimus formicarius (Linnaeus,1758)** (Cleridae) Synonym(s): *formicarius*  
*Linnaeus,1758* **33**
- 3027. Thanatophilus rugosus (Linnaeus,1758)** (Silphidae) Synonym(s): *rugosus*  
*Linnaeus,1758* **01 02 32 46**
- 3028. Thanatophilus sinuatus (Fabricius,1775)** (Silphidae) Synonym(s): *sinuatus*  
*Fabricius,1775* **02**
- 3029. Theophilea cylindricollis Pic,1895** (Cerambycidae) Synonym(s): *cylindricollis* *Pic,1895*  
**36**
- 3030. Tilloidea transversalis (Charpentier,1825)** (Cleridae) Synonym(s): *unifasciatus*  
*Rossi,1790*; *transversalis* *Charpentier,1825*
- 3031. Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* *Bielz,1850*
- 3032. Tillus pectinicornis Abeille de Perrin,1892** (Cleridae) Synonym(s): *pectinicornis*  
*Abeille de Perrin,1892* *Tillus pectinicornis Abeille de Perrin,1892*, *Bull. Soc. ent. Fr. 1892: ccxxxvi-ccxxxvii*. Type ♂: [Turquie]: "Syrie: monts Amanus" (*M.C.Delange*). **31**
- 3033. Tillus pectinicornis Abeille,1892** (Cleridae) Synonym(s): *pectinicornis* *Abeille,1892*; *holtzi*  
*Hintz,1902* **01 06 07 08 33 38 41 45 51 58 64 66**
- 3034. Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* *Illiger,1800*  
**17 35 42 48**
- 3035. Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata*  
*Fabricius,1781*
- 3036. Tolphorea kurdistanicus Platia & Gudenzi,1996** (Elateridae) Synonym(s):  
*kurdistanicus* *Platia & Gudenzi,1996*
- 3037. Tolphorea pallida Platia,2004** (Elateridae) Synonym(s): *pallida* *Platia,2004*
- 3038. Tolphorea turcica Platia & Gudenzi,2000** (Elateridae) Synonym(s): *turcica* *Platia & Gudenzi,2000*
- 3039. Trachyderma lima (Petagna,1819)** (Tenebrionidae) Synonym(s): *lima* *Petagna,1819*;  
*angustata* *Solier,1836* **35**
- 3040. Trachyderma philistina Reich & Saulcy,1857** (Tenebrionidae) Synonym(s):  
*philistina* *Reich & Saulcy,1857*; *gomorrhana* *Reiche & Saulcy,1857*; *persea* *Baudi,1875*; *ovalipennis* *Baudi,1875*
- 3041. Trachyderma setosa (Fischer,1819)** (Tenebrionidae) Synonym(s): *setosa* *Fischer,1819*
- 3042. Trachyscelis aphodioides Latreille,1809** (Tenebrionidae) Synonym(s): *aphodioides*  
*Latreille,1809* **07**
- 3043. Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus*  
*Dejean,1831*
- 3044. Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer*  
*Piochard,1876*
- 3045. Trechus (s.str.) ilgazicus Pawlowski,1976** (Carabidae) Synonym(s): *ilgazicus*  
*Pawlowski,1976* **18**
- 3046. Trechus (s.str.) kackardagi Pawlowski,1978** (Carabidae) Synonym(s): *kackardagi*  
*Pawlowski,1978*
- 3047. Trechus (s.str.) machardi Jeanne,1976** (Carabidae) Synonym(s): *machardi*  
*Jeanne,1976*
- 3048. Trechus (s.str.) melanocephalus Kolenati,1845** (Carabidae) Synonym(s):  
*melanocephalus* *Kolenati,1845*
- 3049. Trechus (s.str.) michaeli Pawlowski,1978** (Carabidae) Synonym(s): *michaeli*  
*Pawlowski,1978*
- 3050. Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusum* *Erichson,1837*

- 3051. Trechus (s.str.) osmanilis** K.Daniel & J.Daniel,1902 (Carabidae) **Synonym(s):** *osmanilis* K.Daniel & J.Daniel,1902
- 3052. Trechus (s.str.) pamphylicus** Jeanne,1996 (Carabidae) **Synonym(s):** *pamphylicus* Jeanne,1996
- 3053. Trechus (s.str.) quadristriatus** (Schränk,1781) (Carabidae) **Synonym(s):** *quadristriatus* Schränk,1781
- 3054. Trechus (s.str.) saulcyanus** Csiki,1928 (Carabidae) **Synonym(s):** *saulcyanus* Csiki,1928
- 3055. Trechus (s.str.) ulrichi** Pawlowski,1976 (Carabidae) **Synonym(s):** *ulrichi* Pawlowski,1976
- 3056. Trechus (s.str.) urartaeus** Pavesi & Sciaky,1994 (Carabidae) **Synonym(s):** *urartaeus* Pavesi & Sciaky,1994
- 3057. Trechus (s.str.) witkowskii** Pawlowski,1978 (Carabidae) **Synonym(s):** *witkowskii* Pawlowski,1978
- 3058. Trechus (s.str.) ziganensis** Jeanne,1976 (Carabidae) **Synonym(s):** *ziganensis* Jeanne,1976 **61**
- 3059. Tribalus anatolicus** Olexa,1980 (Histeridae) **Synonym(s):** *anatolicus* Olexa,1980
- 3060. Tribalus olexai** Lackner,2004 (Histeridae) **Synonym(s):** *olexai* Lackner,2004 **Tribalus** *olexai* Lackner,2004, Ent. Problems 34 (1/2): 47-48, figs. Holotype ♂: Turcia mer., Avsallar Incekum 22km W Alanya 9-23.5.1995 leg. A. Pütz (ZMAN). **07**
- 3061. Tribolium castaneum** (Herbst,1797) (Tenebrionidae) **Synonym(s):** *castaneum* Herbst,1797 **31 35**
- 3062. Tribolium confusum** Jacquelin du Val,1868 (Tenebrionidae) **Synonym(s):** *confusum* Jacquelin du Val,1868 **35 80**
- 3063. Tribolium destructor** Uyttenboogaart,1933 (Tenebrionidae) **Synonym(s):** *destructor* Uyttenboogaart,1933
- 3064. Tribolium madens** Charpentier,1825 (Tenebrionidae) **Synonym(s):** *madens* Charpentier,1825
- 3065. Trichius fasciatus** (Linnaeus,1758) (Scarabaeidae) **Synonym(s):** *fasciatus* Linnaeus,1758 **14 37 57**
- 3066. Trichius orientalis** Reitter,1894 (Scarabaeidae) **Synonym(s):** *orientalis* Reitter,1894 **14 31**
- 3067. Trichodes affinis** Chevrolat,1843 (Cleridae) **Synonym(s):** *affinis* Chevrolat,1843; *apicalis* Champenois,1900 **01 06 07 15 27 25 31 33 38 42 45 62 70**
- 3068. Trichodes alberti** Escherich,1893 (Cleridae) **Synonym(s):** *alberti* Escherich,1893; *korbianus* Ganglbauer,1905 **06 38 40 42 76**
- 3069. Trichodes apiarius** (Linnaeus,1758) (Cleridae) **Synonym(s):** *apiarius* Linnaeus,1758 **06 08 24 34 36 66**
- 3070. Trichodes crabroniformis** Fabricius,1787 (Cleridae) **Synonym(s):** *crabroniformis* Fabricius,1787 **01 06 07 09 11 16 20 26 32 33 34 35 41 42 45 46 48 59 60**
- 3071. Trichodes dilatipennis** Reitter,1893 (Cleridae) **Synonym(s):** *dilatipennis* Reitter,1893 **01 27 33 80**
- 3072. Trichodes ephippiger** Chevrolat,1874 (Cleridae) **Synonym(s):** *ephippiger* Chevrolat,1874 **01 12 13 21 23 25 27 30 44 46 47 49 62 63 65**
- 3073. Trichodes ganglbaueri** Escherich,1893 (Cleridae) **Synonym(s):** *ganglbaueri* Escherich,1893; *israelicus* Winkler,1963 **07 31 33 42 51 62 63 70**
- 3074. Trichodes heydeni** Escherich (Cleridae) **Synonym(s):** *heydeni* Escherich; *anatolicus* Reitter,1893 **25 38 44**
- 3075. Trichodes inermis** Reitter,1893 (Cleridae) **Synonym(s):** *inermis* Reitter,1893 **01 06 31 33 34 35 38 42 44 51 68 70**
- 3076. Trichodes insignis** Fischer,1829 (Cleridae) **Synonym(s):** *insignis* Fischer,1829; *armeniacus* Baudi,1873 **76**
- 3077. Trichodes laminatus** Chevrolat,1843 (Cleridae) **Synonym(s):** *laminatus* Chevrolat,1843 **01 06 07 09 27 31 33 34 35 38 42 44 45 48 51 64 65 68 70 71 80**
- 3078. Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae) **Synonym(s):** *longissimus* Abeille de Perrin,1881; *angustifrons* Abeille de Perrin,1881 **01 05 07 08 13 16 21 23 24 31 32 33 42 44 46 47 48 50 51 58 62 63 68 70 80**
- 3079. Trichodes nobilis** Klug,1842 (Cleridae) **Synonym(s):** *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844 **07 09 13 17 20 26 34 35 42 45 47 50 71**



- 3080. Trichodes oberthueri Champenois, 1900** (Cleridae) Synonym(s): *oberthueri* Champenois, 1900 **01 27 44 46 47 63 80**
- 3081. Trichodes olivieri (Chevrolat, 1843)** (Cleridae) Synonym(s): *olivieri* Chevrolat, 1843
- 3082. Trichodes pulcherrimus Escherich, 1892** (Cleridae) Synonym(s): *pulcherrimus* Escherich, 1892 **13 24 30 38 42 47 58 62 65 72**
- 3083. Trichodes punctatus Fischer, 1829** (Cleridae) Synonym(s): *punctatus* Fischer, 1829; *illustris* Klug, 1842; *viridifasciatus* Chevrolat, 1843 **01 05 06 07 09 10 14 15 16 17 20 25 26 31 32 33 34 35 37 41 42 45 48 51 54 64 66 70 76 80**
- 3084. Trichodes quadriguttatus Adams, 1817** (Cleridae) Synonym(s): *quadriguttatus* Adams, 1817 **01 05 06 07 08 09 16 17 19 20 23 24 26 30 31 32 34 35 38 39 42 44 45 46 50 51 58 60 66 69 70 71 73 80**
- 3085. Trichodes reichei Mulsant & Rey, 1863** (Cleridae) Synonym(s): *reichei* Mulsant & Rey, 1863; *conjunctus* Escherich, 1892 **01 21 27 31 38 44 46 47 58 62 63 68**
- 3086. Trichodes rubrolimbatus Chevrolat, 1876** (Cleridae) Synonym(s): *rubrolimbatus* Chevrolat, 1876; *difficilis* Escherich, 1893 **63**
- 3087. Trichodes sexpustulatus Chevrolat, 1874** (Cleridae) Synonym(s): *sexpustulatus* Chevrolat, 1874; *erratus* Champenois, 1898 **01 06 07 08 25 29 33 38 44 50 51 58 61 62 65**
- 3088. Trichodes sipylus (Linnaeus, 1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus, 1758; *subfasciatus* Kraatz, 1873; *frater* Kraatz, 1893; *fraterculus* Zaitzev, 1915 **06 07 09 11 12 13 17 20 23 24 27 30 32 33 35 38 42 45 46 47 48 51 58 62 65 68 76**
- 3089. Trichodes suspectus Escherich, 1892** (Cleridae) Synonym(s): *suspectus* Escherich, 1892 **01 06 07 08 14 27 31 33 42 46 51 53 70 80**
- 3090. Trichodes syriacus Spinola, 1844** (Cleridae) Synonym(s): *syriacus* Spinola, 1844 **35**
- 3091. Trichodes tauricus Zimmermann, 1971** (Cleridae) Synonym(s): *tauricus* Zimmermann, 1971 *Trichodes tauricus* Zimmermann, 1971, *Annln naturh. Mus. Wien* 75: 604-605. Holotype ♂: Türkei: [Mersin Prov.]: Namrun b. Tarsus (coll. Zimmermann). **01 07 33 42 51**
- 3092. Trichomeloe conicicollis (Reitter, 1907)** (Meloidae) Synonym(s): *conicicollis* Reitter, 1907 **48**
- 3093. Trichomeloe sericellus (Reiche & Sauley, 1857)** (Meloidae) Synonym(s): *sericellus* Reiche & Sauley, 1857
- 3094. Triodontella asiatica (Brenske, 1890)** (Scarabaeidae) Synonym(s): *asiatica* Brenske, 1890 **33**
- 3095. Triodontella brunneipennis (Sahlberg, 1908)** (Scarabaeidae) Synonym(s): *brunneipennis* Sahlberg, 1908 **20**
- 3096. Triodontella dalmatica (Baraud, 1962)** (Scarabaeidae) Synonym(s): *dalmatica* Baraud, 1962; *bulgarica* Bunalski, 2001 **39**
- 3097. Triodontella demelti Petrovitz, 1962** (Scarabaeidae) Synonym(s): *demelti* Petrovitz, 1962 **07**
- 3098. Triodontella difformipes (Fairmaire, 1892)** (Scarabaeidae) Synonym(s): *difformipes* Fairmaire, 1892; *brignolii* Sabatinelli, 1977 **80**
- 3099. Triodontella dispar (Fairmaire, 1892)** (Scarabaeidae) Synonym(s): *dispar* Fairmaire, 1892; *delagrangei* Pic, 1898 **33**
- 3100. Triodontella eggeri (Rey, 1999)** (Scarabaeidae) Synonym(s): *eggeri* Rey, 1999
- 3101. Triodontella flavimana (Burmeister, 1855)** (Scarabaeidae) Synonym(s): *flavimana* Burmeister, 1855; *sieversi* Reitter, 1889
- 3102. Triodontella lateristria (Reitter, 1889)** (Scarabaeidae) Synonym(s): *lateristria* Reitter, 1889 **01**
- 3103. Triodontella preissi Keith, 2001** (Scarabaeidae) Synonym(s): *preissi* Keith, 2001 **42**
- 3104. Troglocimmerites (s.str.) pasquinii Vigna Taglianti, 1977** (Carabidae) Synonym(s): *pasquinii* Vigna Taglianti, 1977
- 3105. Tropiderinus interruptus (Reitter, 1889)** (Anthribidae) Synonym(s): *interruptus* Reitter, 1889
- 3106. Tropinota (Epicometis) hirta (Poda, 1761)** (Scarabaeidae) Synonym(s): *hirta* Poda, 1761; *hirtellus* Linnaeus, 1767 **01 03 05 06 07 08 09 10 11 14 15 16 17 18 19 20 22 27 31 32 33 35 37 38 39 40 41 42 43 45 46 48 51 54 59 64 70 71 80**
- 3107. Tropinota (s.str.) hirtiformis Reitter, 1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter, 1913

- 3108. Turkanillus (Turkanillus) strinatii Coiffait,1956** (Carabidae) Synonym(s): *strinatii Coiffait,1956*
- 3109. Tychius argentatus Chevrolat,1859** (Curculionidae) Synonym(s): *argentatus Chevrolat,1859* **06 18 32 33 60**
- 3110. Tychius aurarius Boheman,1843** (Curculionidae) Synonym(s): *aurarius Boheman,1843* **06 42**
- 3111. Tychius aureolus Kiesenwetter,1851** (Curculionidae) Synonym(s): *aureolus Kiesenwetter,1851* **06 15 32 38 42**
- 3112. Tychius balcanicus (Penecke,1922)** (Curculionidae) Synonym(s): *balcanicus Penecke,1922* **06**
- 3113. Tychius bicolor Brisout,1862** (Curculionidae) Synonym(s): *bicolor Brisout,1862* **01 06 07 33 80**
- 3114. Tychius brevisculus Desbrochers,1873** (Curculionidae) Synonym(s): *brevisculus Desbrochers,1873* **15 32**
- 3115. Tychius caldarai Dieckmann,1986** (Curculionidae) Synonym(s): *caldarai Dieckmann,1986* **32**
- 3116. Tychius consputus Kiesenwetter,1864** (Curculionidae) Synonym(s): *consputus Kiesenwetter,1864* **32**
- 3117. Tychius cuprifer (Panzer,1799)** (Curculionidae) Synonym(s): *cuprifer Panzer,1799* **06 07 18 26 33 42 58**
- 3118. Tychius eldae Caldara,1990** (Curculionidae) Synonym(s): *eldae Caldara,1990* **06 15 18 38**
- 3119. Tychius festivus (Faust,1884)** (Curculionidae) Synonym(s): *festivus Faust,1884* **06 38 66**
- 3120. Tychius flavus Becker,1864** (Curculionidae) Synonym(s): *flavus Becker,1864* **06 15 32**
- 3121. Tychius graecus Kiesenwetter,1864** (Curculionidae) Synonym(s): *graecus Kiesenwetter,1864* **06 32**
- 3122. Tychius grenieri Brisout,1861** (Curculionidae) Synonym(s): *grenieri Brisout,1861* **06 33**
- 3123. Tychius hirtellus Tournier,1873** (Curculionidae) Synonym(s): *hirtellus Tournier,1873* **01 06 07 32 33 40**
- 3124. Tychius medicaginis Brisout,1862** (Curculionidae) Synonym(s): *medicaginis Brisout,1862* **06 15 32**
- 3125. Tychius meliloti Stephens,1831** (Curculionidae) Synonym(s): *meliloti Stephens,1831* **07 15 32**
- 3126. Tychius ochraceus Tournier,1873** (Curculionidae) Synonym(s): *ochraceus Tournier,1873* **01**
- 3127. Tychius picirostris (Fabricius,1787)** (Curculionidae) Synonym(s): *picirostris Fabricius,1787* **01 06 07 18 42 58 66**
- 3128. Tychius polylineatus (Germar,1824)** (Curculionidae) Synonym(s): *polylineatus Germar,1824* **07 33**
- 3129. Tychius ruscus Desbrochers,1908** (Curculionidae) Synonym(s): *ruscus Desbrochers,1908* **06 18 33 40 58 66**
- 3130. Tychius squamulatus Gyllenhal,1836** (Curculionidae) Synonym(s): *squamulatus Gyllenhal,1836* **15 32**
- 3131. Tychius stephensi Schoenherr,1836** (Curculionidae) Synonym(s): *stephensi Schoenherr,1836* **18**
- 3132. Tychius striatulus Gyllenhal,1836** (Curculionidae) Synonym(s): *striatulus Gyllenhal,1836* **31**
- 3133. Tychius thoracicus Boheman,1843** (Curculionidae) Synonym(s): *thoracicus Boheman,1843* **07 33**
- 3134. Tythaspis sedecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *sedecimpunctata Linnaeus,1758* **22**
- 3135. Uloma cypreaea Kraatz,1873** (Tenebrionidae) Synonym(s): *cypreaea Kraatz,1873* **01 07 35**
- 3136. Vadonia bisignata (Brullé,1832)** (Cerambycidae) Synonym(s): *bisignata Brullé,1832*



- 3137. Vadonia instigmata (Pic,1889)** (Cerambycidae) Synonym(s): *instigmata* Pic,1889 **02**
- 3138. Vadonia moesiaca (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *moesiaca* K.Daniel & J.Daniel,1891
- 3139. Vadonia soror Holzschuh,1981** (Cerambycidae) Synonym(s): *soror* Holzschuh,1981 **07**
- 3140. Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787
- 3141. Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787
- 3142. Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 **41**
- 3143. Vibidia duodecimguttata (Poda,1761)** (Coccinellidae) Synonym(s): *duodecimguttata* Poda,1761 **01 06 25 33 35 53**
- 3144. Xanthochroina auberti (Abeille de Perrin,1876)** (Oedemeridae) Synonym(s): *auberti* Abeille de Perrin,1876 **07 33 46**
- 3145. Xenion ignitum (Kraatz,1875)** (Carabidae) Synonym(s): *ignitum* Kraatz,1875
- 3146. Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola* Olivier,1795
- 3147. Xylotrechus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *rusticus* Linnaeus,1758 **65**
- 3148. Xylotrechus sieversi Ganglbauer,1890** (Cerambycidae) Synonym(s): *sieversi* Ganglbauer,1890 **31**
- 3149. Zabrus aciculatus Schaum,1864** (Carabidae) Synonym(s): *aciculatus* Schaum,1864
- 3150. Zabrus aurichalceus M.F.Adams,1817** (Carabidae) Synonym(s): *aurichalceus* M.F.Adams,1817
- 3151. Zabrus chalceus Faldermann,1836** (Carabidae) Synonym(s): *chalceus* Faldermann,1836
- 3152. Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832
- 3153. Zabrus spinipes (Fabricius,1798)** (Carabidae) Synonym(s): *spinipes* Fabricius,1798
- 3154. Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777
- 3155. Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta* Fabricius,1792; *thoracica* Laporte,1840 **07 14 24 26 25 55**
- 3156. Zonitis gibbicollis Abeille de Perrin,1880** (Meloidae) Synonym(s): *gibbicollis* Abeille de Perrin,1880 **33**
- 3157. Zonitis immaculata (Olivier,1789)** (Meloidae) Synonym(s): *immaculata* Olivier,1789; *mutica* Scriba,1790; *gibbicollis* Abeille de Perrin,1880 **05 06 19 33 42**
- 3158. Zonitis microcephala Escherich,1889** (Meloidae) Synonym(s): *microcephala* Escherich,1889
- 3159. Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana* Ragusa,1882; *laticollis* Escherich,1891 **18 25 42**
- 3160. Zonitis nigriventris Motschulsky,1845** (Meloidae) Synonym(s): *nigriventris* Motschulsky,1845 **76**
- 3161. Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis* Frivaldsky,1877 **07 47**
- 3162. Zophosis (Oculosis) dilatata Deyrolle,1867** (Tenebrionidae) Synonym(s): *dilatata* Deyrolle,1867 **07 42 51 60**
- 3163. Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata* Brullé,1832 **06 07 13 20 35 38 42 51**
- 3164. Zophosis (Septentriophosis) oblonga Solier,1834** (Tenebrionidae) Synonym(s): *oblonga* Solier,1834
- 3165. Zophosis (Septentriophosis) rugosa Faldermann,1837** (Tenebrionidae) Synonym(s): *rugosa* Faldermann,1837
- 3166. Zophosis asiatica Miller,1861** (Tenebrionidae) Synonym(s): *asiatica* Miller,1861
- 3167. Zophosis hydrobiiformis Reitter,1916** (Tenebrionidae) Synonym(s): *hydrobiiformis* Reitter,1916 **31**
- 3168. Zophosis osmanlis Deyrolle,1872** (Tenebrionidae) Synonym(s): *osmanlis* Deyrolle,1872 **05 65**
- 3169. Zoroachros alysidotus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *alysidotus* Kiesenwetter,1858 **44 65**

- 3170. Zorochros anatolicus Dolin & Mertlik,2002** (Elateridae) Synonym(s): *anatolicus Dolin & Mertlik,2002* **01**
- 3171. Zorochros araxicola (Reitter,1895)** (Elateridae) Synonym(s): *araxicola Reitter,1895*
- 3172. Zorochros caucasicus Jagemann,1939** (Elateridae) Synonym(s): *caucasicus Jagemann,1939*
- 3173. Zorochros georgicus Dolin & Tschatlandze,1980** (Elateridae) Synonym(s): *georgicus Dolin & Tschatlandze,1980*
- 3174. Zorochros heyrovskyi Roubal,1940** (Elateridae) Synonym(s): *heyrovskyi Roubal,1940* **01**
- 3175. Zorochros kopeckyi Platia & Gudenzi,1998** (Elateridae) Synonym(s): *kopeckyi Platia & Gudenzi,1998* **01**
- 3176. Zorochros kurdicus Dolin & Mertlik,2002** (Elateridae) Synonym(s): *kurdicus Dolin & Mertlik,2002* **73**
- 3177. Zorochros meridionalis (Laporte,1840)** (Elateridae) Synonym(s): *meridionalis Laporte,1840* **41 42 53**
- 3178. Zorochros minimus (Lacordaire,1835)** (Elateridae) Synonym(s): *dermestoides Herbst,1806 nec Linn.,1767; minimus Lacordaire,1835*
- 3179. Zorochros murinus (Reitter,1895)** (Elateridae) Synonym(s): *murinus Reitter,1895*
- 3180. Zorochros nanus (Gurjeva,1963)** (Elateridae) Synonym(s): *nanus Gurjeva,1963*
- 3181. Zorochros pallicrus (Desbrochers,1875)** (Elateridae) Synonym(s): *pallicrus Desbrochers,1875; delicatulus Schwarz,1897*
- 3182. Zorochros pilosellus (Reitter,1895)** (Elateridae) Synonym(s): *pilosellus Reitter,1895*
- 3183. Zorochros quadriguttatus (Laporte,1840)** (Elateridae) Synonym(s): *quadriguttatus Laporte,1840*
- 3184. Zorochros recellentus Dolin,1995** (Elateridae) Synonym(s): *recellentus Dolin,1995*
- 3185. Zorochros stibicki (Leseigneur,1970)** (Elateridae) Synonym(s): *stibicki Leseigneur,1970*



## Selected Bibliography (incomplete)

1. **Abeille de Perrin, E.**, 1892, Decrit deux nouvelles especes de Clerides méditerranéens. *Bull. Soc. ent. Fr.* 1892: ccxxxvi-ccxxxvii. [available in Cesa Library]
2. **Adlbauer, K.**, 1982, Eine neue Dorcadion-Art aus Kleinasien (Coleoptera, Cerambycidae). *NachrBl. bayer. Ent.* 31 (6): 104-107, 2 Abb. [available in Cesa Library]
3. **Ahrens, D.**, 2008, Catalogue Palaearctic Sericini (updated March 2008). <http://www.serica.gmxhome.de/layout05/thema1b.htm>
4. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. *Bitki kor. bült.* 21 (2): 53-88. [available in Cesa Library]
5. **Anonymous**, 2009, Family Glaphyridae, [in] Synopsis of the described Coleoptera of the World. <http://insects.tamu.edu/research/collection/hallan/test/...> [available in Cesa Library]
6. **Aslan, E.G. & A.Gök**, 2006, Host-plant relationships of 65 Flea Beetles species from Turkey with new associations (Coleoptera, Chrysomelidae, Alticinae). *Ent. News* 117 (3): 297-308.
7. **Aslan, I., Gruev, B. & H.Özbek**, 1999, A preliminary review of the subfamily Alticinae (Coleoptera, Chrysomelidae) in Turkey. *Turk. J. Zool.* 23: 373-414. [available in Cesa Library]
8. **Avgın, S.S. & I.Emri**, 2009, Contribution to the taxonomy of the Harpalinae (Coleoptera, Carabidae) from Kahramanmaraş and the surrounding towns, in Turkey. *Trans. am. ent. Soc.* 133 (3/4): 413-432. [available in Cesa Library]
9. **Avgın, S.S.**, 2006, General information and tiger beetles *Cicindela herbacea*, *Calomera fischeri fischeri* and *Homodela ismenia kilikiensis* collected from Southeast of Turkey (Coleoptera, Cicindelidae). *BAÜ Fen Bil. Enst. Derg.* 8 (2): 23-28, figs. [available in Cesa Library]
10. **Aydın, E. & Ş.Kısmalı**, 1990, Ege Bölgesi Clytrinae (Coleoptera, Chrysomelidae) altfamilyası türleri üzerinde faunistik çalışmalar. *Türk. ent. Derg.* 14 (1): 23-35. [available in Cesa Library]
11. **Baselga, A. & F.Novoa**, 2005, The western Palaearctic Neocrepidodera (Coleoptera, Chrysomelidae) of the *N.impressa* and *N.ferruginea* species groups. *Ann. ent. Soc. Am.* 98 (6): 896-907, figs. [available in Cesa Library]
12. **Bezdek, J.**, 2002, *Phyllobrotica aslani* Warchalowski, 1998, a new synonym of *P. binotata* Ogloblin, 1936 (Coleoptera, Chrysomelidae, Galerucinae). *Genus* 13 (3): 351-352. [available in Cesa Library]
13. **Bialooki, P.**, 2006, A new species of *Neotournieria* Apfelbeck, 1932 from Turkey (Coleoptera, Curculionidae, Entiminae). *Genus* 17 (2): 263-267, figs. [available in Cesa Library]
14. **Bialooki, P.**, 2006, Two new species of *Cionus* Clairville, 1798 (Coleoptera, Curculionidae, Cioniini) from Turkey. *Polskie pismo ent.* 75: 55-64, figs. [available in Cesa Library]
15. **Bily, S.**, 2006, Two new species in the *Anthaxia* (*Anthaxia*) *candens* (Panzer, 1793) species-group from Iran and Turkey with taxonomic notes on the group (Coleoptera, Buprestidae). *Zootaxa* 1309: 25-25, figs.
16. **Biondi, M.**, 1992, Note sui Crisomelidi Alticini della fauna di Turchia, con descrizione di tre nuove specie (Coleoptera, Chrysomelidae, Alticinae). *Fragm. Ent. Roma* 23 (2): 341-354. [available in Cesa Library]
17. **Biondi, M.**, 1997, *Longitarsus aubozaorum* and *Psylliodes littoralis*, two new flea beetle species from Turkey (Coleoptera, Chrysomelidae). *Fragm. Ent. Roma* 29 (2): 383-390. [available in Cesa Library]
18. **Borowiec, L.**, 2005, *Macrocoma doboszi*, a new species from Turkey (Coleoptera, Chrysomelidae, Eumolpinae). *Genus* 16 (3): 373-377, figs. [available in Cesa Library]
19. **Borowiec, L.**, 2007, Cassidinae (Coleoptera, Chrysomelidae) collected in Turkey during expeditions of Upper Silesian Museum Bytom, Poland. *Annls Upper Sil. Mus. (Ent.)* 14-15: 7-12. [available in Cesa Library]

20. **Braun,W.**, 1979, Beitrag zur Kenntnis der Gattung Dorcadion (Col., Cerambycidae). *NachrBl. bayer. Ent.* 28 (5): 81-86, 3 Abb. [available in Cesa Library]
21. **Canpolat,D., Lillig,M. & A.Hasbenli**, 2007, *Accanthopus velikensis* (Piller & Mitterpacher,1783) - new to the Turkish fauna (Coleoptera, Tenebrionidae). *Zool. Middle East* 42: 104-105, fig. [available in Cesa Library]
22. **Cassola,F.**, 1999, Studies on Tiger Beetles. CVII. The cicindelid fauna of Anatolia: faunistics and biogeography (Coleoptera, Cicindelidae). *Biogeographia* 20: 229-276, figs. [available in Cesa Library]
23. **Clavareau,H.**, 1913, Chrysomelidae, [in] Schenkling,S., *Coleopterorum Catalogus Pars.* 53: 1-278. W.Junk, Berlin. [available in Cesa Library]
24. **Çam,H. & T.Atay**, 2008, The faunistic studies on the subfamily Alticinae (Coleoptera, Chrysomelidae) species in Tokat Province. *Int. J. nat. eng. Sci.* 2 (3): 21-26. [available in Cesa Library]
25. **Darılmaz,M. & S.Kıyak**, 2006, A contribution to the knowledge of the Turkish water beetles fauna (Coleoptera). *Mun. Ent. Zool.* 1(1): 129-144. [available in Cesa Library]
26. **Darılmaz,M.C. & S.Kıyak**, 2008, An annotated checklist and key to the Turkish Elongated Water Scavenger Beetles (Coleoptera, Hydrochidae). *Baltic J. Coleopt.* 8 (2): 149-154, 3 figs. [available in Cesa Library]
27. **Darılmaz,M.C. & S.Kıyak**, 2009, Checklist of Gyrinidae, Haliplidae, Noteridae and Dytiscidae of Turkey (Coleoptera, Adephaga). *J. nat. Hist.* 43 (25-26): 1585-1636. [available in Cesa Library]
28. **Demir,M.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin sistematik ve faunistik değerlendirilmesi. Yüksek lisans tezi. 91s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 216668] <http://tez2.yok.gov.tr/> [available in Cesa Library]
29. **Dvorak,M.**, 1983, Drei neue Arten und einige Bemerkungen zur Familie Meloidae (Coleoptera). *Acta ent. bohemosl.* 80: 441-450.
30. **Erol,T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar I (Rhynchitinae, Deporaini, Auletini, Byctiscini). *Türk. ent. derg.* 18 (1): 41-50, figs. [available in Cesa Library]
31. **Erol,T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar II (Rhynchitinae, Rhynchitini). *Türk. ent. derg.* 18 (2): 89-102, figs. [available in Cesa Library]
32. **Erol,T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar III (Rhynchitinae, Attelabrinae, Apoderinae). *Türk. ent. derg.* 18 (3): 175-192, figs. [available in Cesa Library]
33. **Fairmaire,L.**, 1895, Coleopteres nouveaux d'Akbes, des derniers chasses de M.Charles Delangrange (Ipelates, Onthophagus, Capnodis, Malacogaster, Lampyris et Ctenopus). *Annls Soc. ent. Fr. (Bull.)* 64: 109-111.
34. **Ferrer,J. & L.Soldati**, 1999, Contribution a l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). *Entomofauna* 20 (4): 53-92, figs. [available in Cesa Library]
35. **Fery,H., Erman,Ö.K.**, 2009, Five new species of the longulus-group of *Hydroporus* Clairville,1806 from north-eastern Turkey (Coleoptera, Dytiscidae). *Zootaxa* 2033: 1-12, figs. [available in Cesa Library]
36. **Franzen,M. & J.Gebert**, 2003, Distribution of the tiger beetle *Lophyridia caucasica* (Adam,1817) in Iran (Coleoptera, Cicindelidae). *Zool. Middle East* 23: 79-82, figs. [available in Cesa Library]
37. **Frieser,R.**, 1981, Die Anthribiden der Westpalaearktis einschliesslich der Arten der UdSSR (Coleoptera, Anthribidae). *Mitt. münch. ent. Ges.* 71: 33-107, figs. [available in Cesa Library]
38. **Fritzlar,F.**, 2001, *Aphthona warchalowski* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise,1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 97: 199-224.
39. **Fritzlar,F.**, 2001, *Aphthona warchalowskii* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise,1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 97: 199-224.
40. **Fritzlar,F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 100: 105-126.



41. **Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. - drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 100: 105-126, figs.
42. **Fürsch, H. & N.Uygun**, 1980, Neue Scymnini aus der Türkei (Coleoptera, Coccinellidae). *NachrBl. bayer. Ent.* 29 (6): 109-118, 30 figs. [available in Cesa Library]
43. **Fürsch, H.**, 1987, *Cynegetis syriaca* (Mader) neu für die Türkei (Coleoptera, Coccinellidae). *NachrBl. bayer. Ent.* 36 (2): 47. [available in Cesa Library]
44. **Fürsch, H.**, 1987, Eine neue *Hyperaspis*-Art für die Türkei (Coleoptera, Coccinellidae). *NachrBl. bayer. Ent.* 36 (2): 53-54, 4 Abb. [available in Cesa Library]
45. **Geisthardt, M.**, 1983, Beitrag zur Revision der Gattung *Lampyrus* Müller, 1764 I. Zur Kenntnis einiger nordafrikanischer und mediterraner Arten (Coleoptera, Lampyridae). *Mitt. münch. ent. Ges.* 73: 23-44, figs. [available in Cesa Library]
46. **Gök, A.**, 2002, Faunistic studies on the species *Pachybrachis Chevrolat* and *Cryptocephalus Geoffroy* (Coleoptera, Chrysomelidae, Cryptocephalinae) of Dedegöl Mountains (Isparta). *Türk. J. Zool.* 26: 31-42, figs. [with some incorrect distributional information] [available in Cesa Library]
47. **Gök, A.**, 2003, Faunistic studies on the species of the subfamily Clytrinae (Coleoptera, Chrysomelidae) of Dedegöl Mountains (Isparta). *Türk. J. Zool.* 27: 187-194. [available in Cesa Library]
48. **Gueorguiev, B. & J.Ruzicka**, 2002, Check list of Bulgarian carrion beetles (Coleoptera, Silphidae). *Hist. nat. bulg.* 15: 89-112. [available in Cesa Library]
49. **Guglielmi, A. & G.Platia**, 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). *Fragm. ent., Roma* 18 (1): 169-224, figs. [available in Cesa Library]
50. **Hava, J.**, 2006, Notes on the genus *Phradonoma* from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). *Genus* 17 (1): 79-94, figs. [available in Cesa Library]
51. **Hava, J., Ruzicka, J. & J.Schneider**, 1998, Faunistic records of Silphidae (Coleoptera) from Turkey. *Klapalekiana* 34: 173-181, figs. [available in Cesa Library]
52. **Hejkal, J.**, 2002, *Amara* (*Amara*) *lukasi* sp.n. (Coleoptera, Catabidae) from Turkey. *Klapalekiana* 38: 27-35, figs. [available in Cesa Library]
53. **Hoskovec, M. & M.Rejzek**, 2009, Cerambycidae of the West Palaearctic Region. <http://www.cerambyx.uochb.cz/cerambyx.htm>
54. **Iwan, D.**, 2002, Catalogue of the World Platynotini (Coleoptera, Tenebrionidae). *Genus* 13 (2): 219-323. [available in Cesa Library]
55. **İncekara, Ü., Mart, A. & O.Erman**, 2003, Check list of the Hydrophilidae (Coleoptera) species of Turkey and a new record for the Turkish fauna [with numerous incorrect spellings]. *Türk. J. Zool.* 27: 47-53. [available in Cesa Library]
56. **İncekara, Ü., Mart, A. & O.Erman**, 2005, *Helophorus erzurumicus* sp.n., a new species from Turkey and some notes on *H. ponticus* Angus, 1988 (Coleoptera, Hydrophilidae). *Aquatic Insects* 27 (1): 43-46, figs. [available in Cesa Library]
57. **Jäch, M.A.**, 1989, Revision of the palaearctic species of the genus *Ochthebius* Leach II. The subgenus *Cobalius* Rey (Hydraenidae, Coleoptera). *Z. ArbGem. öst. Ent.* 41 (1/2): 41-50, figs. [available in Cesa Library]
58. **Jäch, M.A., Kasapoğlu, A. & O.Erman**, 2003, Revision of the Palaearctic species of the genus *Ochthebius* Leach (Coleoptera, Hydraenidae) XX. Description of two species of the subgenus *Asiobates* Thomson from Northeastern Turkey. *Aquatic Insects* 25 (1): 71-74, figs. [available in Cesa Library]
59. **Jedlicka, A.**, 1963, Neue Carabiden Anatolien und vom Balkan. *Koleopt. Rdsch.* 40/41: 16-22, figs. [available in Cesa Library]
60. **Jelinek, J. & K.Spornraft**, 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung *Meligethes* Steph. (Coleoptera, Nitidulidae). *Mitt. münch. ent. Ges.* 68: 1-11, figs. [available in Cesa Library]
61. **Karaman, Ş. & S.Tezcan**, 1998, Contribution to the study of the genus *Anthaxia* (subgenus *Anthaxia* s.str.) Eschscholtz, 1829 (Coleoptera, Buprestidae) of Turkey. *Türk. ent. derg.* 22 (1): 19-35. [available in Cesa Library]
62. **Keith, D.**, 2001, Contribution a la connaissance des Scarabaeoidea du Moyen Orient (3 note) sur le genre *Triodontella* Reitter, 1919 (Coleoptera, Melolonthidae, Sericinae). *Lambillionea ci:* 153-160, 4 figs. [available in Cesa Library]

63. **Kemal, M. & A.Ö. Koçak**, 2008, First scientific trip to the South West Van Lake Region (6-8 March, 2008). *Cesa News* 7: 1-14, figs. [available in Cesa Library]
64. **Kemal, M. & A.Ö. Koçak**, 2009, *Cicindela asiatica* Audouin & Brullé in South East Turkey (Coleoptera, Cicindelidae). *Cesa News* 41: 1-4, 5 figs. [available in Cesa Library]
65. **Keskin, B.**, 2003, Erstnachweis von *Tentyria cypria* Kraatz, 1865 (Coleoptera, Tenebrionidae) für die Türkei. *Zool. Middle East* 29: 116-117, 1 Abb. [available in Cesa Library]
66. **Keskin, B.**, 2005, A new record for the Tenebrionidae (Coleoptera) fauna of Turkey: *Mesostena puncticollis* Solier, 1835 (Pimeliinae, Tentyriini). *Zool. Middle East* 34: 119-120, fig. 1. [available in Cesa Library]
67. **Kıyak, S., Salur, A., Canbulat, S. & M. Darılmaz**, 2006, Additional notes on Gyrinidae fauna of Turkey (Coleoptera). *Mun. Ent. Zool.* 1(1): 57-62. [available in Cesa Library]
68. **Kiesenwetter, H.v.**, 1874, Revision der europäischen Arten der Gattung *Malthodes* (Zweites Stück). *Berl. ent. Z.* 18: 45-70. [available in Cesa Library]
69. **Kiesenwetter, H.v.**, 1872, Revision der europäischen Arten der Gattung *Malthodes* (Erstes Stück). *Berl. ent. Z.* 16: 369-392, *Taf. iv, v*. [available in Cesa Library]
70. **Kocatepe, N. & O. Mergen**, 2004, Ankara ili Carabidae (Coleoptera) faunası türleri üzerinde faunistik araştırmalar. *Türk. ent. Derg.* 28 (4): 295-309. [available in Cesa Library]
71. **Koçak, A.Ö. & M. Kemal**, 2009, Report on the "Entomofauna of Turkey" 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. *Cesa News* 41: 4-46, 2 figs. [available in Cesa Library]
72. **Krolík, R. & M. Niehuis**, 2003, *Agrilus rhoos*, a new species from Turkey (Coleoptera, Buprestidae). *Genus* 14 (3): 357-362, figs. [available in Cesa Library]
73. **Krolík, R.**, 2002, *Agrilus kutahyanus* n.sp. from Turkey (Coleoptera, Buprestidae). *Genus* 13 (1): 25-31, figs. [available in Cesa Library]
74. **Kubisz, D., Krolík, R., Dobosz, R. & R.B. Pettersson**, 2007, Oedemeridae (Coleoptera, Tenebrionoidea) in Turkey - preliminary check-list and materials to the distribution. *Annls Upper Sil. Mus. (Ent.)* 14-15: 111-130, figs. [available in Cesa Library]
75. **Maican, S.**, 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) newly entered in the collections of "Grigore Antipa" National Museum of Natural History [Results of the expeditions from Turkey and Tunisia, 2005-2006]. *Trav. Mus. nat. Hist. Nat. "Grigore Antipa"* 50: 421-429. [available in Cesa Library]
76. **Mart, A. & O. Erman**, 2001, A study on *Helophorus* Fabricius, 1775 (Coleoptera, Hydrophilidae) species. *Türk. J. Zool.* 25: 35-40 [most of the pages stained unprincipally on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library]
77. **Medvedev, L.N.**, 1970, A list of the Chrysomelidae collected by Dr. W. Wittmer in Turkey (Coleoptera). *Revue suisse. Zool.* 77 (2): 309-319.
78. **Medvedev, L.N.**, 1975, Chrysomelidae collected by W. Wittmer in Turkey and Iran. *Mitt. ent. Ges. Basel* 25 (1): 12-19.
79. **Merkel, O.**, 2006, Redescription of *Lagria* (Apteronympha) *tenenbaumi* Pic, 1929, with a checklist of the western Palaearctic species of the *Lagria* F. (Coleoptera, Tenebrionidae, Lagriini). *Proc. Russ. ent. Soc., St. Petersburg* 77: 219-225, figs. [available in Cesa Library]
80. **Mertlik, J. & G. Platia**, 2008, Catalogue of the family Cebrionidae, Elateridae, Lissomidae, Melasidae, and Throscidae (Coleoptera) from Turkey. *Elateridarum* 2: 1-40. [available in Cesa Library]
81. **Mitter, H.**, 2004, Eine neue Eulasia-Art aus dem Iran (Coleoptera, Scarabaeoidea, Glaphyridae). *Linzer biol. Beitr.* 36 (1): 305-307, Abb. 2. [available in Cesa Library]
82. **Mitter, H.**, 1992, Eine neue Amphicoma-Art aus dem Nahen Osten (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 24 (1): 31-34, Abb. 1. [available in Cesa Library]
83. **Mitter, H.**, 1996, *Eulasia baumanni* n.sp., eine neue Art aus Palestina (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 28 (1): 363-365. [available in Cesa Library]
84. **Mitter, H.**, 1992, Faunistische und taxonomische Notizen über südostanatolische Glaphyrinae (Scarabaeidae). *Koleopt. Rdsch.* 62: 169-171.
85. **Mitter, H.**, 2001, Notizen über wenig bekannte Arten der Familie Glaphyridae aus dem Nahen und Mittleren Osten und Beschreibung von *Pygopleurus anahitae* n.sp. (Coleoptera, Scarabaeoidea, Glaphyridae). *Linzer biol. Beitr.* 33 (2): 1041-1045. [available in Cesa Library]



86. **Mitter, H.**, 1996, *Eulasia palmyrensis* n.sp., eine weitere neue Art aus dem Nahostgebiet (Coleoptera, Scarabaeidae, Glaphyridae). *Linzer biol. Beitr.* 28 (2): 933-936. [available in Cesa Library]
87. **Montreuil, O. & S. Serri**, 2007, Description of a new *Pygopleurus* species (Col.: Glaphyridae) with a list of recorded species of the genera *Pygopleurus* and *Eulasia* from Iran. *J. ent. Soc. Iran* 26 (2): 1-6, figs. [available in Cesa Library]
88. **Nadein, K.S.**, 2009, Revision of the genus *Mniophila* Stephens, 1831 (Coleoptera, Chrysomelidae). *Beitr. Ent.* 59 (1): 103-131, 7 figs, 3 maps. [available in Cesa Library]
89. **Novak, V.**, 2007, New species of the genus *Hymenalia* Mulsant, 1856 (Coleoptera, Tenebrionidae, Alleculinae) from Palaearctic Region. *Stud. rep. Distr. Mus. Prague-East (Tax. Series)* 3 (1/2): 149-170, figs. [available in Cesa Library]
90. **Özbek, H. & G. Çetin**, 1991, Contribution to the fauna of Coccinellidae (Coleoptera) from eastern Anatolia along with some new records from Turkey. *Türk. ent. derg.* 15 (4): 193-202. [available in Cesa Library]
91. **Pehlivan, E.**, 1988, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar I. *Scarabaeus* L., *Gymnopleurus* Ill., *Sisyphus* Latr. *Türk. ent. Derg.* 12 (4): 221-230, 12 figs. [available in Cesa Library]
92. **Pehlivan, E.**, 1989, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar II. *Onthophagus* Latr. *Türk. ent. Derg.* 13 (1): 25-42, figs. [available in Cesa Library]
93. **Pehlivan, E., Karsavuran, Y. & S. Tezcan**, 2005, Contributions to the knowledge of the Curculioninae and Phytonominae (Coleoptera, Curculionidae) from Turkey. *Türk. ent. derg.* 29 (3): 173-182. [available in Cesa Library]
94. **Pehlivan, E., Karsavuran, Y. & S. Tezcan**, 2005, Contributions to the knowledge of the Lixinae (Coleoptera, Curculionidae) from Turkey. *Türk. ent. derg.* 29 (4): 259-272. [available in Cesa Library]
95. **Petrovitz, R.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Vierte Folge). *Annln naturh. Mus. Wien* 75: 565-589, Abb. [available in Cesa Library]
96. **Petrovitz, R.**, 1967, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera. *Annln naturh. Mus. Wien* 70: 325-343, Abb. [available in Cesa Library]
97. **Petrovitz, R.**, 1968, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Zweite Folge). *Annln naturh. Mus. Wien* 72: 465-491, Abb. [available in Cesa Library]
98. **Petrovitz, R.**, 1969, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Dritte Folge). *Annln naturh. Mus. Wien* 73: 383-400, figs. [available in Cesa Library]
99. **Pittino, R.**, 2004, New or nothworthy taxa of the genus *Onthophagus* (Subg. *Palaeonthophagus*) from South-estern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae). *Fragm. ent. Roma* 36 (2): 145-214, figs. [available in Cesa Library]
100. **Platia, G. & D. Tarnawski**, 1998, Description of two new species of click-beetles from Turkey (Coleoptera, Elateridae). *Genus* 9 (3): 269-274, figs. [available in Cesa Library]
101. **Reiche, L. & F. de Saulcy**, 1855-1858, *Especies nouvelles ou peu connues de Coléoptères*, recueillies par M. F. de Saulcy membre de l'Institut, dans son Voyage en Orient. *Annls Soc. ent. Fr.* 3 (3) (1855): 561-645; 3 (4) (1856): 353-422; 3 (5) (1857): 169-276, 649-695; 3 (6) (1858): 5-60; 4 pls. [available in Cesa Library]
102. **Ruzicka, J.**, 1993, Three new species of *Choleva* (Coleoptera, Leiodidae, Cholevinae) from the Caucasus and Turkey with a key to species of the cisteloides group. *Eur. J. Ent.* 90: 337-348, figs. [available in Cesa Library]
103. **Ruzicka, J.**, 1994, A new species of *Catopomorphus* from Turkey (Coleoptera, Leiodidae, Chovelinae). *Fragm. ent. Roma* 26 (1): 133-139, figs. [available in Cesa Library]
104. **Ruzicka, J.**, 1997, A new species of *Attaephilus* from Turkey (Coleoptera, Leiodidae, Chovelinae). *Ent. Probl.* 28 (1): 57-59, figs. [available in Cesa Library]
105. **Sabatinelli, G.**, 1977, Note su alcuni Lucanidae e Scarabaeoidea floricoli di Turchia con descrizione di due nuove specie (Coleoptera). *Fragm. ent.* 13 (2): 71-96, figs. [available in Cesa Library]
106. **Sabatinelli, G.**, 2008, The Scarabs of the Levant Syria, Lebanon, Jordan, Palestine, Israel, Sinai. <http://www.glaphyridae.com/index.html>
107. **Scheerpeltz, O.**, 1979, Studien an den paläarktischen Arten der Gattung *Cryptobium* Mannerheim (Col. Staphylinidae, Subfam. Paederinae), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. *Mitt. münch. ent. Ges.* 68: 121-143. [available in Cesa Library]

108. **Schubert,F.**, 1963, *Apion tauricum* n.sp. *Koleopt. Rdsch.* 40/41: 81-82. [available in Cesa Library]
109. **Sert,O.**, 2004, Türkiye *Tychius* (Coleoptera, Curculionidae) Synonym(s): faunası için yeni kayıtlar *Türk. ent. Derg.* 28 (4): 311-313. [available in Cesa Library]
110. **Sert,O.**, 2005, Akdeniz ve İç Anadolu Bölgesi'nde *Ceutorhynchus* Germar,1824 ve *Tychius* Germar,1817 (Coleoptera, Curculionidae) cinselerine bağlı türler üzerine faunistik çalışmalar. *Türk. ent. derg.* 29 (2): 135-149. [available in Cesa Library]
111. **Silkin,N.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin değerlendirilmesi. Yüksek lisans tezi. 159s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 234041] <http://tez2.yok.gov.tr/> [available in Cesa Library]
112. **Svihla,V.**, 2009, New species of the subfamily Malthininae (Coleoptera, Cantharidae) from the western Palaearctic Region. *Acta ent. Mus. natn. Pragae* 49 (1): 191-216, figs. [available in Cesa Library]
113. **Svihla,V.**, 1999, Contribution to the knowledge of the genus *Cantharis* L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae). *Ent. Basil.* 21: 135-170.
114. **Szekessy,W.**, 1939, *Acrulia armeniaca* n.sp. (Col. Staph.). *Mitt. münch. ent. Ges.* 29: 374-376. [available in Cesa Library]
115. **Tezcan,S. & S.Bily**, 1998, Contribution to the study of the genus *Anthaxia* Eschscholtz,1829 (subgenus *Cratomerus* Solier,1833 and *Melanthaxia* Richter,1944) (Coleoptera, Buprestidae) of Turkey. *Türk. ent. derg.* 22 (3): 171-186. [available in Cesa Library]
116. **Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 1. Lagriinae, Pimeliinae, Bolitophaginae, Diaperinae. *Türk ent. derg.* 28 (2). 99-114. [available in Cesa Library]
117. **Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 2. Opatrinae, Tenebrioninae, Adeliinae. *Türk ent. derg.* 28 (3). 163-180. [available in Cesa Library]
118. **Tezcan,S., Uhmman,G. & B.Keskin**, 2002, Notes on the Ant-like flower beetles (Coleoptera, Anthicidae, Anthicinae) of the ecologically managed Cherry orchards of western Turkey. *Baltic J. Coleopt.* 2 (1): 77-82. [available in Cesa Library]
119. **Toledano,L. & K.Rébl**, 2006, A new species of *Bembidion* Latreille from Nemrut Dağ, Turkey (Coleoptera, Carabidae). *Koleopt. Rdsch.* 76: 7-13, figs. [available in Cesa Library]
120. **Tomov,V. & B.Gruev**, 1975, Chrysomelidae (Col.) collected by K.M.Guichard in Turkey, Greece and Yugoslavia. *Trav. Sci. Univ. Plovdiv Bulgarica* 13 (4): 133-151.
121. **Tomov,V.**, 1976, Eine neue *Cryptocephalus* Art (Coleoptera, Chrysomelidae) aus der Türkei. *Acta zool. Bulgarica* 5: 83-85.
122. **Tomov,V.**, 1984, *Cryptocephalinae* and *Galerucinae* from Turkey (Coleoptera, Chrysomelidae). *Fragm. ent. Roma* 17 (2): 373-378. [available in Cesa Library]
123. **Topkara,E.T. & S.Balık**, 2008, First record of the family Hygrobiidae (Coleoptera, Adephaga) from Turkey *Annls Soc. ent. Fr. (n.s.)* 44 (3): 315-316, figs. [available in Cesa Library]
124. **Tozlu,G. & H.Özbek**, 2000, Erzurum, Erzincan, Artvin ve Kars illeri Buprestidae (Coleoptera) familyası türleri üzerinde faunistik ve taksonomik çalışmalar I. *Acmaeoderinae*, *Polycestinae* ve *Buprestinae*. *Turk J. Zool.* 24 (ek sayı): 51-78 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tübitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library]
125. **Tracy,J.L. & T.O.Robbins**, 2009, Taxonomic revision and biogeography of the *Tamarix*-feeding *Diorhabda elongata* (Brullé,1832) species group (Coleoptera, Chrysomelidae, Galerucinae, Galerucini) and analysis of their potential in biological control of *Tamarix*. *Zootaxa* 2101: 1-152, figs. [available in Cesa Library]
126. **Ulay,S.M. & S.Tezcan**, 1998, Contribution to the study of the genus *Anthaxia* Eschscholtz,1829 (subgenus *Haplanthaxia* Reitter,1911) (Coleoptera, Buprestidae) of Turkey. *Türk. ent. derg.* 22 (2): 109-121. [available in Cesa Library]
127. **Uygun,N. & H.Fürsch**, 1981, Die *Hyperaspis*-Arten der Türkei. *NachrBl. bayer. Ent.* 30 (1): 12-15. [available in Cesa Library]
128. **Warchalowski,A.**, 1998, Beschreibung der neuen Art *Derocrepis* (Aeschrocnemis) *whiteheadi* sp.n. und ihres Standortes in Kleinasien (Coleoptera, Chrysomelidae, Halticinae). *Genus* 9 (3): 361-365, figs. [available in Cesa Library]



129. **Warchalowski, A.**, 2008, A review of the subgenus *Pachybrachys* Chevrolat, 1837 s.str. of Palaearctic Region (Coleoptera, Chrysomelidae, Cryptocephalinae). *Genus* 19 (2): 213-283, figs. [available in Cesa Library]
130. **Weise, J.**, 1884, Beitrag zur Chrysomeliden-Fauna von Amasia. *Dt. ent. Z.* 28 (1): 157-160.
131. **Weise, J.**, 1897, Neue Chrysomeliden aus Angora. *Stettin ent. Ztg.* 58 (1): 63-68. [available in Cesa Library]
132. **Weise, J.**, 1900, Neue Coleopteren aus Kleinasien. *Dt. ent. Z.* 1900 (1): 132-140.
133. **Wingelmüller, A.**, 1938, Monographie der palaarktischen Arten der Tribus Cionini. *Koleopt. Rundsch.* 23: 143-221. [available in Cesa Library]
134. **Wittmer, W.**, 1970, Zur Kenntnis der Gattung *Malthodes* (Coleoptera, Cantharidae). *Ent. Arb. Mus. Frey* 21: 13-107, figs.
135. **Yurtsever, S.**, 2001, A preliminary study on the Ladybirds (Coleoptera, Coccinellidae) of Edirne in North-Western Turkey. *Turk. J. Zool.* 25: 71-75. [available in Cesa Library]
136. **Zimmermann, V.S.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung *Trichodes* Herbst (Cleridae, Coleoptera). *Annln naturhn. Mus. Wien* 75: 591-625. [available in Cesa Library]
137. **Zimmermann, V.S.**, 1973, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung *Trichodes* Herbst (Cleridae, Coleoptera). *Annln naturhn. Mus. Wien* 77: 409-419. [available in Cesa Library]

# Ankara

(A scientific Consortium)  
(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243)<sup>8</sup>, Miscellaneous Papers (ISSN 1015-8235)<sup>9</sup>, Memoirs (ISSN-8227)<sup>10</sup>, DVD Films<sup>11</sup>, Iconographia Insectorum<sup>12</sup>, Cesa Publications on African Lepidoptera (series)<sup>13</sup>, Cesa News [online]<sup>14</sup>, Cesa Books<sup>15</sup>

**Owners / Sahipleri - Editors / Yayıncılar:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Lütfi Behçet, Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mails: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr) - [a\\_kocak@lycos.com](mailto:a_kocak@lycos.com)

All serials are recorded regularly by the Zoological Record,  
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NY, United Kingdom  
[ts-emea-york.dcsadmins@thomson.com](mailto:ts-emea-york.dcsadmins@thomson.com)

<sup>8</sup> <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

<sup>9</sup> <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

<sup>10</sup> <http://www.cesa-tr.org/Memoirs.htm> -

<sup>11</sup> <http://www.cesa-tr.org/CDF.htm>

<sup>12</sup> <http://www.cesa-tr.org/Icon.htm>

<sup>13</sup> [http://www.metafro.be/Members/Cesa/internet\\_sayfas305/base\\_view](http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view) - pdf available

<sup>14</sup> <http://www.cesa-tr.org/Cesanews.htm>

<sup>15</sup> <http://www.cesa-tr.org/Cesabooks.htm>